

## Foreman - Bug #10103

### hash resource yaml double conversion producing ` symbols

04/09/2015 05:43 AM - Mikhail Shevtsov

<b>Status:</b> New	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Parameters	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b> 1.7.2
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
Good day.	
Tried to find workaround by myself for a long time without success.	
The problem is if I create hash resource using ether yaml syntax or json like in following example it hits some kind of internal limit on line length and if next line starts with space it creates "`":	
<pre>{"/root/test.txt":{"ensure":"present","content":"environment: production\nemail-errors-to:\n - xxxxxxxxxxx@example.com\n - yyyyyyyyyy@example.com\n"}}</pre>	
Produces following yaml and file itself:	
<pre>#####   /root/test.txt:     ensure: present     content: ! "environment: production\nemail-errors-to:\n - xxxxxxxxxxx@example.com\n  \ - yyyyyyyyyy@example.com\n"</pre>	
<pre>##### environment: production email-errors-to:   - xxxxxxxxxxx@example.com   \ - yyyyyyyyyy@example.com #####</pre>	
Thanks, Mikhail.	

## History

#1 - 04/09/2015 05:44 AM - Mikhail Shevtsov

formatting broken

#2 - 04/09/2015 05:45 AM - Dominic Cleal

- Description updated

- Category changed from Puppet integration to Parameters

- Difficulty deleted (medium)