# Foreman - Bug #10270

# OVirt 3.5: disk not activated after adding via Foreman

04/26/2015 09:27 AM - Anonymous

Status: Closed

Priority: Normal

Assignee:

Category: Compute resources - oVirt

Target version:

Difficulty: Fixed in Releases:
Triaged: No Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request:

### **Description**

This seems to be a missing function of rbovirt or a change within OVirt 3.5. I created an issue for rbovirt => <a href="https://github.com/abenari/rbovirt/issues/78">https://github.com/abenari/rbovirt/issues/78</a>

Feel free to delete the issue if don't want to track it.

#### Related issues:

Related to Foreman - Bug #7649: Adding a disk to an existing VM in RHEV while... New 09/26/2014

#### History

#### #1 - 04/27/2015 03:23 AM - Dominic Cleal

- Related to Bug #7649: Adding a disk to an existing VM in RHEV while it's powered on does not activate it added

### #2 - 04/27/2015 03:23 AM - Dominic Cleal

- Category set to Compute resources - oVirt

## #3 - 12/01/2019 11:30 AM - Shira Maximov

- Status changed from New to Closed

ovirt 3.5 is deprecated, closing this issue.

05/18/2024 1/1