

## Foreman - Bug #10358

### API doc for /api/v2/locations does not mention parents

05/04/2015 09:41 AM - Bryan Kearney

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Oleh Fedorenko	
<b>Category:</b> Organizations and Locations	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> No	<b>Found in Releases:</b>
<b>Bugzilla link:</b> 1216232	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
Cloned from <a href="https://bugzilla.redhat.com/show_bug.cgi?id=1216232">https://bugzilla.redhat.com/show_bug.cgi?id=1216232</a>	
Description of problem: The API documentation for /api/v2/locations (at <a href="https://sat.example.com/apidoc/v2/locations.html">https://sat.example.com/apidoc/v2/locations.html</a> ) does not make any mention of parent locations. This is problematic because it is, in fact, possible to associate a location with a parent organization by POSTing to /api/v2/locations, and also presumably by PUTting to /api/v2/locations/:id.	
Version-Release number of selected component (if applicable): Tested against Satellite-6.1.0-RHEL-6-20150424.0 and Satellite-6.1.0-RHEL-7-20150424.0.	
How reproducible: 100%	
Steps to Reproduce: 1. Go to <a href="https://sat.example.com/apidoc/v2/locations.html">https://sat.example.com/apidoc/v2/locations.html</a> . Search for "parent".	
Actual results: No mention of parents.	
Expected results: Mention of the fact that one can associate a location with zero or more parents.	
Additional info:	
<b>Related issues:</b>	
Related to Foreman - Feature #3912: Add ability for locations / organizations...	<b>Closed</b>

### History

#### #1 - 05/05/2015 03:53 AM - Dominic Cleal

- Category set to Organizations and Locations

#### #2 - 05/05/2015 03:53 AM - Dominic Cleal

- Related to Feature #3912: Add ability for locations / organizations to inherit from a parent location / organization added

#### #3 - 07/04/2019 01:23 PM - Evgeni Golov

- Assignee set to Oleh Fedorenko

#### #4 - 07/09/2019 12:21 PM - Oleh Fedorenko

- Status changed from New to Closed

Closing, since parent assignment to a location/organization is mentioned in POST/PUT API documentation (which makes sense to have it there).

Parent assignment was introduced by commit: <https://github.com/theforeman/foreman/commit/5c028a17ad427dc606cf45be05fc026d5435aadb>

apidocs:

<https://theforeman.org/api/1.22/apidoc/v2/locations/create.html>  
<https://theforeman.org/api/1.22/apidoc/v2/locations/update.html>

<https://theforeman.org/api/1.22/apidoc/v2/organizations/create.html>  
<https://theforeman.org/api/1.22/apidoc/v2/organizations/update.html>