

Foreman - Bug #10626

Opening a novnc console of a libvirt VM returns with error: "Failed to set console : call to VirDomainUpdateDeviceFlags failed : Internal error : unable to execute QEMU command 'set_password' : Could not set password"

05/27/2015 09:28 AM - Dirk Mayer

Status:	New	
Priority:	High	
Assignee:		
Category:	Compute resources - libvirt	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases: 1.8.1
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

1. Create new libvirt Compute resource : Infrastructure -> Compute resources -> button "New Compute Resource"
2. Chose provider "Libvirt"
3. Enter details
4. Ensure "Console password" is checked
5. Test Connction is successfull
6. Submit and add image

7. Creating a new host by provisioning a libvirt image based VM via the the foreman web gui
8. VM boots automatically
9. Foreman web gui: Hosts -> All Hosts -> Select new host
10. Push button "Console" to open a noVMC connection to the booting host
11. Error message appears: "Failed to set console : call to VirDomainUpdateDeviceFlags failed : Internal error : unable to execute QEMU command 'set_password' : Could not set password"

At this point of time it is not possible to open a VNC conso to the VM

If I disable the "Console password" in step 4. by editing the recently created compute resource now, it is possible to get access to the VM described in step 9. and 10.

History

#1 - 05/27/2015 09:39 AM - Dirk Mayer

- File production.log added

Files

production.log	4.34 MB	05/27/2015	Dirk Mayer
----------------	---------	------------	------------