

Foreman - Bug #10662

Foreman apidoc index shows mixed language translations

06/01/2015 08:41 AM - Xavier Naveira

Status:	Closed	
Priority:	Normal	
Assignee:	Dominic Cleal	
Category:	API	
Target version:	1.11.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases: 1.8.0
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/foreman/foreman/pull/3212	
Description		
Tested on Foreman 1.8.0 api v2 with firefox and chrome.		
The api shows asian characters when using JSONView plugin.		
Example: http://imgur.com/LkPjNXs		

Associated revisions

Revision f3582159 - 02/22/2016 03:50 AM - Dominic Cleal

fixes #10662 - set default_locale to 'en'

When a default locale isn't set and FastGettext.set_locale() is called with an unknown locale, it picks the first available. This depends on the readdir order of locale/, which depends on filesystem behaviour.

Now when generating the default language API docs, they are always in English and when accessing the web UI with an unknown language preference, the 'en' locale is provided.

Revision a355157f - 02/24/2016 12:32 PM - Dominic Cleal

fixes #10662 - set default_locale to 'en'

When a default locale isn't set and FastGettext.set_locale() is called with an unknown locale, it picks the first available. This depends on the readdir order of locale/, which depends on filesystem behaviour.

Now when generating the default language API docs, they are always in English and when accessing the web UI with an unknown language preference, the 'en' locale is provided.

(cherry picked from commit f3582159e2bc0cb5cd01741598e6f9a883d8fb9f)

History

#1 - 06/01/2015 08:44 AM - Xavier Naveira

This issue presents itself when querying the api root page: <https://foreman.domain.ext/api/v2/>

#2 - 06/01/2015 08:51 AM - Dominic Cleal

- Subject changed from *Foreman api output shows asian characters when using JSONView plugin* to *Foreman apidoc index shows mixed language translations*

I suspect the locale isn't initialised properly from within the apipie-rails controller, as we normally do it in a before_filter on our own controllers.

Also I see this on <http://foreman.example.com/apidoc/v2.html> which I suppose ought to be English (there are also per-language pages).

#3 - 02/19/2016 08:14 AM - Dominic Cleal

- Status changed from New to Assigned

- Assignee set to Dominic Cleal

#4 - 02/19/2016 08:28 AM - The Foreman Bot

- Status changed from Assigned to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/3212> added

#5 - 02/22/2016 04:01 AM - Dominic Cleal

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [f3582159e2bc0cb5cd01741598e6f9a883d8fb9f](#).

#6 - 02/22/2016 10:45 AM - Dominic Cleal

- translation missing: en.field_release set to 71