

## Foreman - Bug #10727

### UI should raise an error on creating a host with BMC interface, when BMC feature is not enabled on proxy

06/08/2015 04:13 AM - Shimon Shtein

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Shimon Shtein	
<b>Category:</b>	Host creation	
<b>Target version:</b>	1.9.0	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b>
<b>Bugzilla link:</b>	1218876	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/theforeman/foreman/pull/2441">https://github.com/theforeman/foreman/pull/2441</a>	

#### Description

Cloned from [https://bugzilla.redhat.com/show\\_bug.cgi?id=1218876](https://bugzilla.redhat.com/show_bug.cgi?id=1218876)

Description of problem:

I was trying to provision a host and added a new BMC interface from new\_host form. I submitted the form and later I realized I forgot to enable the BMC feature on proxy.

Provisioning on the host started without throwing any error on UI. However production.log raises a warning:

```
--
2015-05-06 11:43:25 [I] Processing by HostsController#bmc as HTML
2015-05-06 11:43:25 [I] Parameters: {"id"=>"mac525400c75a5e.englab.pnq.redhat.com"}
2015-05-06 11:43:25 [I] Rendered hosts/_bmc.html.erb (13.7ms)
2015-05-06 11:43:25 [W] Failed to fetch bmc information: ERF42-1518 [Foreman::Exception]: Unable to find a proxy with BMC feature
2015-05-06 11:43:25 [I] Rendered text template (0.0ms)
2015-05-06 11:43:25 [I] Completed 200 OK in 52ms (Views: 0.7ms | ActiveRecord: 1.6ms)
---
```

Moreover, when I see the BMC tab on host details page and on clicking the 'BMC' tab, it was showing: Failure: ERF42-1518 [Foreman::Exception]: Unable to find a proxy with BMC feature

This is a usability issue, on submit the form, user should get a proper error message: "Unable to find a proxy with BMC feature"

and it should be popped-up on UI.

Version-Release number of selected component (if applicable):  
sat6.1 GA Snap2 (Satellite-6.1.0-RHEL-7-20150429.2)

How reproducible:  
always

Steps to Reproduce:

1. provision a host with BMC interface and without enabling BMC feature on proxy
- 2.
- 3.

Actual results:

when user provisioned a host with BMC interface and without enabling BMC feature, provisioning starts without throwing any error

Expected results:

on submit the form, user should get a proper error message: "Unable to find a proxy with BMC feature"

and it should be popped-up on UI.

Additional info:

Please see the BMC tab in attachment.. UI is throwing error under BMC tab only. It should be properly popped-up before actual provisioning starts.

## Associated revisions

---

### Revision a9c70fb4 - 06/24/2015 06:53 AM - Shimon Shtein

Fixes #10727 - Added validation to require BMC Smart proxy in order to add BMC nic

## History

---

### #1 - 06/08/2015 04:17 AM - Dominic Cleal

- *Category set to Host creation*

### #2 - 06/08/2015 06:12 AM - The Foreman Bot

- *Status changed from New to Ready For Testing*

- *Pull request <https://github.com/theforeman/foreman/pull/2441> added*

- *Pull request deleted ()*

### #3 - 06/24/2015 06:54 AM - Dominic Cleal

- *translation missing: en.field\_release set to 35*

### #4 - 06/24/2015 07:01 AM - Shimon Shtein

- *Status changed from Ready For Testing to Closed*

- *% Done changed from 0 to 100*

Applied in changeset [a9c70fb468054622c322f953949039373d2983c9](#).