

Smart Proxy - Bug #1104

added better log information when ssl_dir is not the default

08/11/2011 03:26 AM - Corey Osman

Status: Resolved	
Priority: Normal	
Assignee:	
Category:	
Target version: Bug scrub	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<pre>def find_puppetca ssl_dir = Pathname.new ssl_dir unless (ssl_dir + "ca").directory? logger.warn "PuppetCA: SSL/CA unavailable on this machine" raise "SSL/CA unavailable on this machine" end end</pre>	
It would be more helpful if the warning said: PuppetCA: SSL/CA unavailable on this machine, try adding ssl_dir: <path to puppet ssl dir> in the smart proxy settings.	

Associated revisions

Revision dd633419 - 11/15/2012 07:40 AM - Greg Sutcliffe

More detailed log message for puppetca ssl_dir Add ssl_dir and puppetdir to config examples Fixes #1104

History

#1 - 12/06/2011 10:04 AM - Jacob McCann

I just ran into this as well. Noticed it is documented in the wiki, but as stated its not meantioned in error output. Also, there is no 'sample' variable in settings.yml

#2 - 11/13/2012 12:13 PM - Greg Sutcliffe

- Target version set to Bug scrub

#3 - 11/15/2012 06:13 AM - Greg Sutcliffe

- Status changed from New to Ready For Testing

<https://github.com/theforeman/smart-proxy/pull/41>

#4 - 11/15/2012 08:36 AM - Dominic Cleal

- Status changed from Ready For Testing to Resolved

Merged in 1ad2e81fc618a4bd845595664d4786e99983dc63.