

Foreman - Bug #11072

--nic parameter not being passed to OpenStack when using OpenStack compute resource

07/09/2015 01:20 PM - Will Newby

Status: New	
Priority: Normal	
Assignee:	
Category: Compute resources - OpenStack	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases: 1.8.2
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Running Foreman 1.8.2 and OpenStack IceHouse.	
I get this message when trying to spin up a new host via foreman on our OpenStack Compute Resource: "Failed to create a compute MSP_OpenStack_DEV (OpenStack) instance <hostname>: Multiple possible networks found, use a Network ID to be more specific." this started happening after we configured a second subnet.	
We're running 2 networks currently. A flat network and a vlan network. vlandev_293 is the vlan network (i.e. the new one).	
From IRC: eLobato DaxAtlas: k, almost certain this is a bug, thanks for catching it - probably worth blocking 1.9, which we're releasing candidates for now	
From /var/log/foreman/production.log	
<pre>2015-07-09 11:28:22 [I] Parameters: {"utf8"=>"", "authenticity_token"=>"Qm4xjviQDd26Ir+UutusCJ7gTZDuUsDmDDV2GkfkPeM=", "host"=>{"name"=>"<hostname>", "organization_id"=>"1", "location_id"=>"2", "hostgroup_id"=>"2", "compute_resource_id"=>"2", "compute_profile_id"=>"1", "lifecycle_environment_id"=>"6", "content_view_id"=>"2", "environment_id"=>"3", "content_source_id"=>"1", "puppet_proxy_id"=>"1", "puppet_proxy_id"=>"1", "puppetclass_ids"=>[""], "managed"=>"true", "progress_report_id"=>"[FILTERED]", "type"=>"Host::Managed", "interfaces_attributes"=>{"0"=>{"_destroy"=>"0", "type"=>"Nic::Managed", "mac"=>"", "identifier"=>"", "name"=>"<hostname>", "subnet_id"=>"", "ip"=>"10.240.1.15", "managed"=>"1", "primary"=>"1", "provision"=>"1", "virtual"=>"0", "tag"=>"", "attached_to"=>""}, "new_interfaces"=>{"_destroy"=>"1", "type"=>"Nic::Managed", "mac"=>"", "identifier"=>"", "name"=>"", "subnet_id"=>"", "ip"=>"", "managed"=>"1", "primary"=>"0", "provision"=>"0", "virtual"=>"0", "tag"=>"", "attached_to"=>""}, "compute_attributes"=>{"flavor_ref"=>"e5528078-d305-4041-90d2-d5892d4bafbd", "tenant_id"=>"cb988e6b54c14b4bba86d1741a6e8f0d", "security_groups"=>"default", "nics"=>[""], "network"=>"vlandev_293", "boot_from_volume"=>"false", "size_gb"=>"", "image_ref"=>"c76bcf13-d90d-408c-8cd5-4e8a20f182a8"}, "architecture_id"=>"1", "operatingsystem_id"=>"1", "provision_method"=>"image", "build"=>"1", "disk"=>"", "root_pass"=>"[FILTERED]", "is_owned_by"=>"", "enabled"=>"1", "comment"=>"", "overwrite"=>"false"}, "capabilities"=>"image", "provider"=>"Openstack"}</pre>	
<pre>2015-07-09 11:29:22 [W] failed to create vm: Multiple possible networks found, use a Network ID to be more specific. 2015-07-09 11:29:22 [W] Failed to create a compute MSP_OpenStack_DEV (OpenStack) instance <hostname>: Multiple possible networks found, use a Network ID to be more specific. /usr/share/foreman/app/models/compute_resources/foreman/model/openstack.rb:93:in `rescue in create_vm' /usr/share/foreman/app/models/compute_resources/foreman/model/openstack.rb:77:in `create_vm' /usr/share/foreman/app/models/concerns/orchestration/compute.rb:76:in `setCompute' /usr/share/foreman/app/models/concerns/orchestration.rb:141:in `execute' /usr/share/foreman/app/models/concerns/orchestration.rb:86:in `block in process' /usr/share/foreman/app/models/concerns/orchestration.rb:78:in `each' /usr/share/foreman/app/models/concerns/orchestration.rb:78:in `process'</pre>	

```
/usr/share/foreman/app/models/concerns/orchestration.rb:19:in `on_save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:649:in  
n `__run__3804907515839744385__save__3496219498638125777__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in  
n `__run_callback'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in  
n `_run_save_callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in  
`run_callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:264:in  
`create_or_update'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:84:in  
`save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/validations.rb:50:in  
`save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/attribute_methods/di  
rty.rb:22:in `save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:  
in `block (2 levels) in save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:295:  
in `block in with_transaction_returning_status'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/  
abstract/database_statements.rb:192:in `transaction'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:  
in `transaction'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:293:  
in `with_transaction_returning_status'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:  
in `block in save'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:252:  
in `rollback_active_record_state!'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:240:  
in `save'  
/usr/share/foreman/app/models/concerns/foreman/sti.rb:29:in `save_with_type'  
/usr/share/foreman/app/controllers/hosts_controller.rb:84:in `create'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/implicit_ren  
der.rb:4:in `send_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:167:in `  
process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rendering.rb  
:10:in `process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:18:  
in `block in process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:627:in  
n `block (4 levels) in __run__632726986743375242__process_action__4447846264555034338__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in  
n `block in _conditional_callback_around_11685'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:326:in  
n `around'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:310:in  
n `__callback_around_3714'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in  
n `_conditional_callback_around_11685'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:626:in  
n `block (3 levels) in __run__632726986743375242__process_action__4447846264555034338__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in  
n `block in _conditional_callback_around_11684'  
/usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in  
n `_conditional_callback_around_11684'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:625:in  
n `block (2 levels) in __run__632726986743375242__process_action__4447846264555034338__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in  
n `block in _conditional_callback_around_11683'  
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in  
n `_conditional_callback_around_11683'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:448:in `block in _run__632726986743375242__process_action__4447846264555034338__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:215:in `block in _conditional_callback_around_11682'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:326:in `around'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:310:in `_callback_around_13'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:214:in `_conditional_callback_around_11682'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:414:in `_run__632726986743375242__process_action__4447846264555034338__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:385:in `_run_process_action_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:17:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rescue.rb:29:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:30:in `block in process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/notifications.rb:123:in `block in instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/notifications/instrumenter.rb:20:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activestorage-3.2.8/lib/active_storage/notifications.rb:123:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:29:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/params_wrapper.rb:207:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/controller_runtime.rb:18:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:121:in `process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/rendering.rb:45:in `process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:203:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:246:in `block in action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:36:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:600:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.2.6/lib/apipie/extractor/recorder.rb:97:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.2.6/lib/apipie/middleware/checksum_in_headers.rb:27:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/etag.rb:23:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/conditionalget.rb:35:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/head.rb:14:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/params_parser.rb:21:in `call'
/usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/flash.rb:242:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:205:in `context'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:200:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/cookies.rb:339:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/query_cache.rb:64:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/connection_pool.rb:473:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:28:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `_run__3319479720230664179__call__3496219498638125777__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `_run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `_run_call_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/remote_ip.rb:31:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/katello-2.2.1/lib/katello/middleware/silenced_logger.rb:29:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/request_id.rb:22:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/methodoverride.rb:21:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/runtime.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/cache/strategy/local_cache.rb:72:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/lock.rb:15:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/engine.rb:479:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:223:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/railtie/configurable.rb:30:in `method_missing'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/builder.rb:134:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:64:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `call'
```

```

/usr/lib/ruby/gems/1.8/gems/passenger-4.0.18/lib/phusion_passenger/rack/thread_handler_extension.r
b:77:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.18/lib/phusion_passenger/request_handler/thread_handler.
rb:140:in `accept_and_process_next_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.18/lib/phusion_passenger/request_handler/thread_handler.
rb:108:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.18/lib/phusion_passenger/request_handler.rb:441:in `bloc
k (3 levels) in start_threads'
/opt/rh/ruby193/root/usr/share/gems/gems/logging-1.8.1/lib/logging/ diagnostic_context.rb:323:in `c
all'
/opt/rh/ruby193/root/usr/share/gems/gems/logging-1.8.1/lib/logging/ diagnostic_context.rb:323:in `b
lock in create_with_logging_context'
caused by: (Excon::Errors::BadRequest) Expected([200, 202]) <=> Actual(400 Bad Request)
excon.error.response
:body => "{\"badRequest\": {\"message\": \"Multiple possible networks found, use a Netw
ork ID to be more specific.\", \"code\": 400}}"
:headers => {
  "Content-Length" => "115"
  "Content-Type" => "application/json; charset=UTF-8"
  "Date" => "Thu, 09 Jul 2015 16:29:22 GMT"
  "X-Compute-Request-Id" => "req-1ba24dac-d8ec-44bb-be5c-bb51ea27a69b"
}
:local_address => "192.168.203.222"
:local_port => 58245
:reason_phrase => ""
:remote_ip => "192.168.86.193"
:status => 400

/opt/rh/ruby193/root/usr/share/gems/gems/excon-0.43.0/lib/excon/middlewares/expects.rb:10:in `resp
onse_call'
/opt/rh/ruby193/root/usr/share/gems/gems/excon-0.43.0/lib/excon/middlewares/response_parser.rb:8:i
n `response_call'
/opt/rh/ruby193/root/usr/share/gems/gems/docker-api-1.17.0/lib/excon/middlewares/hijack.rb:45:in `
response_call'
/opt/rh/ruby193/root/usr/share/gems/gems/excon-0.43.0/lib/excon/connection.rb:365:in `response'
/opt/rh/ruby193/root/usr/share/gems/gems/excon-0.43.0/lib/excon/connection.rb:235:in `request'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-core-1.29.0/lib/fog/core/connection.rb:81:in `request'
,
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.29.0/lib/fog/openstack/compute.rb:351:in `request'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.29.0/lib/fog/openstack/requests/compute/create_serv
er.rb:89:in `create_server'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.29.0/lib/fog/openstack/models/compute/server.rb:349
:in `save'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-core-1.29.0/lib/fog/core/collection.rb:51:in `create'
/usr/share/foreman/app/models/compute_resource.rb:151:in `create_vm'
/usr/share/foreman/app/models/compute_resources/foreman/model/openstack.rb:82:in `create_vm'
... skipped 124 lines
2015-07-09 11:29:22 [W] Rolling back due to a problem: [Set up compute instance <fqdn> 2 f
ailed [#<Host::Managed id: nil, name: "<fqdn>", last_compile: nil, last_freshcheck: nil, last_
report: nil, updated_at: nil, source_file_id: nil, created_at: nil, root_pass: "$1$LmTn2dYw$z/VjuP
ghGf5TlhbHYB5rq.", serial: nil, puppet_status: 0, architecture_id: 1, operatingsystem_id: 1, envir
onment_id: 3, ptable_id: nil, medium_id: nil, build: true, comment: "", disk: "", installed_at: ni
l, model_id: nil, hostgroup_id: 2, owner_id: 5, owner_type: "User", enabled: true, puppet_ca_proxy
_id: 1, managed: true, use_image: nil, image_file: nil, uuid: nil, compute_resource_id: 2, puppet_
proxy_id: 1, certname: nil, image_id: 1, organization_id: 1, location_id: 2, type: "Host::Managed"
, otp: nil, realm_id: nil, compute_profile_id: 1, provision_method: "image", content_source_id: 1,
grub_pass: "$1$LmTn2dYw$z/VjuPghGf5TlhbHYB5rq.", content_view_id: 2, lifecycle_environment_id: 6,
discovery_rule_id: nil>, :setCompute]]
2015-07-09 11:29:22 [I] Failed to save: Failed to create a compute MSP_OpenStack_DEV (OpenStack) i
nstance <fqdn>: Multiple possible networks found, use a Network ID to be more specific.

```

History

#1 - 07/09/2015 01:20 PM - Will Newby

- Copied from Feature #11048: Add script to sync community-templates to app/views/unattended added

#2 - 07/09/2015 03:24 PM - Daniel Lobato Garcia

- *Project changed from Plugins to Foreman*

#3 - 07/10/2015 03:38 AM - Dominic Cleal

- *Category set to Compute resources - OpenStack*

#4 - 07/10/2015 04:41 AM - Dominic Cleal

- *Copied from deleted (Feature #11048: Add script to sync community-templates to app/views/unattended)*

#5 - 02/05/2016 07:14 PM - Matthew Ceroni

Has there been any progress on this? I am currently running into the same issue. We only have floating IP networks that we assign to instances.