

Foreman - Feature #11367

Default values for the template inputs

08/14/2015 05:21 PM - Ivan Necas

Status:	Closed	
Priority:	Normal	
Assignee:	Oleh Fedorenko	
Category:	Templates	
Target version:		
Difficulty:		Fixed in Releases: 1.24.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/foreman/foreman/pull/7050	
Description		
Sometimes, the template can have an input, which is required, but some sane default can be specified (thing about `ping -c 5 www.example.com ` - one doesn't want to do that infinitely, but the number of iterations should be customizable).		
Related issues:		
Related to Foreman Remote Execution - Feature #28052: Add default field for t...		Closed

Associated revisions

Revision b3c1ffb0 - 10/08/2019 05:45 PM - Oleh Fedorenko

Fixes #11367 - Default values for the template inputs

History

#1 - 01/06/2016 10:22 AM - Marek Hulán

- Tracker changed from Bug to Feature

#2 - 04/08/2019 06:27 AM - Marek Hulán

- Project changed from Foreman Remote Execution to Foreman

#3 - 09/19/2019 02:24 PM - Oleh Fedorenko

- Status changed from New to Assigned

- Assignee set to Oleh Fedorenko

#4 - 09/19/2019 02:49 PM - The Foreman Bot

- Status changed from Assigned to Ready For Testing

- Pull request <https://github.com/foreman/foreman/pull/7050> added

#5 - 10/08/2019 05:45 PM - The Foreman Bot

- Fixed in Releases 1.24.0 added

#6 - 10/08/2019 06:01 PM - Oleh Fedorenko

- Status changed from Ready For Testing to Closed

Applied in changeset [b3c1ffb0ae1ea3d4d1ed74214589fe98854536a3](https://gitlab.com/foreman/foreman/-/commits/b3c1ffb0ae1ea3d4d1ed74214589fe98854536a3).

#7 - 10/11/2019 05:41 PM - Oleh Fedorenko

- Related to Feature #28052: Add default field for template inputs in hammer added

#8 - 10/24/2019 12:58 PM - Amit Upadhye

- Category set to Templates