

Foreman - Bug #11559

domain option needed if hosts provisioned belongs to other domain that that of IDM server

08/25/2015 02:45 PM - Bryan Kearney

<div>Status: Duplicate</div> <div>Priority: Normal</div> <div>Assignee:</div> <div>Category: Realm</div> <div>Target version:</div> <div>Difficulty:</div> <div>Triaged:</div> <div>Bugzilla link: 1209838</div> <div>Pull request:</div>	<div>Fixed in Releases:</div> <div>Found in Releases:</div> <div>Red Hat JIRA:</div>
<div>Description</div> <div>Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1209838</div> <div>Description of problem:</div> <div>My setup details:</div> <div>-----</div> <div>Satellite6 Hostname: sat207-144.itlab.eng.pune.redhat.com</div> <div>Domain: itlab.eng.pune.redhat.com</div> <div>IPA server domain name : katellolabs.org</div> <div>If we select different domain for vm (here itlab.eng.pune.redhat.com) as that of the IPA server (here katellolabs.org) while provisioning, requires the below change in the idm_register config template.</div> <div>/usr/sbin/ipa-client-install -w '<%= @host.otp >' --domain=katellolabs.org --realm=<%= @host.realm %> -f -U \$idm_mkhomedir \$idm_opts \$idm_server \$idm_ssh</div> <div>please note the extra '--domain=katellolabs.org' required in the above command.</div> <div>If the above extra option is not given it prompts us for the domain name to be specified as it cannot figure the domain name and automatic enrolment fails.</div> <div>Here the vm had the hostname: testvm.itlab.eng.pune.redhat.com</div> <div>Version-Release number of selected component (if applicable):</div> <div>sat6.1 Beta RC5</div> <div>How reproducible:</div> <div>Steps to Reproduce:</div> <div>1. while trying REALM Integration as the IPA server will have a different domain.</div> <div>2.</div> <div>3.</div> <div>Actual results:</div> <div>Automatic enrolment of the provisioned vm fails.</div> <div>Expected results:</div> <div>needs the below extra option to ipa-client-install command in idm_register template file.</div> <div>'--domain=katellolabs.org'</div> <div>NOTE:- the domain we are specifying is the domain of the IPA server.</div> <div>current: /usr/sbin/ipa-client-install -w '<%= @host.otp >' --realm=<%= @host.realm %> -f -U \$idm_mkhomedir \$idm_opts \$idm_server \$idm_ssh</div>	

Needs: /usr/sbin/ipa-client-install -w '<%= @host.otp >' --domain=katellolabs.org --realm=<= @host.realm %> -f -U \$idm_mkhome_dir \$idm_opts \$idm_server \$idm_ssh

Additional info:

May not be an issue if both the sat6 domain and the vm's being provisioned are in same domain.

History

#1 - 08/25/2015 02:46 PM - Bryan Kearney

- *Category set to Realm*

#2 - 08/26/2015 03:16 AM - Dominic Cleal

- *Status changed from New to Duplicate*

Already fixed in 1.9.0-RC2. <https://github.com/theforeman/community-templates/commit/c2c9c22c291ee0c443c1815ab38a51c83370b042>