

Smart Proxy - Bug #11653

stdout warning about use of "SYSLOG" logger on every startup

09/02/2015 06:42 AM - Dominic Cleal

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:		
Category:	Core	
Target version:	1.10.0	
Difficulty:		
Triaged:		
Bugzilla link:		
Pull request:	https://github.com/foreman/smart-proxy/pull/315	
Description		
The smart proxy now warns about lack of syslog on some platforms on every startup, which is overly verbose, since #11323 .		
a) Formatting is messy with init scripts, see below.		
b) "Ignoring" implies that it was asked to use syslog, but it isn't configured for that (it has the default file).		
c) In a default configuration on Ruby 1.9.3, it's too verbose.		
<pre># service foreman-proxy restart Restarting foreman-proxy: foreman-proxySetting log_file=SYSLOG not supported on this platform, ignoring .</pre>		
Related issues:		
Related to Smart Proxy - Refactor #11323: Refactor PID writing, interrupt tra...		Closed 08/11/2015

Associated revisions

Revision [e0497ca9](#) - 09/04/2015 08:33 AM - Dmitri Dolguikh

fixes #11653: only display warning message about unavailability of 'SYSLOG' when it was configured

History

- #1 - 09/02/2015 06:42 AM - Dominic Cleal**
- Related to Refactor #11323: Refactor PID writing, interrupt trap and daemon logging added
- #2 - 09/02/2015 07:26 AM - The Foreman Bot**
- Status changed from New to Ready For Testing
 - Pull request <https://github.com/foreman/smart-proxy/pull/315> added
 - Pull request deleted ()
- #3 - 09/04/2015 09:01 AM - Anonymous**
- Status changed from Ready For Testing to Closed
 - % Done changed from 0 to 100

Applied in changeset [e0497ca9b3ab7d0be272847c2cbdae9850cc6e1d](#).