

Smart Proxy - Bug #11654

Error logged: Unable to overwrite interrupt trap: undefined method `version' for nil:NilClass

09/02/2015 06:46 AM - Dominic Cleal

Status: Closed	
Priority: Normal	
Assignee:	
Category: Core	
Target version: 1.10.0	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request: https://github.com/foreman/smart-proxy/pull/314	
Description	
On a default Debian Wheezy (7) installation, the smart proxy logs the following warning when starting up:	
<pre>W, [2015-09-02T10:44:00.718272 #11543] WARN -- : Unable to overwrite interrupt trap: undefined method `version' for nil:NilClass</pre>	
Full context with debugging enabled:	
<pre>W, [2015-09-02T10:44:00.133324 #11536] WARN -- : Couldn't find settings file /etc/foreman-proxy/settings.d/foreman_proxy.yml. Using default settings. I, [2015-09-02T10:44:00.133436 #11536] INFO -- : 'foreman_proxy' settings were initialized with default values: :enabled: true I, [2015-09-02T10:44:00.135749 #11536] INFO -- : Finished initialization of module 'foreman_proxy' I, [2015-09-02T10:44:00.136141 #11536] INFO -- : 'facts' module is disabled. I, [2015-09-02T10:44:00.136492 #11536] INFO -- : 'dns_nsupdate' settings were initialized with default values: :dns_key: , :dns_server: localhost, :enabled: false I, [2015-09-02T10:44:00.145555 #11536] INFO -- : 'dns' settings were initialized with default values: :use_provider: dns_nsupdate I, [2015-09-02T10:44:00.147968 #11536] INFO -- : Finished initialization of module 'dns' I, [2015-09-02T10:44:00.148408 #11536] INFO -- : 'templates' module is disabled. I, [2015-09-02T10:44:00.150972 #11536] INFO -- : Finished initialization of module 'tftp' I, [2015-09-02T10:44:00.151368 #11536] INFO -- : 'dhcp' module is disabled. I, [2015-09-02T10:44:00.420330 #11536] INFO -- : Finished initialization of module 'puppetca' I, [2015-09-02T10:44:00.421283 #11536] INFO -- : 'puppet' settings were initialized with default values: :puppet_provider: puppetrun, :puppetdir: /etc/puppet, :salt_puppetrun_cmd: puppet.run, :use_cache: true I, [2015-09-02T10:44:00.423631 #11536] INFO -- : Finished initialization of module 'puppet' I, [2015-09-02T10:44:00.424076 #11536] INFO -- : 'bmc' module is disabled. I, [2015-09-02T10:44:00.424610 #11536] INFO -- : 'realm' module is disabled. W, [2015-09-02T10:44:00.718272 #11543] WARN -- : Unable to overwrite interrupt trap: undefined method `version' for nil:NilClass</pre>	
Related issues:	
Related to Smart Proxy - Refactor #11323: Refactor PID writing, interrupt tra...	Closed 08/11/2015

Associated revisions

Revision d00dc586 - 09/04/2015 04:31 AM - Dmitri Dolguikh

fixes #11654: no longer rely on rubygems to determine rack version

History

#1 - 09/02/2015 06:47 AM - Dominic Cleal

- Related to Refactor #11323: Refactor PID writing, interrupt trap and daemon logging added

#2 - 09/02/2015 07:11 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/theforeman/smart-proxy/pull/314> added
- Pull request deleted ()

#3 - 09/04/2015 05:01 AM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [d00dc586000839c21fdae3361ed230216e15243](#).