

Installer - Bug #11811

Foreman-Installer load module "APT" on RHEL7

09/15/2015 06:15 AM - Sven Milinski

Status: Resolved	
Priority: Normal	
Assignee:	
Category:	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases: 1.9.1
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Hey,	
i need some help for the kafo installer. I don't know if i'm the problem, but i tried to install a vanilla foreman 1.9.1 version on RHEL7. As described i added the required channels and start the foreman-installer. But i got the following error:	
<pre>[DEV] foreman01.#### \$:/usr/share/foreman-installer/config \$ foreman-installer -v [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group boot [INFO 2015-09-15 12:07:00 verbose] All hooks in group boot finished [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group init [INFO 2015-09-15 12:07:00 verbose] All hooks in group init finished [INFO 2015-09-15 12:07:00 verbose] Loading default values from puppet modules... [INFO 2015-09-15 12:07:00 verbose] ... finished [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group pre_values [INFO 2015-09-15 12:07:00 verbose] All hooks in group pre_values finished [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group pre_validations [INFO 2015-09-15 12:07:00 verbose] All hooks in group pre_validations finished [INFO 2015-09-15 12:07:00 verbose] Running validation checks [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group pre_commit [INFO 2015-09-15 12:07:00 verbose] All hooks in group pre_commit finished [INFO 2015-09-15 12:07:00 verbose] Executing hooks in group pre [INFO 2015-09-15 12:07:00 verbose] All hooks in group pre finished [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [INFO 2015-09-15 12:07:01 verbose] Loading facts [WARN 2015-09-15 12:07:03 verbose] Config file /etc/puppet/hiera.yaml not found, using Hiera defaults [ERROR 2015-09-15 12:07:03 verbose] This module only works on Debian or derivatives like Ubuntu at /usr/share/foreman-installer/modules/apt/manifests/init.pp:71 on node foreman01.#### [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions/fail.rb:3: in `block in <top (required)>' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:164:in `block (2 levels) in newfunction' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:157:in `block in newfunction' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/function.rb:42:in `evaluate' [INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeeval</pre>	

```
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/ifstatement.rb:2
5:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `ev
aluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `e
valuate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `
each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `
evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions/include.rb
:31:in `block in <top (required)>'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:164:in
`block (2 levels) in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `pro
file'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:157:in
`block in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/function.rb:42:i
n `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/ifstatement.rb:2
5:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `ev
aluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `e
valuate'
```

```
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:60:in `block (3 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `exceptwrap'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:43:in `block (2 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:12:in `block in each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `evaluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:60:in `block (3 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `exceptwrap'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:43:in `block (2 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:12:in `block in each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
```

```
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:
13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:
13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:
13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:
13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeev
aluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `ev
aluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `e
valuate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:384:in `
block (4 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `pro
file'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:383:in `
block (3 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:382:in `
each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:382:in `
block (2 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `pro
file'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:381:in `
block in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `excep
twrap'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:380:in `
evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:403:in `
block (2 levels) in evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `pro
file'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:400:in `
block in evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:397:in `
loop'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:397:in `
evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:137:in `
block (2 levels) in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
```

```
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:137:in `block in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/context.rb:64:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet.rb:244:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:117:in `compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:34:in `compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler.rb:95:in `block (2 levels) in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler.rb:93:in `block in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:161:in `block in benchmark'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/benchmark.rb:296:in `realtime'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:160:in `benchmark'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler.rb:92:in `compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler.rb:52:in `find'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/indirection.rb:201:in `find'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:217:in `block in main'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/context.rb:64:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet.rb:244:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:193:in `main'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:154:in `run_command'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `block (2 levels) in run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:507:in `plug_in_hook'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `block in run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:488:in `exit_on_fail'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/command_line.rb:146:in `run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/command_line.rb:92:in `execute'
[ INFO 2015-09-15 12:07:03 verbose] /usr/bin/puppet:8:in `'
[ERROR 2015-09-15 12:07:03 verbose] This module only works on Debian or derivatives like Ubuntu at /usr/share/foreman-installer/modules/apt/manifests/init.pp:71 on node foreman01.###
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions/fail.rb:3:in `block in <top (required)>'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:164:in `block (2 levels) in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:157:in `block in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/function.rb:42:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
```

```
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/ifstatement.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `evaluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions/include.rb:31:in `block in <top (required)>'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:164:in `block (2 levels) in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/functions.rb:157:in `block in newfunction'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/function.rb:42:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/ifstatement.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression
.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `evaluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `each'
```

```
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:60:in `block (3 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `exceptwrap'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:43:in `block (2 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:12:in `block in each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `evaluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:233:in `evaluate_classes'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:60:in `block (3 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `exceptwrap'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:43:in `block (2 levels) in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:42:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:12:in `block in each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/branch.rb:11:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `collect'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/resource.rb:25:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:
```

```
13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/relationship.rb:13:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:11:in `block in evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast/block_expression.rb:10:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/ast.rb:61:in `safeevaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/resource/type.rb:127:in `evaluate_code'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/resource.rb:79:in `evaluate'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:384:in `block (4 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:383:in `block (3 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:382:in `each'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:382:in `block (2 levels) in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:381:in `block in evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/errors.rb:62:in `exception'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:380:in `evaluate_definitions'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:403:in `block (2 levels) in evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:400:in `block in evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:397:in `loop'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:397:in `evaluate_generators'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:137:in `block (2 levels) in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profiler.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `profile'
```



```

[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:137:in `
block in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/context.rb:64:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet.rb:244:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:117:in `
compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/parser/compiler.rb:34:in `c
ompile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler
.rb:95:in `block (2 levels) in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler/around_profil
er.rb:58:in `profile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/profiler.rb:51:in `pro
file'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler
.rb:93:in `block in compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:161:in `block in be
nchmark'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/benchmark.rb:296:in `realtime'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:160:in `benchmark'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler
.rb:92:in `compile'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/catalog/compiler
.rb:52:in `find'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/indirector/indirection.rb:2
01:in `find'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:217:in
`block in main'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/context.rb:64:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet.rb:244:in `override'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:193:in
`main'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application/apply.rb:154:in
`run_command'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `bloc
k (2 levels) in run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:507:in `plug
in_hook'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `bloc
k in run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util.rb:488:in `exit_on_fai
l'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/application.rb:381:in `run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/command_line.rb:146:in
`run'
[ INFO 2015-09-15 12:07:03 verbose] /usr/share/ruby/vendor_ruby/puppet/util/command_line.rb:92:in
`execute'
[ INFO 2015-09-15 12:07:03 verbose] /usr/bin/puppet:8:in `'
[ INFO 2015-09-15 12:07:03 verbose] Puppet has finished, bye!
[ INFO 2015-09-15 12:07:03 verbose] Executing hooks in group post
Something went wrong! Check the log for ERROR-level output
* Foreman is running at https://foreman01.####
  Initial credentials are admin / 9vVnMNRr6uePJ45Z
* Foreman Proxy is running at https://foreman01.####:8443
* Puppetmaster is running at port 8140
The full log is at /var/log/foreman-installer/foreman-installer.log
[ INFO 2015-09-15 12:07:03 verbose] All hooks in group post finished
[ERROR 2015-09-15 12:07:03 verbose] Repeating errors encountered during run:
[ERROR 2015-09-15 12:07:03 verbose] This module only works on Debian or derivatives like Ubuntu a
t /usr/share/foreman-installer/modules/apt/manifests/init.pp:71 on node foreman01.####
[ERROR 2015-09-15 12:07:03 verbose] This module only works on Debian or derivatives like Ubuntu a
t /usr/share/foreman-installer/modules/apt/manifests/init.pp:71 on node foreman01.####

```

Is there a bug in the Kafo ? Or what is the mistake ?

I also tried to remove the answer.yml file - to exclude any problems chosen by me... but it returns in the same results...

Thanks for your help...

Greetings

Sven

History

#1 - 09/15/2015 06:34 AM - Sven Milinski

Figured out that it is the "/usr/share/foreman-installer/modules/foreman/manifests/install/repos/extra.pp" line 41 and below...

it comes from the params (/usr/share/foreman-installer/modules/foreman/manifests/params.pp) with the line:
\$configure_brightbox_repo = (\$::operatingsystem 'Ubuntu' and \$::operatingsystemrelease '12.04')

i don't know why its included - but it does in my szenario...

i outcomment the block in /usr/share/foreman-installer/modules/foreman/manifests/install/repos/extra.pp" line 41 and below and it now installing...

#2 - 09/15/2015 06:42 AM - Dominic Cleal

- *Project changed from Foreman to Installer*

- *Status changed from New to Feedback*

The default should be false on RHEL7, so I guess the parameter might have been changed. Set --foreman-configure-brightbox-repo=false to change it in the answers file.

#3 - 05/17/2017 10:55 AM - Anonymous

- *Status changed from Feedback to Resolved*

no reaction, closing.