

Foreman - Bug #119

Child classes more than one layer deep in modules get missed

12/07/2009 06:56 PM - Frank Sweetser

Status: Closed	
Priority: Normal	
Assignee: Ohad Levy	
Category: Puppet integration	
Target version: 0.1-3	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
The puppet:import:puppet_classes task only looks for pp files in the top level directory of each module, meaning that any classes contained in subdirectories get missed. Simple one line fix attached.	

Associated revisions

Revision 380dd66b - 12/08/2009 03:28 AM - Frank Sweetser

fixes #119 - Recurse into module directories when looking for classes

History

#1 - 12/08/2009 03:30 AM - Frank Sweetser

- Status changed from New to Ready For Testing

- % Done changed from 0 to 100

Applied in changeset [380dd66b15436670b36254705cb10c4e302e014a](#).

#2 - 12/08/2009 03:30 AM - Ohad Levy

- Status changed from Ready For Testing to Closed

- Target version set to 0.1-3

Files

0001-Recurse-into-module-directories-when-looking-for-cla.patch	936 Bytes	12/07/2009	Frank Sweetser
---	-----------	------------	----------------