

Foreman - Feature #1194

Support hooking into host creation/deletion

09/29/2011 12:25 PM - Benjamin Goldsbury

Status:	Resolved	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Joseph Magen	
Category:	Plugin integration	
Target version:	1.1	
Difficulty:		
Triaged:		
Bugzilla link:		
Pull request:		
Description		
<p>Since the goal of Foreman is to support life-cycle management, it should have support for doing business-specific tasks based.</p> <p>For example, we generate custom SSL certificates for various services on each host we run. While this could be accomplished in Puppet, it seems that Foreman is the more logical place to control this behavior.</p> <p>This could be accomplished via a plugin architecture or just an option of "script to run when creating a host" and "script to run when deleting a host".</p>		
Related issues:		
Related to Foreman - Feature #1353: Foreman should be able to handle pre and ...		Closed 11/24/2011
Related to Foreman - Feature #58: trigger actions when a New sucessful host i...		Closed 11/03/2009

History

#1 - 10/02/2011 11:28 AM - Ohad Levy

would a simple script executed by foreman user would suffice?

at the moment, since there are is no background processing in foreman, the request would block the UI (e.g. the UI would wait until the script would finish)

#2 - 10/03/2011 01:17 PM - Benjamin Goldsbury

Seems fine to me. Would be nice if Foreman could capture stdout/stderr and/or warn the user on a non-0 exit of the script.

#3 - 10/03/2011 03:07 PM - Ohad Levy

would you like to get a notice in the UI / email ?

who should be noticed? the owner of the host? the creator of the host?

#4 - 10/13/2011 09:19 AM - Benjamin Goldsbury

I think notification through the UI is a reasonable starting place.

#5 - 05/10/2012 03:32 AM - Ohad Levy

following a discussion on irc
here is an example <http://pastie.org/3888211>

#6 - 08/06/2012 03:55 PM - marcelo veglienzzone

I would like to see something like this to have foreman update freeipa upon host creation

#7 - 12/16/2012 09:41 AM - Joseph Magen

You can implement hooking into host creation/deletion by writing a Foreman Plugin - <http://theforeman.org/projects/foreman/wiki/Plugins>

Just follow the example at http://theforeman.org/projects/foreman/wiki/How_to_Create_a_Plugin

https://github.com/isratrade/foreman_plugin_template/blob/master/app/models/foreman_plugin_template/host_extensions.rb

```
module HostExtensions
  extend ActiveSupport::Concern

  included do
    execute standard callbacks
    after_create :do_this
    after_destroy :do_that

    execute custom hooks
    after_ready_for_build :do_something_special_after_build
    def do_something_special_after_build
      p "doing customized callback something special AFTER build"
    end
  end
end
```

#8 - 12/16/2012 10:42 AM - Ohad Levy

- *Category set to Plugin integration*
- *Status changed from New to Resolved*
- *Assignee set to Joseph Magen*
- *Target version set to 1.1*