

Foreman - Bug #12201

GET /api/hosts/:host_id/audits error

10/16/2015 08:57 PM - Daniel Gagnon

Status:	Closed	
Priority:	Normal	
Assignee:	Shimon Shtein	
Category:	API	
Target version:	1.10.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases: Nightly
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/2885	

Description

```
root@pxe:/usr/local/scripts# curl -s -u admin:admin -k -H "Accept: version=2,application/json" https://127.0.0.1/api/hosts/118/audits {
"error": {"message": "undefined method `name' for nil:NilClass"}
}
```

```
2015-10-17T00:53:53 [app] [I] Started GET "/api/hosts/118/audits" for 64.15.64.152 at 2015-10-17 00:53:53 +0000
2015-10-17T00:53:53 [app] [I] Processing by Api::V2::AuditsController#index as JSON
2015-10-17T00:53:53 [app] [I] Parameters: {"apiv"=>"v2", "host_id"=>"118"}
2015-10-17T00:53:53 [sql] [D] User Load (1.2ms) SELECT "users".* FROM "users" WHERE "users"."lower_login" = 'admin' LIMIT 1
2015-10-17T00:53:53 [sql] [D] AuthSource Load (1.2ms) SELECT "auth_sources".* FROM "auth_sources" WHERE "auth_sources"."id" = 1 LIMIT 1
2015-10-17T00:53:53 [sql] [D] CACHE (0.0ms) SELECT "users".* FROM "users" WHERE "users"."lower_login" = 'admin' LIMIT 1
2015-10-17T00:53:53 [sql] [D] Authenticated user admin against INTERNAL authentication source
2015-10-17T00:53:53 [sql] [D] User Load (1.0ms) SELECT "users".* FROM "users" WHERE "users"."lower_login" = 'foreman_admin' LIMIT 1
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to foreman_admin
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to nil
2015-10-17T00:53:53 [sql] [D] Post-login processing for admin
2015-10-17T00:53:53 [sql] [D] CACHE (0.0ms) SELECT "users".* FROM "users" WHERE "users"."lower_login" = 'foreman_admin' LIMIT 1
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to foreman_admin
2015-10-17T00:53:53 [sql] [D] (0.4ms) BEGIN
2015-10-17T00:53:53 [sql] [D] (0.7ms) UPDATE "users" SET "last_login_on" = '2015-10-17 00:53:53.368240', "updated_at" = '2015-10-17 00:53:53.369900' WHERE "users"."id" = 1
2015-10-17T00:53:53 [sql] [D] Role Load (0.7ms) SELECT "roles".* FROM "roles" WHERE "roles"."name" = 'Anonymous' LIMIT 1
2015-10-17T00:53:53 [sql] [D] SQL (0.9ms) SELECT "roles".id FROM "roles" INNER JOIN "user_roles" ON "roles"."id" = "user_roles"."role_id" WHERE "user_roles"."owner_id" = 1 AND "user_roles"."owner_type" = 'User'
2015-10-17T00:53:53 [sql] [D] (42.1ms) COMMIT
2015-10-17T00:53:53 [sql] [D] CACHE (0.0ms) SELECT "roles".* FROM "roles" WHERE "roles"."name" = 'Anonymous' LIMIT 1
2015-10-17T00:53:53 [sql] [D] Role Exists (0.9ms) SELECT 1 AS one FROM "roles" INNER JOIN "user_roles" ON "roles"."id" = "user_roles"."role_id" WHERE "user_roles"."owner_id" = 1 AND "user_roles"."owner_type" = 'User' AND "roles"."id" = 8 LIMIT 1
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to nil
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to admin
2015-10-17T00:53:53 [sql] [D] SQL (0.6ms) SELECT auth_sources.id FROM "auth_sources" WHERE "auth_sources"."type" IN ('AuthSourceHidden')
2015-10-17T00:53:53 [sql] [D] User Load (0.9ms) SELECT "users".* FROM "users" WHERE "users"."lower_login" = 'admin' AND ("users"."auth_source_id" NOT IN (2)) ORDER BY firstname LIMIT 1
2015-10-17T00:53:53 [app] [I] Authorized user admin(Admin User)
2015-10-17T00:53:53 [app] [D] Setting current user thread-local variable to admin
```

```
2015-10-17T00:53:53 [app] [W] Action failed
| NoMethodError: undefined method `name' for nil:NilClass
| /usr/share/foreman/app/controllers/api/base_controller.rb:55:in `parent_scope'
| /usr/share/foreman/app/controllers/api/base_controller.rb:46:in `resource_scope'
| /usr/share/foreman/app/controllers/api/base_controller.rb:59:in `resource_scope_for_index'
| /usr/share/foreman/app/controllers/api/v2/audits_controller.rb:12:in `block in index'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/scoping/default
.rb:41:in `block in unscoped'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/relation.rb:241
:in `block in scoping'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/scoping.rb:98:i
n `with_scope'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/relation.rb:241
:in `scoping'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/scoping/default
.rb:41:in `unscoped'
| /usr/share/foreman/app/controllers/api/v2/audits_controller.rb:12:in `index'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/implici
t_render.rb:4:in `send_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/base.rb:167
:in `process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/renderi
ng.rb:10:in `process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/callbacks.r
b:18:in `block in process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
551:in `block (5 levels) in _run__4357714032314888367__process_action__4374786170999557127__callba
cks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
215:in `block in _conditional_callback_around_7576'
| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:151:in `disable_json_root'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
214:in `_conditional_callback_around_7576'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
539:in `block (4 levels) in _run__4357714032314888367__process_action__4374786170999557127__callba
cks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
215:in `block in _conditional_callback_around_7575'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
326:in `around'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
310:in `_callback_around_1919'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
214:in `_conditional_callback_around_7575'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
527:in `block (3 levels) in _run__4357714032314888367__process_action__4374786170999557127__callba
cks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
215:in `block in _conditional_callback_around_7574'
| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
214:in `_conditional_callback_around_7574'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
526:in `block (2 levels) in _run__4357714032314888367__process_action__4374786170999557127__callba
cks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
215:in `block in _conditional_callback_around_7573'
| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
214:in `_conditional_callback_around_7573'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
448:in `block in _run__4357714032314888367__process_action__4374786170999557127__callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
215:in `block in _conditional_callback_around_7572'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
326:in `around'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
```

```
310:in `_callback_around_13'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/callbacks.rb:  
214:in `_conditional_callback_around_7572'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/callbacks.rb:  
414:in `_run__4357714032314888367__process_action__4374786170999557127__callbacks'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/callbacks.rb:  
405:in `__run_callback'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/callbacks.rb:  
385:in `_run_process_action_callbacks'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/callbacks.rb:  
81:in `run_callbacks'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/callbacks.r  
b:17:in `process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/rescue.  
rb:29:in `process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/instrum  
entation.rb:30:in `block in process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/notifications  
.rb:123:in `block in instrument'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/notifications  
/instrumenter.rb:20:in `instrument'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activestorage-3.2.21/lib/active_storage/notifications  
.rb:123:in `instrument'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/instrum  
entation.rb:29:in `process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/params_  
wrapper.rb:207:in `process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/railties/contro  
ller_runtime.rb:18:in `process_action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/base.rb:121  
:in `process'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/rendering.r  
b:45:in `process'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal.rb:203:  
in `dispatch'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/rack_de  
legation.rb:14:in `dispatch'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal.rb:246:  
in `block in action'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_s  
et.rb:73:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_s  
et.rb:73:in `dispatch'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_s  
et.rb:36:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/mapper.  
rb:43:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in c  
all'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_s  
et.rb:608:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.2.6/lib/apipie/static_dispatcher.rb:65  
:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.2.6/lib/apipie/extractor/recorder.rb:9  
7:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.2.6/lib/apipie/middleware/checksum_in_  
headers.rb:27:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/best  
_standards_support.rb:17:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/conditionalget.rb:25:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/head  
.rb:14:in `call'  
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/para  
ms_parser.rb:21:in `call'
```

```
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/flas
h.rb:242:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/session/abstract/id.rb:210:in `co
ntext'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/session/abstract/id.rb:205:in `ca
ll'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/cook
ies.rb:341:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/query_cache.rb:
64:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/connection_adap
ters/abstract/connection_pool.rb:479:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/call
backs.rb:28:in `block in call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
405:in `_run__1357384041277406302__call__3870631366901137560__callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
405:in `__run_callback'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
385:in `_run_call_callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:
81:in `run_callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/call
backs.rb:27:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/remo
te_ip.rb:31:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/debu
g_exceptions.rb:16:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/show
_exceptions.rb:56:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/rack/logger.rb:32:in `call_
app'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/rack/logger.rb:18:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/requ
est_id.rb:22:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/methodoverride.rb:21:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/runtime.rb:17:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/cache/strateg
y/local_cache.rb:72:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/lock.rb:15:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/stat
ic.rb:83:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forw
ard'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:245:in `fetc
h'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:185:in `look
up'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:66:in `call!
'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/engine.rb:484:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/application.rb:231:in `call
'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/railtie/configurable.rb:30:
in `method_missing'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/builder.rb:134:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:64:in `block in call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:49:in `each'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:49:in `call'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/request_handler.rb:96:in `process_request'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:516:in `accept_and_proc
ess_next_request'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:206:in `start_request_h
andler'
```

```

| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:171:in `block in handle_spawn_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/utils.rb:479:in `safe_fork'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:180:in `start'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:129:in `start'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:253:in `block (2 levels) in spawn_rack_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:246:in `block in spawn_rack_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:82:in `block in synchronize'
| <internal:prelude>:10:in `synchronize'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:137:in `spawn_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
| /usr/share/phusion-passenger/helper-scripts/passenger-spawn-server:99:in `<main>'
2015-10-17T00:53:53 [app] [I] Rendered api/v2/errors/standard_error.json.rabl within api/v2/layouts/error_layout (0.6ms)
2015-10-17T00:53:53 [app] [I] Completed 500 Internal Server Error in 82.6ms (Views: 1.8ms | Active Record: 50.6ms)

```

Related issues:

Related to Foreman - Bug #8343: API resource_scope ignores options

Closed

11/11/2014

Associated revisions

Revision 97b5cd0a - 11/09/2015 06:01 AM - Shimon Shtein

Fixes #12201 - Made parent associations finder less dependent on association name

Revision 5e279bbb - 11/16/2015 09:30 AM - Shimon Shtein

Fixes #12201 - Made parent associations finder less dependent on association name

(cherry picked from commit 97b5cd0a27101907a333a84716489d73538812cc)

History

#1 - 10/20/2015 07:10 AM - Dominic Cleal

- translation missing: en.field_release set to 63

Not confirmed, but I think this is a regression in [#8343](#).

#2 - 10/20/2015 07:11 AM - Dominic Cleal

- Related to Bug #8343: API resource_scope ignores options added

#3 - 11/03/2015 03:45 AM - Shimon Shtein

- Assignee set to Shimon Shtein

#4 - 11/03/2015 07:57 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/foreman/foreman/pull/2885> added

#5 - 11/09/2015 07:01 AM - Shimon Shtein

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [97b5cd0a27101907a333a84716489d73538812cc](#).