

Smart Proxy - Refactor #12402

Configure proxy with syslog by default

11/05/2015 09:14 AM - Lukas Zapletal

Status: New	
Priority: Normal	
Assignee:	
Category: Packaging	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>Smart proxy already have new SYSLOG setting which logs via syslog socket instead of a file. The only limitation is this uses Ruby 2.0+ class (http://ruby-doc.org/stdlib-2.0.0/libdoc/syslog/rdoc/Syslog/Logger.html).</p> <p>We should do this by default on systems with Ruby 2.0+. With that change, we should change our logrotation scripts and syslog configuration to send into separate file (on non-systemd systems).</p> <p>To avoid complexity in the installer, we can maybe wait until all supported platforms are Ruby 2.0+ or even better - systemd only.</p>	
Related issues:	
Related to Smart Proxy - Refactor #11323: Refactor PID writing, interrupt tra...	Closed 08/11/2015
Related to Foreman - Feature #13702: Configure Foreman with syslog by default	Duplicate 02/15/2016

History

#1 - 11/05/2015 09:14 AM - Lukas Zapletal

- Related to Refactor #11323: Refactor PID writing, interrupt trap and daemon logging added

#2 - 02/15/2016 04:35 AM - Lukas Zapletal

- Related to Feature #13702: Configure Foreman with syslog by default added