

Foreman - Bug #1265

Partition tables can't access @host

10/26/2011 09:26 PM - Joshua Hoblitt

Status: Closed	
Priority: Normal	
Assignee: Ohad Levy	
Category: Host creation	
Target version: 1.0	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Adding this string a partition table: BOOT_VG=bootvg.<%= @host %> Outputs as BOOT_VG=bootvg. Changing @host -> @host.name causes a safe render error even if safe rendering is disabled.	

Associated revisions

Revision 6546ad94 - 01/29/2012 09:11 AM - Ohad Levy

fixes #1265 - Partition tables can't access @host

History

#1 - 01/29/2012 08:12 AM - Ohad Levy

- Assignee set to Ohad Levy
- Target version set to 1.0

#2 - 01/29/2012 08:13 AM - Ohad Levy

@host.name would not work, as @host is not defined.

just <%= name %> would have worked, but anyway, the following fix would fix both issues regardless.

#3 - 01/29/2012 09:58 AM - Ohad Levy

- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset [6546ad949288768bd63a4910d2a3bf222ac1e1d9](#).