## Foreman - Feature #12701

# Synthetic per-module Puppet execution report

12/04/2015 10:57 AM - herbert koelman

	Status:	New		
	Priority:	Normal		
	Assignee:			
	Category:	Reporting		
	Target version:			
	Difficulty:		Fixed in Releases:	
	Triaged:		Found in Releases:	1.9.0
	Bugzilla link:		Red Hat JIRA:	
İ	Pull request:			

#### **Description**

Execution reports are too dense and (in my opinion) can be synthesized.

Say, I configure a puppet module that changes the message of the day. I'd love to have a report that just says that this programed change was successfully applied on node xyz.

Something like a list of all associated modules to the node xyz and thier current state.

Modules	State	Since
motd	Ok	dd/mm/YYYY hh:mm:ss
ntpd	Pending	dd/mm/YYYY hh:mm:ss
apache	Failed	dd/mm/YYYY hh:mm:ss

This list could be added in this screen. As a new status tab.



#### History

#1 - 12/07/2015 03:32 AM - Dominic Cleal

05/19/2024 1/2

- Subject changed from Synthetic execution report to Synthetic per-module Puppet execution report
- Category changed from Web Interface to Reporting

### **Files**

forman-node-display.gif 61.6 KB 12/04/2015 herbert koelman

05/19/2024 2/2