

Foreman - Feature #1294

Build should not require TFTP if using gPXE

11/03/2011 07:19 PM - Trey Dockendorf

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Ohad Levy	
Category:	Unattended installations	
Target version:	0.4	
Difficulty:		
Triaged:		
Bugzilla link:		
Pull request:		
Description When attempting to provision a system using gPXE I found it would fail unless a subnet was assigned. The subnet also required a TFTP server. Since using gPXE requires neither it would be ideal if the build would fail without a subnet only if that host does not have a gPXE template assigned. This was using foreman-4.0-1rc1. See relevant thread, http://groups.google.com/group/foreman-users/browse_thread/thread/a6c65cc2cde5cbc4		
Related issues:		
Related to Foreman - Bug #14521: TFTP orchestration fails for OS with iPXE w/...		Closed 04/07/2016

Associated revisions

Revision ede6c26b - 11/06/2011 10:03 AM - Ohad Levy
fixes #1294 - Build should not require TFTP if using gPXE

History

#1 - 11/06/2011 10:03 AM - Ohad Levy
- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset [ede6c26bd2162fb1aa82faf857daac348335cdae](#).

#2 - 04/07/2016 06:11 AM - Lukas Zapletal
- Related to Bug #14521: TFTP orchestration fails for OS with iPXE w/o PXELinux associated added