

Foreman - Refactor #12979

Add a helper for primary buttons

01/04/2016 08:48 AM - Alon Goldboim

Status:	Closed	
Priority:	Normal	
Assignee:	Tomer Brisker	
Category:	Web Interface	
Target version:	1.12.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/foreman/foreman/pull/3350 , https://github.com/foreman/foreman/pull/3373 , https://github.com/foreman/foreman/pull/3396	

Description

In most of the views there is a create button(example "New Host") that we need to apply btn-success css class on it(btn-primary once patterfly will be merged), we are now doing so automatically by using JavaScript which is considered bad practice(application.js:66), we need to remove it.

In order to achieve that:

- create a helper for create_button.
- apply it in needed views.
- remove js functionality (application.js:66).

Related issues:

Related to Discovery - Refactor #14360: Use new_link for new buttons	Closed	03/28/2016
Related to Foreman Remote Execution - Bug #14506: Use new button helpers	Closed	04/06/2016
Related to Foreman - Bug #14555: Welcome pages missing use of new_link helper	Closed	04/08/2016
Related to Foreman - Bug #14564: some buttons are no longer visible as buttons	Closed	04/11/2016
Related to Foreman - Bug #14977: report show toolbar buttons are just links	Closed	05/10/2016
Related to Foreman - Bug #15431: smart proxy show buttons are missing css cla...	Closed	06/16/2016
Related to Foreman Remote Execution - Bug #15475: btn misses css class under ...	Rejected	06/21/2016

Associated revisions

Revision bb25ebe6 - 03/25/2016 04:18 AM - Tomer Brisker

Fixes #12979 - Create helper for "new" button

Previously the button classes were applied to new buttons using jQuery. This commit creates a `new_link` helper that makes sure all new buttons will receive the correct class and only display if authorized. Also a little bit of cleanup.

Revision 9980268f - 04/05/2016 09:32 AM - Ori Rabin

Refs #12979 - adding btn-default class to leftover buttons

Revision 170a3269 - 04/07/2016 06:33 AM - Tomer Brisker

Refs #12979 - fix proxy button styling

History

#1 - 03/20/2016 09:44 AM - Tomer Brisker

- Category set to Web Interface

- Status changed from New to Assigned

- Assignee set to Tomer Brisker

#2 - 03/20/2016 01:04 PM - The Foreman Bot

- Status changed from Assigned to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/3350> added

#3 - 03/25/2016 05:02 AM - Anonymous

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [bb25ebe661dea99d1247dd48a0d8ea5c88162711](#).

#4 - 03/28/2016 08:49 AM - Ori Rabin

- Related to Refactor #14360: Use new_link for new buttons added

#5 - 03/29/2016 04:09 AM - Dominic Cleal

- translation missing: en.field_release set to 136

#6 - 03/29/2016 08:23 AM - The Foreman Bot

- Pull request <https://github.com/theforeman/foreman/pull/3373> added

#7 - 04/06/2016 10:03 AM - Stephen Benjamin

- Related to Bug #14506: Use new button helpers added

#8 - 04/07/2016 04:49 AM - Dominic Cleal

- Pull request <https://github.com/theforeman/foreman/pull/3396> added

#9 - 04/10/2016 03:41 AM - Tomer Brisker

- Related to Bug #14555: Welcome pages missing use of new_link helper added

#10 - 04/11/2016 02:53 AM - Ohad Levy

- Related to Bug #14564: some buttons are no longer visible as buttons added

#11 - 05/10/2016 03:53 AM - Dominic Cleal

- Related to Bug #14977: report show toolbar buttons are just links added

#12 - 06/16/2016 06:20 AM - Dominic Cleal

- Related to Bug #15431: smart proxy show buttons are missing css classes. added

#13 - 06/21/2016 06:40 AM - Ohad Levy

- Related to Bug #15475: btn misses css class under console view added