

Installer - Bug #12988

ssh-generate-keys option does not work

01/04/2016 08:25 PM - Konstantin Orekhov

Status:	Closed	
Priority:	Low	
Assignee:	Stephen Benjamin	
Category:	Foreman modules	
Target version:	1.11.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/puppet-for-eman_proxy/pull/210	

Description

Hello there! I just tried to install Remote Execution tfm-rubygem-foreman_remote_execution-0.1.1-1.fm1_10.el7.noarch on my CentOS7.1 Foreman and found that this option does not work properly:

```
[root@spc02 ~]# foreman-installer --verbose --enable-foreman-proxy-plugin-remote-execution-ssh
--foreman-proxy-plugin-remote-execution-ssh-generate-keys=false
[ INFO 2016-01-04 17:53:47 verbose] Executing hooks in group boot
[ INFO 2016-01-04 17:53:47 verbose] All hooks in group boot finished
[ INFO 2016-01-04 17:53:47 verbose] Executing hooks in group init
[ INFO 2016-01-04 17:53:47 verbose] All hooks in group init finished
[ INFO 2016-01-04 17:53:47 verbose] Loading default values from puppet modules...
[ INFO 2016-01-04 17:53:47 verbose] ... finished
[ INFO 2016-01-04 17:53:47 verbose] Executing hooks in group pre_values
[ INFO 2016-01-04 17:53:47 verbose] All hooks in group pre_values finished
[ INFO 2016-01-04 17:53:47 verbose] Executing hooks in group pre_validations
[ INFO 2016-01-04 17:53:47 verbose] All hooks in group pre_validations finished
[ INFO 2016-01-04 17:53:47 verbose] Running validation checks
[ERROR 2016-01-04 17:53:48 verbose] "false" is not a boolean. It looks to be a String
[ERROR 2016-01-04 17:53:48 verbose] Parameter foreman-proxy-plugin-remote-execution-ssh-generate-keys invalid
Error during configuration, exiting
[ERROR 2016-01-04 17:53:48 verbose] Repeating errors encountered during run:
[ERROR 2016-01-04 17:53:48 verbose] "false" is not a boolean. It looks to be a String
[ERROR 2016-01-04 17:53:48 verbose] Parameter foreman-proxy-plugin-remote-execution-ssh-generate-keys invalid
[root@spc02 ~]#
```

Removing such option and placing a previously generated key into ~foreman/.ssh works though and achieves the same result (at least for me), so I don't believe this is a high-priority thing.

Thanks!

Associated revisions

Revision fc9531e2 - 01/05/2016 10:11 AM - Stephen Benjamin

fixes #12988 - generate_keys should be boolean in for remote_execution/ssh.pp

History

#1 - 01/05/2016 10:10 AM - Stephen Benjamin

- Project changed from Foreman Remote Execution to Installer

Looks like this param is missing

```
type:boolean
```

in the manifest

#2 - 01/05/2016 11:02 AM - Stephen Benjamin

- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset [puppet-foreman_proxy/fc9531e2cb08243e6ca5bea3a8c93bbf5a61876d](https://puppet-foreman-proxy/fc9531e2cb08243e6ca5bea3a8c93bbf5a61876d).

#3 - 01/06/2016 10:18 AM - Marek Hulán

- Category set to Foreman modules
- Assignee set to Stephen Benjamin
- Pull request https://github.com/theforeman/puppet-foreman_proxy/pull/210 added

#4 - 01/06/2016 11:23 AM - Dominic Cleal

- translation missing: en.field_release set to 71