

## Foreman - Bug #1333

### Destroy vs Delete inconsitent naming

11/16/2011 02:39 PM - Florian Koch

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Web Interface	
<b>Target version:</b> 1.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b> in foreman ui some pages use Destroy , and some use Delete.  eg. in the hosts view, you can Delete a host, in puppet classes or smart proxys you can Destroy.  the consistent usage of one of both are cleaner..	
<b>Related issues:</b> Related to Foreman - Bug #1131: Minor inconsistency: "Destroy" and "Delete" ... <span style="float: right;"><b>Closed</b>    <b>08/25/2011</b></span>	

#### Associated revisions

##### Revision b916586a - 11/28/2011 05:50 AM - Florian Koch

fixes #1333 -Destroy vs Delete inconsitent naming

Signed-off-by: Florian Koch <[florian.koch1981@gmail.com](mailto:florian.koch1981@gmail.com)>

#### History

##### #1 - 11/17/2011 03:40 AM - Ohad Levy

- Assignee deleted (Ohad Levy)

##### #2 - 11/24/2011 04:36 PM - Florian Koch

which one is preferred delete or destroy?

##### #3 - 11/25/2011 10:56 AM - Marcello de Sousa

I guess on the UI : "delete"

At least, that's what we did in [#1131](#)

##### #4 - 11/28/2011 05:51 AM - Anonymous

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset [b916586a6a23f8408777ea80953ca69e2fe76ba8](#).

##### #5 - 11/28/2011 02:54 PM - Florian Koch

- Target version set to 1.0