Foreman - Bug #13435

Windows fact import fails with: Can't add or remove `.` from identifier

01/28/2016 07:03 AM - Marcus Asshauer

Status:	New		
Priority:	Normal		
Assignee:			
Category:	Facts		
Target version:			
Difficulty:		Fixed in Releases:	
Triaged:		Found in Releases:	1.10.1
Bugzilla link:		Red Hat JIRA:	

Pull request: Description

Hi,

we have a problem with empty fact fields in some foreman views. If you go to the facts area, you see all the facts filled with values but if you go to the dashboard or to the host page there are only empty fields.

This is a problem because we need these fields through api calls for further actions.

The attached screenshots shows an example of one host. If you need further details please ask.

Best regards

Related issues:

Related to Foreman - Bug #13693: Interface Name being converted from using an... New 02/12/2016

Related to Foreman - Bug #15636: Foreman Cannot Import Facts from Puppet due ... Resolved

Related to Salt - Bug #12399: Error saving eth0.1 NIC for host failed Closed 11/05/2015

History

#1 - 01/28/2016 07:54 AM - Ivan Necas

- Project changed from foreman-tasks to Foreman
- Category set to Facts

#2 - 01/28/2016 08:04 AM - Dominic Cleal

- Status changed from New to Need more information

It's likely that the facts import is failing, please provide the contents of /var/log/foreman/production.log while running the config management agent (Puppet, Salt, Chef, whatever you're using).

#3 - 01/28/2016 08:41 AM - Marcus Asshauer

Hi,

here is the error message. The real hostname is cleared. We are using puppet 3.8.5 on windows.

```
2016-01-27T22:34:59 [app] [I] Started POST "/api/hosts/facts" for 172.17.0.31 at 2016-01-27 22:34:59 +0100 2016-01-27T22:34:59 [app] [I] Processing by Api::V2::HostsController#facts as JSON 2016-01-27T22:34:59 [app] [I] Parameters: {"facts"=>"[FILTERED]", "name"=>"$HOSTNAME$", "certname"=>"$HOSTNAME$", "cert name"=>"$HOSTNAME$", "cert name"=>"$HOSTNAME$", "cert name"=>"$HOSTNAME$", "cert name"=>"$HOSTNAME$"}}
2016-01-27T22:35:00 [app] [I] Import facts for '$HOSTNAME$' completed. Added: 62, Updated: 0, Deleted 0 facts 2016-01-27T22:35:00 [app] [W] Action failed
| ActiveRecord::RecordInvalid: Validation failed: Identifier Can't add or remove `.` from identifier | /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/validations.rb:56:in `save!' | /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/transactions.rb:264:in `blo
```

05/18/2024 1/6

```
ck in save! '
 / /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/transactions.rb:313:in `blo
ck in with_transaction_returning_status'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/connection_adapters/abstrac
t/database_statements.rb:192:in `transaction'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/transactions.rb:208:in `tra
nsaction'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/transactions.rb:311:in `wit
h_transaction_returning_status'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/transactions.rb:264:in `sav
e!'
| /usr/share/foreman/app/models/host/base.rb:168:in `set_interfaces'
| /usr/share/foreman/app/models/host/base.rb:148:in `populate_fields_from_facts'
| /usr/share/foreman/app/models/host/managed.rb:525:in `populate_fields_from_facts'
| /usr/share/foreman/app/models/host/base.rb:124:in `import_facts'
| /usr/share/foreman/app/models/host/managed.rb:516:in `import_host_and_facts'
| /usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:229:in `facts'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/implicit_render.rb:
4:in `send_action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/base.rb:167:in `process
_action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/rendering.rb:10:in
`process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/callbacks.rb:18:in `blo
ck in process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:518:in `bloc
k (5 levels) in _run__694125201084166110__process_action__2912110175458462536__callbacks'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:215:in `bloc
k in _conditional_callback_around_8161'
| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:151:in `disable_json_root'
 / usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:214:in `_con
ditional_callback_around_8161'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:495:in `bloc
k (4 levels) in _run__694125201084166110__process_action__2912110175458462536__callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:215:in `bloc
k in _conditional_callback_around_8160'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:326:in `arou
nd'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:310:in `_cal
lback around 2668'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:214:in `_con
```

ditional_callback_around_8160'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:483:in `bloc k (3 levels) in _run__694125201084166110__process_action__2912110175458462536__callbacks'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:215:in `bloc k in _conditional_callback_around_8159'

| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'

/ usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:214:in `_con ditional callback around 8159'

/ /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:482:in `bloc k (2 levels) in _run__694125201084166110__process_action__2912110175458462536__callbacks'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:215:in `bloc k in _conditional_callback_around_8158'

| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:214:in `_con ditional_callback_around_8158'

/ /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:437:in `bloc k in _run__694125201084166110__process_action__2912110175458462536__callbacks'

/ /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:215:in `bloc k in _conditional_callback_around_8157'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:326:in `arou nd'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:310:in `_cal lback_around_13'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:214:in `_con ditional_callback_around_8157'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:403:in `_run __694125201084166110__process_action__2912110175458462536__callbacks'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:405:in `__ru n_callback'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:385:in `_run _process_action_callbacks'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:81:in `run_c allbacks'

| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/callbacks.rb:17:in `pro

05/18/2024 2/6

```
cess action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/rescue.rb:29:in `pr
ocess_action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/instrumentation.rb:
30:in `block in process_action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/notifications.rb:123:in `
block in instrument'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/notifications/instrumente
r.rb:20:in `instrument'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/notifications.rb:123:in `
instrument'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/instrumentation.rb:
29:in `process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/params_wrapper.rb:2
07:in `process action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/railties/controller_runtime
.rb:18:in `process_action'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/base.rb:121:in `process
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/abstract_controller/rendering.rb:45:in `pro
cess'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal.rb:203:in `dispatch
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal/rack_delegation.rb:
14:in `dispatch'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_controller/metal.rb:246:in `block in
 action'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_set.rb:73:in
`call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_set.rb:73:in
`dispatch'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_set.rb:36:in
`call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/mapper.rb:43:in `ca
11'
 / /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
 / /usr/share/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/routing/route_set.rb:608:in
 `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.2.6/lib/apipie/extractor/recorder.rb:97:in `call'
 /usr/share/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.2.6/lib/apipie/middleware/checksum in headers.rb:2
7:in `call'
 |\ /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action\_dispatch/middleware/best\_standards\_s
upport.rb:17:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/etag.rb:23:in `call' | /usr/share/foreman/vendor/ruby/rack/etag.rb:23:in `call' | 
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/conditionalget.rb:35:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/head.rb:14:in `c
all'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/params_parser.rb
:21:in `call'
 | /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/flash.rb:242:in
`call'
 /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/session/abstract/id.rb:210:in `context'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/session/abstract/id.rb:205:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/cookies.rb:341:i
n `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/query_cache.rb:64:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.21/lib/active_record/connection_adapters/abstrac
t/connection_pool.rb:479:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/callbacks.rb:28:
in `block in call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:405:in `_run
  _2571137705120427849__call__2942009808983377772__callbacks'
```

05/18/2024 3/6

```
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:405:in `__ru
n_callback'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:385:in `_run
call callbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/callbacks.rb:81:in `run_c
allbacks'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/callbacks.rb:27:
in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/remote_ip.rb:31:
in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/debug_exceptions
.rb:16:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/show_exceptions.
rb:56:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/rack/logger.rb:32:in `call_app'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/rack/logger.rb:18:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/request_id.rb:22
:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/methodoverride.rb:21:in `call'
/usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/runtime.rb:17:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.21/lib/active_support/cache/strategy/local_cach
e.rb:72:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/lock.rb:15:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.21/lib/action_dispatch/middleware/static.rb:83:in
`call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
 /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/engine.rb:484:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/application.rb:231:in `call'
 / /usr/share/foreman/vendor/ruby/1.9.1/gems/railties-3.2.21/lib/rails/railtie/configurable.rb:30:in `method_m
issina'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/builder.rb:134:in `call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:64:in `block in call'
 | /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:49:in `each'
 /usr/share/foreman/vendor/ruby/1.9.1/gems/rack-1.4.7/lib/rack/urlmap.rb:49:in `call'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/rack/thread_handler_extension.rb:77:in `process_request'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:142:in `accept_and_process_ne
xt_request'
| /usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:110:in `main_loop'
 | /usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler.rb:448:in `block (3 levels) in start_threads'
 / /usr/share/foreman/vendor/ruby/1.9.1/gems/logging-2.0.0/lib/logging/diagnostic_context.rb:448:in `call'
| /usr/share/foreman/vendor/ruby/1.9.1/gems/logging-2.0.0/lib/logging/diagnostic_context.rb:448:in `block in
create_with_logging_context'
2016-01-27T22:35:00 [app] [I]
                               Rendered api/v2/errors/standard_error.json.rabl within api/v2/layouts/error_la
yout (1.4ms)
2016-01-27T22:35:00 [app] [I] Completed 500 Internal Server Error in 1229.2ms (Views: 13.9ms | ActiveRecord: 5
05.9ms)
```

#4 - 01/28/2016 08:44 AM - Dominic Cleal

If you could also attach the debug output from the instructions at http://projects.theforeman.org/issues/11786#note-1 then it'd help complete the info for this ticket. Thanks.

05/18/2024 4/6

#5 - 01/28/2016 09:22 AM - Marcus Asshauer

```
"."name" = '$HOSTNAME$' LIMIT 1
 Nic::Base Load (1.7ms) SELECT "nics".* FROM "nics" WHERE "nics"."host_id" = 549 ORDER BY identifier
=> "[#<Nic::Managed id: 1196, mac: nil, ip: nil, type: \"Nic::Managed\", name: \"$HOSTNAME$\", host_id: 549, s
ubnet_id: nil, domain_id: 3, attrs: {}, created_at: \"2016-01-28 10:53:55\", updated_at: \"2016-01-28 11:28:56
\, provider: nil, username: nil, password: nil, virtual: false, link: true, identifier: \, tag: \, atta
ched_to: \"\", managed: true, mode: \"balance-rr\", attached_devices: \"\", bond_options: \"\", primary: true,
provision: true, compute_attributes: {}, execution: false>]"
 "dir": "C:\\puppet\\facter",
 "env_windows_installdir": "C:\\puppet",
 "architecture": "x64",
 "kernel": "windows",
 "domain": "$DOMAIN$"
  "virtual": "physical",
 "is_virtual": false,
 "hardwaremodel": "x64",
  "operatingsystem": "windows",
  "os": {
   "name": "windows",
   "family": "windows",
   "release": {
     "major": "7",
      "full": "7"
   }
 },
  "facterversion": "2.4.5",
  "fqdn": "$HOSTNAME$",
 "hostname": "$HOSTNAME$",
 "id": "$USERNAME$",
 "interfaces": "Team_1",
 "ipaddress_team_1": "1.1.2.7",
 "macaddress_team_1": "00:22:19:D3:BC:7E",
 "netmask_team_1": "255.255.248.0",
 "mtu_team_1": 0,
  "ipaddress": "1.1.2.7",
 "kernelmajversion": "6.1",
 "kernelrelease": "6.1.7601",
 "kernelversion": "6.1.7601",
 "macaddress": "00:22:19:D3:BC:7E",
  "manufacturer": "Dell Inc.",
  "serialnumber": "BQ8774J",
 "productname": "PowerEdge R200",
 "memorysize": "4.00 GB",
  "memoryfree": "3.05 GB",
  "memorysize_mb": "4094.32",
  "memoryfree_mb": "3126.23",
 "netmask": "255.255.248.0",
 "network_team_1": "1.1.2.0",
  "operatingsystemmajrelease": "7",
  "operatingsystemrelease": "7",
 "osfamily": "windows",
  "path": "C:\\puppet\\bin;C:\\puppet\\facter\\bin;C:\\puppet\\hiera\\bin;C:\\puppet\\bin;C:\\puppet\\
sys\\ruby\\bin;C:\\puppet\\sys\\tools\\bin;C:\\Windows\\system32;C:\\Windows;C:\\Windows\\System32\\Wbem;C:\\W
indows\\System32\\WindowsPowerShell\\v1.0\\;C:\\puppet\\bin",
  "physicalprocessorcount": 1,
  "processors": {
   "models": [
     "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
      "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
     "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
     "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz"
   ],
   "count": 4,
    "physicalcount": 1
 "processor0": "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
  "processor1": "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
  "processor2": "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
 "processor3": "Intel(R) Xeon(R) CPU X3360 @ 2.83GHz",
 "processorcount": 4,
 "ps": "tasklist.exe",
```

Host::Managed Load (3.3ms) SELECT "hosts".* FROM "hosts" WHERE "hosts"."type" IN ('Host::Managed') AND "hosts

05/18/2024 5/6

```
"puppetversion": "3.8.5",
"rubyplatform": "x64-mingw32",
"rubysitedir": "C:/puppet/sys/ruby/lib/ruby/site_ruby/2.0.0",
"rubyversion": "2.0.0",
"system32": "C:\\Windows\\system32",
"system_uptime": {
    "seconds": 19384030,
    "hours": 5384,
    "days": 224,
    "uptime": "224 days"
},
"timezone": "Mitteleuropõische Zeit",
"uptime": "224 days",
"uptime_days": 224,
"uptime_days": 5384,
"uptime_hours": 5384,
"uptime_seconds": 19384030
}
```

I hope the stripped sensitive information is not needed.

#6 - 01/28/2016 09:26 AM - Dominic Cleal

- Subject changed from Empty fact fields in some foreman tables (dashboard) to Windows fact import fails with: Can't add or remove `` from identifier
- Status changed from Need more information to New

Thanks, that's plenty of info I think.

At a guess it's interpreting the underscore in the interface name as an identifier as used on Linux (e.g. eth0_1) and so it's causing a problem.

#7 - 02/17/2016 11:55 AM - Charles McKnight

Related issue http://projects.theforeman.org/issues/13693

#8 - 07/10/2016 03:22 PM - Anonymous

- Related to Bug #13693: Interface Name being converted from using an `_` to a `.` added

#9 - 07/10/2016 03:23 PM - Anonymous

- Related to Bug #15636: Foreman Cannot Import Facts from Puppet due to ActiveRecord Validation added

#10 - 07/10/2016 03:25 PM - Anonymous

- Related to Bug #12399: Error saving eth0.1 NIC for host failed added

Files

foreman-bug-facts-1.png	6.33 KB	01/28/2016	Marcus Asshauer
foreman-bug-facts-2.png	15.1 KB	01/28/2016	Marcus Asshauer
foreman-bug-facts-3.png	22.4 KB	01/28/2016	Marcus Asshauer

05/18/2024 6/6