

Foreman - Bug #13527

undefined method `each' for nil:NilClass error updating resource with API GET response

02/02/2016 01:41 PM - Thomas McKay

Status:	Rejected	
Priority:	Normal	
Assignee:	Thomas McKay	
Category:	API	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/3188	

Description

Editing an organization via API that includes the param 'users' causes an error like this

```
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_security/persistence.rb:63:in `update'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:38:in `block in update_attributes'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:110:in `dynflow_task_wrap'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:38:in `update_attributes'
| /home/vagrant/code/foreman/app/controllers/concerns/api/v2/taxonomies_controller.rb:70:in `update'
| /home/vagrant/code/katello/app/controllers/katello/api/v2/organizations_controller.rb:68:in `update'
```

Removing from attr_accessible allows things to work, though I cannot say what the implications of this removal is.

History

#1 - 02/03/2016 03:04 AM - Dominic Cleal

- Status changed from New to Need more information

The description is missing the error you're getting, it only shows part of a stack trace. Please show the whole error and request?

"users" is also not a documented parameter (<http://theforeman.org/api/1.10/apidoc/v2/organizations/create.html>).

#2 - 02/03/2016 06:10 AM - Shlomi Zadok

You could send an array of user_ids (documented) and it seems to work quite well, so not a bug I'd say

#3 - 02/03/2016 01:32 PM - Thomas McKay

Agreed, undocumented. If a call includes 'users' then things blow up. I believe that API calls pull out just the parameters that are attr_accessible to pass to update, is that correct? The question that I have is why is 'users' included in the list of attr_accessible?

#4 - 02/03/2016 02:11 PM - Thomas McKay

- Status changed from Need more information to New

The source of the 'users' in the PUT is because the GET is returning that as one of the fields¹. GET of the json, modification of a portion, then PUT will see this error.

[1] <https://github.com/theforeman/foreman/blob/develop/app/views/api/v2/taxonomies/show.json.rabl#L9>

#5 - 02/03/2016 02:44 PM - Thomas McKay

```
2016-02-03T14:41:48 [app] [W] Action failed
```

```
| NoMethodError: undefined method `each' for nil:NilClass
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/associations/collection_a
ssociation.rb:356:in `replace'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/associations/collection_a
ssociation.rb:41:in `writer'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/associations/builder/asso
ciation.rb:118:in `users='
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/attribute_assignment.rb:4
5:in `public_send'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/attribute_assignment.rb:4
5:in `_assign_attribute'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_s
ecurity/attribute_assignment.rb:67:in `block in assign_attributes'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_s
ecurity/attribute_assignment.rb:61:in `each'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_s
ecurity/attribute_assignment.rb:61:in `assign_attributes'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_s
ecurity/persistence.rb:64:in `block in update'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/transactions.rb:329:in `b
lock in with_transaction_returning_status'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstr
act/database_statements.rb:201:in `block in transaction'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstr
act/database_statements.rb:209:in `within_new_transaction'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstr
act/database_statements.rb:201:in `transaction'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/transactions.rb:208:in `t
ransaction'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/transactions.rb:326:in `w
ith_transaction_returning_status'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_s
ecurity/persistence.rb:63:in `update'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:38:in `block in upd
ate_attributes'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:110:in `dynflow_tas
k_wrap'
| /home/vagrant/code/foreman-tasks/app/models/foreman_tasks/concerns/action_triggering.rb:38:in `update_attri
butes'
| /home/vagrant/code/foreman/app/controllers/concerns/api/v2/taxonomies_controller.rb:70:in `update'
| /home/vagrant/code/katello/app/controllers/katello/api/v2/organizations_controller.rb:68:in `update'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/implicit_render.r
b:4:in `send_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/abstract_controller/base.rb:189:in `proce
ss_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/rendering.rb:10:i
n `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/abstract_controller/callbacks.rb:20:in `b
lock in process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:113:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:113:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `bl
ock in halting_and_conditional'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `bl
ock in halting_and_conditional'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `bl
ock in halting_and_conditional'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:166:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:166:in `bl
ock in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:149:in `bl
ock in halting_and_conditional'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:299:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:299:in `bl
ock (2 levels) in halting'
```



```
ock in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:299:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:299:in `block (2 levels) in halting'
| /home/vagrant/code/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:424:in `block in make_lambda'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:298:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:298:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:229:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:229:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:166:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:299:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:299:in `block (2 levels) in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rails-observers-0.1.2/lib/rails/observers/action_controller/caching/sweeping.rb:73:in `around'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:447:in `public_send'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:447:in `block in make_lambda'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:298:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:298:in `block in halting'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:149:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:149:in `block in halting_and_conditional'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:86:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:86:in `run_callbacks'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/abstract_controller/callbacks.rb:19:in `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/rescue.rb:29:in `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/instrumentation.rb:31:in `block in process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/notifications.rb:159:in `block in instrument'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/notifications/instrumenter.rb:20:in `instrument'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/notifications.rb:159:in `instrument'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/instrumentation.rb:30:in `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/railties/controller_runtime.rb:18:in `process_action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/abstract_controller/base.rb:136:in `process'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionview-4.1.5/lib/action_view/rendering.rb:30:in `process'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal.rb:196:in `dispatch'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
```

```
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_controller/metal.rb:232:in `block
in action'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/route_set.rb:82:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/route_set.rb:82:i
n `dispatch'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/route_set.rb:50:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/mapper.rb:45:in `
call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:71:in `
block in call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:59:in `
each'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:59:in `
call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/route_set.rb:678:
in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/engine.rb:514:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/railtie.rb:194:in `public_send'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/railtie.rb:194:in `method_missing'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:71:in `
block in call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:59:in `
each'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/journey/router.rb:59:in `
call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/routing/route_set.rb:678:
in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/static.rb:64:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/static.rb:64:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/static.rb:64:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/static.rb:64:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/apipie-rails-0.3.5/lib/apipie/static_dispatcher.rb:65:in `call'
,
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/bullet-5.0.0/lib/bullet/rack.rb:12:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/apipie-rails-0.3.5/lib/apipie/extractor/recorder.rb:132:in `ca
ll'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/apipie-rails-0.3.5/lib/apipie/middleware/checksum_in_headers.r
b:27:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-openid-1.4.2/lib/rack/openid.rb:98:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/etag.rb:23:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/conditionalget.rb:35:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/head.rb:11:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/params_parser.
rb:27:in `call'
| /home/vagrant/code/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/flash.rb:254:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/session/abstract/id.rb:225:in `context'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/session/abstract/id.rb:220:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/cookies.rb:560
:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/query_cache.rb:36:in `cal
l'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstr
act/connection_pool.rb:621:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activerecord-4.1.5/lib/active_record/migration.rb:380:in `call'
,
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/callbacks.rb:2
9:in `block in call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:82:in `run
_callbacks'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/callbacks.rb:2
7:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/reloader.rb:73
:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/remote_ip.rb:7
6:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/debug_exceptio
ns.rb:17:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/show_exception
s.rb:30:in `call'
```

```
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/rack/logger.rb:38:in `call_app'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/rack/logger.rb:22:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/quiet_assets-1.1.0/lib/quiet_assets.rb:27:in `call_with_quiet_
assets'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/request_id.rb:
21:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/methodoverride.rb:21:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/runtime.rb:17:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/activesupport-4.1.5/lib/active_support/cache/strategy/local_ca
che_middleware.rb:26:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/lock.rb:17:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/actionpack-4.1.5/lib/action_dispatch/middleware/static.rb:64:i
n `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/sendfile.rb:112:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/engine.rb:514:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/application.rb:144:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/railtie.rb:194:in `public_send'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/railties-4.1.5/lib/rails/railtie.rb:194:in `method_missing'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:65:in `block in call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:50:in `each'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:50:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/builder.rb:138:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:65:in `block in call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:50:in `each'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/urlmap.rb:50:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/rack-1.5.5/lib/rack/content_length.rb:14:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/puma-2.16.0/lib/puma/server.rb:557:in `handle_request'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/puma-2.16.0/lib/puma/server.rb:404:in `process_client'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/puma-2.16.0/lib/puma/server.rb:270:in `block in run'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/puma-2.16.0/lib/puma/thread_pool.rb:106:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/puma-2.16.0/lib/puma/thread_pool.rb:106:in `block in spawn_thr
ead'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/logging-2.0.0/lib/logging/diagnostic_context.rb:448:in `call'
| /home/vagrant/.rvm/gems/ruby-1.9.3-p448/gems/logging-2.0.0/lib/logging/diagnostic_context.rb:448:in `block
in create_with_logging_context'
2016-02-03T14:41:48 [app] [I] Rendered api/v2/errors/standard_error.json.rabl within api/v2/layouts/error_la
yout (2.0ms)
```

#6 - 02/04/2016 03:09 AM - Dominic Cleal

- Subject changed from 'users' should not be listed in models/taxonomy.rb attr_accessible to undefined method `each' for nil:NilClass error updating resource with API GET response
- Priority changed from High to Normal

The question that I have is why is 'users' included in the list of attr_accessible?

UI use, not API.

#7 - 02/15/2016 01:22 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Thomas McKay
- Pull request <https://github.com/theforeman/foreman/pull/3188> added

#8 - 02/17/2016 09:30 AM - Thomas McKay

- Status changed from Ready For Testing to Rejected

not a bug