

Foreman - Bug #13529

Duplicate permissions are allowed and not recognized

02/02/2016 03:58 PM - Edward Clay

Status:	Closed	
Priority:	Normal	
Assignee:	Shlomi Zadok	
Category:	DB migrations	
Target version:	1.13.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:	1357122	Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/3653	

Description

Hello,

I recently performed a yum upgrade on my katello/foreman server and evidently it upgraded me to a newer version of katello/foreman.

katello 2.4.0-7
foreman 1.10.1-1

I attempted a `katello-install --upgrade` and it failed with a permissions error. So I attempted the manual upgrade process found on <http://www.katello.org/docs/2.2/upgrade/>. It appears that the upgrade is failing on `foreman-rake db:migrate`. I ran it with a `--trace` option and get the following.

```
1. foreman-rake --trace db:migrate
  ◦ Invoke db:migrate (first_time)
  ◦ Invoke environment (first_time)
  ◦ Execute environment
    API controllers newer than Apipie cache! Run apipie:cache rake task to regenerate cache.
    rake aborted!
    some permissions were not found
    /usr/share/foreman/app/models/role.rb:132:in `add_permissions'
    /usr/share/foreman/app/models/role.rb:147:in `add_permissions!'
    /usr/share/foreman/app/services/foreman/plugin.rb:216:in `block in role'
    /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/database_statements.rb:192:in `transaction'
    /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:in `transaction'
    /usr/share/foreman/app/services/foreman/plugin.rb:214:in `role'
    /opt/theforeman/tfm/root/usr/share/gems/gems/ovirt_provision_plugin-1.0.1/lib/ovirt_provision_plugin/engine.rb:26:in `block (2 levels) in <class:Engine>'
    /usr/share/foreman/app/services/foreman/plugin.rb:64:in `instance_eval'
    /usr/share/foreman/app/services/foreman/plugin.rb:64:in `register'
    /opt/theforeman/tfm/root/usr/share/gems/gems/ovirt_provision_plugin-1.0.1/lib/ovirt_provision_plugin/engine.rb:17:in `block in <class:Engine>'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/initializable.rb:30:in `instance_exec'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/initializable.rb:30:in `run'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/initializable.rb:55:in `block in run_initializers'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/initializable.rb:54:in `each'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/initializable.rb:54:in `run_initializers'
    /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/rails/application.rb:136:in `initialize!'
    /opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/railtie/configurable.rb:30:in `method_missing'
    /usr/share/foreman/config/environment.rb:5:in `<top (required)>'
    /opt/rh/ruby193/root/usr/share/rubygems/rubygems/custom_require.rb:36:in `require'
    /opt/rh/ruby193/root/usr/share/rubygems/rubygems/custom_require.rb:36:in `require'
    /opt/rh/ruby193/root/usr/share/gems/gems/polyglot-0.3.3/lib/polyglot.rb:63:in `require'
    /opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/dependencies.rb:251:in `block in require'
    /opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/dependencies.rb:236:in
```

```

`load_dependency'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/dependencies.rb:251:in `require'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:103:in `require_environment!'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:295:in `block (2 levels) in initialize_tasks'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `call'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `block in execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:158:in `block in invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/monitor.rb:211:in `mon_synchronize'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:151:in `invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:176:in `block in invoke_prerequisites'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:174:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:174:in `invoke_prerequisites'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:157:in `block in invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/monitor.rb:211:in `mon_synchronize'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:151:in `invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:144:in `invoke'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:116:in `invoke_task'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block (2 levels) in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:88:in `top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:66:in `block in run'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:63:in `run'
/opt/rh/ruby193/root/usr/bin/rake:32:in `'
Tasks: TOP => db:migrate => environment

```

I'm not able to find the cause of this error and currently foreman is down.

Related issues:

Related to Discovery - Bug #9963: Upgrade from 1.2 to 2.0 fails with "some pe...	Closed	03/31/2015
Related to Discovery - Bug #9895: user can't vew discovery_rules with "Discov...	Closed	03/25/2015

Associated revisions

Revision 954abba - 07/18/2016 08:46 AM - Shlomi Zadok

Fixes #13529 - Remove duplicate permissions
 A migration which adds unique constraint
 and removes duplicate permissions

History

#1 - 02/02/2016 05:36 PM - Edward Clay

- File `db_migrate.log` added

This might also be useful info from `/var/log/foreman/db_migrate.log`.

Performance on MRI may be improved with the `concurrent-ruby-ext` gem. Please see <http://concurrent-ruby.com>

rake aborted!

```

Please install the sqlite3 adapter: `gem install activerecord-sqlite3-adapter` (Could not find sqlite3 (~> 1.3.5) amongst [actionmailer-3.2.8,
actionpack-3.2.8, activemodel-3.2.8, activerecord-3.2.8, activerecord-3.2.8, activerecord-3.2.8, addressable-2.3.6, algebrick-0.7.3, ancestry-2.0.0,
anemone-0.7.2, angular-rails-templates-0.1.2, ansi-1.4.3, apipie-params-0.0.3, apipie-rails-0.2.6, archive-tar-minitar-0.5.2, arel-3.0.2, audited-3.0.0,
audited-activerecord-3.0.0, autoparse-0.3.3, bastion-2.0.0, bigdecimal-1.1.0, builder-3.0.0, bundler-1.3.5, bundler_ext-0.3.0, coffee-rails-3.2.2,
coffee-script-2.2.0, coffee-script-source-1.3.3, commonjs-0.2.7, concurrent-ruby-0.9.0, concurrent-ruby-edge-0.1.0, daemons-1.1.4,
deep_cloneable-2.0.2, deface-0.7.2, diff-lcs-1.1.3, docker-api-1.17.0, dynflow-0.8.5, erubis-2.7.0, excon-0.45.3, execjs-1.4.0, extlib-0.9.16,
faraday-0.9.1, fast_gettext-0.9.2, fog-1.32.0, fog-aws-0.6.0, fog-core-1.32.0, fog-google-0.0.5, fog-json-1.0.2, fog-libvirt-0.0.2, fog-xml-0.1.2,
foreigner-1.7.1, foreman-tasks-0.7.3, foreman_bootdisk-6.0.0, foreman_docker-1.4.1, foreman_gutterball-0.0.1, foreman_hooks-0.3.8,
formatador-0.2.1, friendly_id-4.0.10.1, gettext_i18n_rails-1.2.1, google-api-client-0.8.2, haml-4.0.6, haml-rails-0.4, hashr-0.0.22, hike-1.2.1,
hooks-0.2.2, hpricot-0.8.6, i18n-0.6.0, i18n_data-0.2.7, io-console-0.3, ipaddress-0.8.0, journey-1.0.4, jquery-ui-rails-4.1.2, json-1.5.5, justified-0.0.4,
jwt-1.2.0, katello-2.3.1, launchy-2.4.3, ldap_fluff-0.3.7, less-2.5.1, less-rails-2.5.0, little-plugger-1.1.3, logging-1.8.2, mail-2.4.4, mime-types-1.19,
minitest-2.5.1, multi_json-1.10.1, multipart-post-1.2.0, net-http-persistent-2.7, net-ldap-0.11, net-scp-1.1.0, net-ssh-2.6.7, netrc-0.7.7, nokogiri-1.5.11,
oauth-0.4.7, polyglot-0.3.3, qpuid_messaging-0.30.0, rabl-0.11.6, rack-1.4.1, rack-cache-1.2, rack-jsonp-1.3.1, rack-protection-1.2.0, rack-ssl-1.3.2,
rack-test-0.6.1, rails-3.2.8, railties-3.2.8, rake-0.9.2.2, rbvirt-0.0.35, rbvmomi-1.8.2, rdoc-3.9.5, rest-client-1.6.7, retrievable-1.4.1, robotex-1.0.0,
ruby-libvirt-0.5.2, ruby2ruby-2.1.3, ruby_parser-3.6.3, runcible-1.3.5, safemode-1.2.2, sass-3.4.9, scoped_search-3.2.1, secure_headers-1.4.1,
sequel-4.20.0, sexp_processor-4.4.4, signet-0.6.0, sinatra-1.3.2, sprockets-2.12.3, sshkey-1.6.0, strong_parameters-0.2.1, thor-0.18.1, tilt-1.3.3,
tire-0.6.2, treetop-1.4.10, trollop-2.0, turbolinks-2.5.3, tzinfo-0.3.33, validates_lengths_from_database-0.4.0, wicked-1.1.0, will_paginate-3.0.2])

```

Tasks: TOP => db:migrate => environment

(See full trace by running task with --trace)

Performance on MRI may be improved with the concurrent-ruby-ext gem. Please see <http://concurrent-ruby.com>

rake aborted!

Please install the sqlite3 adapter: `gem install activerecord-sqlite3-adapter` (Could not find sqlite3 (~> 1.3.5) amongst [actionmailer-3.2.8, actionpack-3.2.8, activemodel-3.2.8, activerecord-3.2.8, activerecord-3.2.8, activerecord-3.2.8, activesupport-3.2.8, addressable-2.3.6, algebrick-0.7.3, ancestry-2.0.0, anemone-0.7.2, angular-rails-templates-0.1.2, ansi-1.4.3, apipie-params-0.0.3, apipie-rails-0.2.6, archive-tar-minitar-0.5.2, arel-3.0.2, audited-3.0.0, audited-activerecord-3.0.0, autoparse-0.3.3, bastion-2.0.0, bigdecimal-1.1.0, builder-3.0.0, bundler-1.3.5, bundler_ext-0.3.0, coffee-rails-3.2.2, coffee-script-2.2.0, coffee-script-source-1.3.3, commonjs-0.2.7, concurrent-ruby-0.9.0, concurrent-ruby-edge-0.1.0, daemons-1.1.4, deep_cloneable-2.0.2, deface-0.7.2, diff-lcs-1.1.3, docker-api-1.17.0, dynflow-0.8.5, erubis-2.7.0, exon-0.45.3, execjs-1.4.0, extlib-0.9.16, faraday-0.9.1, fast_gettext-0.9.2, fog-1.32.0, fog-aws-0.6.0, fog-core-1.32.0, fog-google-0.0.5, fog-json-1.0.2, fog-libvirt-0.0.2, fog-xml-0.1.2, foreigner-1.7.1, foreman-tasks-0.7.3, foreman_bootdisk-6.0.0, foreman_docker-1.4.1, foreman_gutterball-0.0.1, foreman_hooks-0.3.8, formatador-0.2.1, friendly_id-4.0.10.1, gettext_i18n_rails-1.2.1, google-api-client-0.8.2, haml-4.0.6, haml-rails-0.4, hashr-0.0.22, hike-1.2.1, hooks-0.2.2, hpricot-0.8.6, i18n-0.6.0, i18n_data-0.2.7, io-console-0.3, ipaddress-0.8.0, journey-1.0.4, jquery-ui-rails-4.1.2, json-1.5.5, justified-0.0.4, jwt-1.2.0, katello-2.3.1, launchy-2.4.3, ldap_fluff-0.3.7, less-2.5.1, less-rails-2.5.0, little-plugger-1.1.3, logging-1.8.2, mail-2.4.4, mime-types-1.19, minitest-2.5.1, multi_json-1.10.1, multipart-post-1.2.0, net-http-persistent-2.7, net-ldap-0.11, net-scp-1.1.0, net-ssh-2.6.7, netrc-0.7.7, nokogiri-1.5.11, oauth-0.4.7, polyglot-0.3.3, qpid_messaging-0.30.0, rabl-0.11.6, rack-1.4.1, rack-cache-1.2, rack-jsonp-1.3.1, rack-protection-1.2.0, rack-ssl-1.3.2, rack-test-0.6.1, rails-3.2.8, railties-3.2.8, rake-0.9.2.2, rbvirt-0.0.35, rbvmomi-1.8.2, rdoc-3.9.5, rest-client-1.6.7, retrievable-1.4.1, robotex-1.0.0, ruby-libvirt-0.5.2, ruby2ruby-2.1.3, ruby_parser-3.6.3, runcible-1.3.5, safemode-1.2.2, sass-3.4.9, scoped_search-3.2.1, secure_headers-1.4.1, sequel-4.20.0, sexp_processor-4.4.4, signet-0.6.0, sinatra-1.3.2, sprockets-2.12.3, sshkey-1.6.0, strong_parameters-0.2.1, thor-0.18.1, tilt-1.3.3, tire-0.6.2, treetop-1.4.10, trollop-2.0, turbolinks-2.5.3, tzinfo-0.3.33, validates_lengths_from_database-0.4.0, wicked-1.1.0, will_paginate-3.0.2])

Tasks: TOP => db:migrate => environment

(See full trace by running task with --trace)

See attached log file.

I believe I'm setup to use postgresql not sqlite.

#2 - 02/22/2016 12:01 PM - Eric Helms

- Project changed from Katello to Foreman

- Subject changed from katello/foreman manua upgrade fails on foreman-rake db:migrate to Duplicate permissions are allowed and not recognized

- Priority changed from High to Normal

- translation missing: en.field_release deleted (113)

#3 - 02/22/2016 12:08 PM - Justin Sherrill

I helped either this user or a user with the exact same issue on IRC. There are 2-3 issues that add together to cause this:

a) there is no uniqueness constraint on the permissions table for the permission name

b) The role code does not properly check for missing permissions, simply a mismatch in permission counts:

<https://github.com/foreman/foreman/blob/develop/app/models/role.rb#L136>

I'm not fully sure how duplicate permissions got inserted, as it seemed to be somewhere within the ovirt plugin. In IRC, i just had the user delete the duplicated permission and the problem was solved.

#4 - 02/23/2016 03:10 AM - Dominic Cleal

- Category set to DB migrations

#5 - 06/20/2016 09:08 AM - Lukas Zapletal

- Related to Bug #9963: Upgrade from 1.2 to 2.0 fails with "some permissions were not found" ArgumentError added

#6 - 06/20/2016 09:13 AM - Lukas Zapletal

- Related to Bug #9895: user can't view discovery_rules with "Discovery Reader" role added

#7 - 06/20/2016 09:18 AM - Lukas Zapletal

For the record, we had similar issue in Discovery, turned out to be a bug - we were missing resource_type for some permissions. Looks similarly for the ovirt plugin: https://github.com/foreman/ovirt_provision_plugin/blob/master/lib/ovirt_provision_plugin/engine.rb

Not sure how to reproduce tho, user must create a permission and perhaps associate is somehow.

#8 - 07/17/2016 09:02 AM - Ohad Levy

- Assignee set to Shlomi Zadok

- Bugzilla link set to 1357122

#9 - 07/17/2016 09:23 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/theforeman/foreman/pull/3653> added

#10 - 07/18/2016 09:03 AM - Shlomi Zadok

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [954abbaf59154c90717f6b56d54fae9d8168d010](#).

#11 - 07/19/2016 03:43 AM - Dominic Cleal

- translation missing: en.field_release set to 160

Files

db_migrate.log	26.3 KB	02/02/2016	Edward Clay
----------------	---------	------------	-------------