Foreman - Feature #13703

Record key db entries in foreman-debug

02/15/2016 05:43 AM - Lukas Zapletal

Status:	New	
Priority:	Normal	
Assignee:		
Category:	foreman-debug	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:	No	Found in Releases:
Bugzilla link:	1305089	Red Hat JIRA:
Pull request:		
Description		

We often need to see particular db entries. We can add some columns from the following tables:

audits compute_resources / compute_attributes domains environments hostgroups hosts / nics images media operatingsystems smart_proxies / features subnets templates (dump all of them) tokens (filter out UUIDs) users (just login names)

History

#1 - 02/15/2016 05:43 AM - Lukas Zapletal

- Bugzilla link set to 1305089

#2 - 02/15/2016 07:51 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request https://github.com/theforeman/foreman/pull/3184 added

#3 - 02/16/2017 03:43 AM - Dominic Cleal

- Status changed from Ready For Testing to New
- Assignee deleted (Lukas Zapletal)

#4 - 10/04/2018 05:14 PM - Chris Roberts

- Assignee set to Chris Roberts

#5 - 04/15/2019 09:27 PM - Chris Roberts

- Assignee deleted (Chris Roberts)
- Pull request deleted (https://github.com/theforeman/foreman/pull/3184)

Moving back to new because debug is now in sosreport.