Foreman - Bug #1374

IP overwritten if you select a subnet

12/06/2011 04:38 PM - Ashley Penney

Status:	Closed			
Priority:	Normal			
Assignee:	Paul Kelly			
Category:	Web Interface			
Target version:	1.0			
Difficulty:		Fixed in Relea	ases:	
Triaged:		Found in Rele	eases:	
Bugzilla link:		Red Hat JIRA	:	
Pull request:				
Description		·		
In the case where:				
You click manage. You go to network. It has an IP in the f You select the asso	ield.	. Chances are that's the IP	I want it to remain on!	
Honefully those ste	ps are reproducible, if not let me kn	ow and I'll find alternative s	tens that show the sam	ne thing
Related issues:				io timig.
		Related to Foreman - Bug #727: next_ip function always overwrites the ip addr		

Associated revisions

Revision fc782b06 - 12/25/2011 03:37 AM - Paul Kelly

fixes #1374 - Overwriting of valid IP when subnet selected

Signed-off-by: Paul Kelly paul.ian.kelly@googlemail.com>

History

#1 - 12/20/2011 07:02 AM - Ohad Levy

- Target version set to 1.0

#2 - 12/25/2011 03:46 AM - Ohad Levy

- Category set to Web Interface
- Assignee set to Paul Kelly

#3 - 12/25/2011 03:48 AM - Paul Kelly

- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset fc782b066f61202f0de203b32741c2275e199bd3.