Foreman - Bug #13838

Searching for hosts by facts does not return all hosts

02/22/2016 10:18 AM - Timo Goebel

Status:	Rejected	
Priority:	Normal	
Assignee:	Timo Goebel	
Category:	Search	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

Searching for hosts by the following query does not return all expected hosts "facts.app_tier = lxrls and facts.is_galera_arbitrator = true"

SQL issued to db with missing hosts:

SELECT `hosts`.* FROM `hosts` INNER JOIN fact_values fact_values_30 ON (hosts.id = fact_values_30.host_id) INNER JOIN fact_names fact_names_30 ON (fact_names_30.id = fact_values_30.fact_name_id) INNER JOIN fact_values_31 ON (hosts.id = fact_values_31.host_id) INNER JOIN fact_names fact_names_31 ON (fact_names_31.id = fact_values_31.fact_name_id) WHERE `hosts`.`type` IN ('Host::Managed') AND (((fact_names_30.name = 'app_tier' AND fact_values_30.value = 'lxperf') AND (fact_names_31.name = 'is_galera_arbitrator' AND fact_values_31.value = 'true'))) ORDER BY `hosts`.`name` ASC LIMIT 150 OFFSET 0

SQL issued to db returning all expected hosts (removed ext_method from scoped search):

SELECT `hosts`.* FROM `hosts` INNER JOIN `fact_values` fact_values_620066 ON (hosts.id = fact_values_620066.host_id) INNER JOIN `fact_names` fact_names_620066 ON (fact_names_620066.id = fact_values_620066.fact_name_id) INNER JOIN `fact_values` fact_values_868107 ON (hosts.id = fact_values_868107.host_id) INNER JOIN `fact_names` fact_names_868107 ON (fact_names_868107.id = fact_values_868107.fact_name_id) WHERE `hosts`.`type` IN ('Host::Managed') AND ((fact_names_620066.`name` = 'app_tier') AND (fact_names_868107.`name` = 'is_galera_arbitrator') AND ((`hosts`.`id` IN (SELECT `host_id` FROM `fact_values` WHERE `fact_values_620066`.`value` = 'lxrls')) AND (`hosts`.`id` IN (SELECT `host_id` FROM `fact_values` WHERE `fact_values = 'true')))) ORDER BY `hosts`.`name` ASC LIMIT 150 OFFSET 0

Related issues:

Related to Foreman - Feature #11150: Allow searching of facts as types other ... Closed 07/19/2015

History

#1 - 02/22/2016 10:18 AM - Timo Goebel

- Related to Feature #11150: Allow searching of facts as types other than string added

#2 - 02/22/2016 10:35 AM - Timo Goebel

- Assignee set to Timo Goebel

#3 - 02/22/2016 10:37 AM - Dominic Cleal

Can you see any pattern to the hosts that are missing from the second query (missing facts, different fact values)? The queries are slightly different but I don't see why they'd produce different results.

#4 - 02/22/2016 10:47 AM - Timo Goebel

- Status changed from New to Rejected

While investigating this further, I could not reproduce it again. I take this back for the time being. Thanks, Dominic.

05/18/2024 1/1