

## Foreman - Bug #14619

### Can't delete a host after upgrading to katello 3.0 and foreman 1.11

04/13/2016 11:37 AM - cristian falcas

<b>Status:</b>	Resolved	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Database	
<b>Target version:</b>		
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b> 1.11.0
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

#### Description

When trying to delete a host from foreman, we get the bellow error in production.log. If we delete the reports table it can delete the host successfully.

```
2016-04-13 11:34:11 [foreman-tasks/action] [E] PG::Error: ERROR: update or delete on table "hosts"
violates foreign key constraint "reports_host_id_fk" on table "reports"
| DETAIL: Key (id)=(480) is still referenced from table "reports".
| : DELETE FROM "hosts" WHERE "hosts"."type" IN ('Host::Managed') AND "hosts"."id" = $1 (ActiveRe
cord::InvalidForeignKey)
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/postgresql_adapter.rb:834:in `get_last_result'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/postgresql_adapter.rb:834:in `block in exec_cache'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/abstract_adapter.rb:373:in `block in log'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/notifications/
instrumenter.rb:20:in `instrument'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/abstract_adapter.rb:367:in `log'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/postgresql_adapter.rb:831:in `exec_cache'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/postgresql/database_statements.rb:155:in `exec_delete'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/abstract/database_statements.rb:106:in `delete'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapt
ers/abstract/query_cache.rb:14:in `delete'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/relation.rb:449:
in `delete_all'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/persistence.rb:4
65:in `destroy_row'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/locking/optimist
ic.rb:108:in `destroy_row'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/persistence.rb:1
54:in `destroy'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/callbacks.rb:292
:in `block in destroy'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:1
13:in `call'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:1
13:in `call'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:1
66:in `block in halting'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:1
66:in `call'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activesupport-4.1.5/lib/active_support/callbacks.rb:1
66:in `block in halting'
```





```
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/models/foreman_tasks/concerns/action_triggering.rb:37:in `destroy'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/katello/host/destroy.rb:39:in `plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:461:in `block (3 levels) in execute_plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/remote_action.rb:9:in `plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:34:in `plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_locale.rb:7:in `plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:34:in `plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/world.rb:30:in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:460:in `block (2 levels) in execute_plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:277:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:277:in `switch_flow'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:364:in `concurrency'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:459:in `block in execute_plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `block in with_error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `catch'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `with_error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:458:in `execute_plan'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:260:in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/plan_step.rb:54:in `block in execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/abstract.rb:155:in `call'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/abstract.rb:155:in `with_meta_calculation'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/plan_step.rb:53:in `execute'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:187:in `block (2 levels) in plan'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:277:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:277:in `switch_flow'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:267:in `with_planning_scope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:186:in `block in plan'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:42:in `plan_phase'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:42:in `plan_phase'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:42:in `plan_phase'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/common/transaction.rb:16:in `block in rollback_on_error'  
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstract/database_statements.rb:201:in `block in transaction'  
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstract/database_statements.rb:209:in `within_new_transaction'  
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/connection_adapters/abstract/database_statements.rb:201:in `transaction'  
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/transactions.rb:208:in `transaction'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/transaction_adapters/active_record.rb:5:in `transaction'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/common/transaction.rb:15:in `rollback_on_error'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/common/transaction.rb:5:in `plan_phase'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/world.rb:30:in `execute'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan.rb:185:in `plan'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/world.rb:175:in `block
```

```
in plan_with_caller'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/world.rb:173:in `tap'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/world.rb:173:in `plan_w
ith_caller'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:76:in `block in trigger'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/world.rb:140:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/world.rb:140:in `trigge
r'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:76:in `trigger'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/bulk_action.r
b:51:in `block in create_sub_plans'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/relation/delegat
ion.rb:46:in `map'
| /opt/rh/rh-ror41/root/usr/share/gems/gems/activerecord-4.1.5/lib/active_record/relation/delegat
ion.rb:46:in `map'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/bulk_action.r
b:50:in `create_sub_plans'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:29:in `initiate'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:16:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:74:in `block in assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `tap'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:56:in `m
atch_value'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:36:in `b
lock in match?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `e
ach'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `m
atch?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:23:in `m
atch'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:11:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/bulk_action.r
b:20:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:506:in `block
(3 levels) in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:30:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:53:in `restore_curent_user'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:30:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/progress.rb:30:i
n `with_progress_calculation'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/progress.rb:16:i
n `run'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:11:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:22:in `with_locale'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:11:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:30:in `ru
n'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/world.rb:30:
in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:505:in `block
(2 levels) in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:504:in `catch
'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:504:in `block
in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `block
in with_error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `catch
'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `with_
error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:499:in `execu
te_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:260:in `execu
te'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:9:in `block (2 levels) in execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:155:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:155:in `with_meta_calculation'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:8:in `block in execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:22:in `open_action'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:7:in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/executors/parallel/work
er.rb:15:in `block in on_message'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:74:in `block in assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `tap'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:56:in `m
atch_value'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:36:in `b
lock in match?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `e
ach'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `m
atch?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:23:in `m
atch'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/executors/parallel/work
er.rb:12:in `on_message'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co
ntext.rb:46:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/executes_context.rb:7:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/actor.rb:26:in `on_ene
velope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/awaits.rb:15:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/sets_results.rb:14:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/buffer.rb:38:in `process_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/buffer.rb:31:in `process_envelopes?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/buffer.rb:20:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/termination.rb:55:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/removes_child.rb:10:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/abstract.rb:25:in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be
haviour/sets_results.rb:14:in `on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co
re.rb:161:in `process_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co
re.rb:95:in `block in on_envelope'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co
re.rb:118:in `block (2 levels) in schedule_execution'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati
on/mri_lockable_object.rb:38:in `block in synchronize'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati
on/mri_lockable_object.rb:38:in `synchronize'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati
on/mri_lockable_object.rb:38:in `synchronize'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co
re.rb:115:in `block in schedule_execution'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri
alized_execution.rb:18:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri
alized_execution.rb:18:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri
alized_execution.rb:96:in `work'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri
alized_execution.rb:77:in `block in call_job'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:333:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
```

```
_thread_pool_executor.rb:333:in `run_task'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:322:in `block (3 levels) in create_worker'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:305:in `loop'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:305:in `block (2 levels) in create_worker'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:304:in `catch'
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby
_thread_pool_executor.rb:304:in `block in create_worker'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `block in create_with_logging_context'
2016-04-13 11:34:12 [foreman-tasks/action] [E] A sub task failed (RuntimeError)
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:206:in `check_for_errors!'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:119:in `wait_for_sub_plans'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:39:in `initiate'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:16:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:74:in `block in assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `tap'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:56:in `m
atch_value'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:36:in `b
lock in match?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `e
ach'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `m
atch?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:23:in `m
atch'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/with_sub_plans.r
b:11:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/bulk_action.r
b:20:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:506:in `block
(3 levels) in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:30:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:53:in `restore_curent_user'
| /opt/theforeman/tfm/root/usr/share/gems/gems/foreman-tasks-0.7.16/app/lib/actions/middleware/ke
ep_current_user.rb:30:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/progress.rb:30:i
n `with_progress_calculation'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action/progress.rb:16:i
```

```

n `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:11:in `block in run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:22:in `with_locale'
| /opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.0.0.rc1/app/lib/actions/middleware/keep_
locale.rb:11:in `run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:26:
in `pass'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:17:in `pa
ss'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware.rb:30:in `ru
n'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/stack.rb:22:
in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/middleware/world.rb:30:
in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:505:in `block
(2 levels) in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:504:in `catch
'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:504:in `block
in execute_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `block
in with_error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `catch
'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:419:in `with_
error_handling'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:499:in `execu
te_run'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/action.rb:260:in `execu
te'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:9:in `block (2 levels) in execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:155:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:155:in `with_meta_calculation'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:8:in `block in execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:22:in `open_action'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/execution_plan/steps/ab
stract_flow_step.rb:7:in `execute'
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/executors/parallel/work
er.rb:15:in `block in on_message'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:74:in `block in assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `tap'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matchers/abstract.rb
:73:in `assigns'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:56:in `m
atch_value'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:36:in `b
lock in match?'
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `e

```

```
ach'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:35:in `m  
atch?'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/algebrick-0.7.3/lib/algebrick/matching.rb:23:in `m  
atch'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/executors/parallel/work  
er.rb:12:in `on_message'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co  
ntext.rb:46:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/executes_context.rb:7:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/dynflow-0.8.10/lib/dynflow/actor.rb:26:in `on_enve  
lope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/awaits.rb:15:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/sets_results.rb:14:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/buffer.rb:38:in `process_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/buffer.rb:31:in `process_envelopes?'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/buffer.rb:20:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/termination.rb:55:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/removes_child.rb:10:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/abstract.rb:25:in `pass'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/be  
haviour/sets_results.rb:14:in `on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co  
re.rb:161:in `process_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co  
re.rb:95:in `block in on_envelope'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co  
re.rb:118:in `block (2 levels) in schedule_execution'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati  
on/mri_lockable_object.rb:38:in `block in synchronize'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati  
on/mri_lockable_object.rb:38:in `synchronize'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/synchronizati  
on/mri_lockable_object.rb:38:in `synchronize'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-edge-0.2.0/lib/concurrent/actor/co  
re.rb:115:in `block in schedule_execution'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri  
alized_execution.rb:18:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri  
alized_execution.rb:18:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri  
alized_execution.rb:96:in `work'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/seri  
alized_execution.rb:77:in `block in call_job'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby  
_thread_pool_executor.rb:333:in `call'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:333:in `run_task'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:322:in `block (3 levels) in create_worker'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:305:in `loop'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:305:in `block (2 levels) in create_worker'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:304:in `catch'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/concurrent-ruby-1.0.0/lib/concurrent/executor/ruby_thread_pool_executor.rb:304:in `block in create_worker'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `call'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `block in create_with_logging_context'
```

## History

---

### #1 - 04/14/2016 02:47 AM - Marek Hulán

- Description updated

### #2 - 04/14/2016 02:48 AM - Marek Hulán

- Category set to Database

### #3 - 04/14/2016 03:54 AM - Dominic Cleal

- Status changed from New to Need more information

- translation missing: en.field\_release set to 141

Do you have any plugins installed that add types of reports? I think the foreman\_openscap plugin does this.

What type are the reports in the reports table? The 'type' column should show. Do you have config management reports too, or only ones from a plugin?

### #4 - 04/18/2016 10:32 AM - Dominic Cleal

- translation missing: en.field\_release changed from 141 to 155

### #5 - 05/18/2016 05:56 AM - Dominic Cleal

- translation missing: en.field\_release changed from 155 to 159

### #6 - 06/21/2016 03:46 AM - Dominic Cleal

- translation missing: en.field\_release deleted (159)

### #7 - 05/17/2017 03:40 PM - Anonymous

- Status changed from Need more information to Resolved

no reaction, closing.