# Foreman - Support #14792

# foreman not sending the POST to the DHCP smart proxy

04/24/2016 03:24 PM - rui fernandes

Status:	Resolved		
Priority:	Normal		
Assignee:			
Category:	Orchestration		
Target version:			
Triaged:		Found in Releases:	1.11.1
Fixed in Releases:			

## Description

When I add, delete or modify a host, changes don't get pushed into the dhcpd.leases file

I see the DHCP GET request in the foreman-proxy log, but I don't see a corresponding POST.

here is an example for when I add a new host, these lines are from the foreman-proxy proxy.log file:

```
D, [2016-04-24T19:06:03.967082 #22115] DEBUG --: trying to find an ip address, we got {:from=>"10.93.2.30", :to=>"10.93.2.200"}
D, [2016-04-24T19:06:03.968455 #22115] DEBUG --: Searching for free IP - pinging 10.93.2.33
D, [2016-04-24T19:06:05.974001 #22115] DEBUG --: Found free IP 10.93.2.33 out of a total of 170 free IPs I, [2016-04-24T19:06:05.974987 #22115] INFO --: 10.93.6.77 -- [24/Apr/2016:19:06:05 +0000] "*GET /dhcp/10.93.2.0/unused_ip?mac=78:2b:cb:05:2e:d2&from=10.93.2.30&to=10.93.2.200* HTTP/1.1" 200 19 2.4588
```

D, [2016-04-24T19:06:03.966992 #22115] DEBUG --: Added a lease record: 10.92.18.218:00:50:56:9f:12:85

```
D, [2016-04-24T19:06:05.976574 #22115] DEBUG --: close: 10.93.6.77:42280
D, [2016-04-24T19:07:09.174481 #22115] DEBUG --: accept: 10.93.6.77:42283
D, [2016-04-24T19:07:09.178295 #22115] DEBUG --: Rack::Handler::WEBrick is invoked.
D, [2016-04-24T19:07:09.184547 #22115] DEBUG --: require_ssl_client_verification: skipping, non-HTTPS request I, [2016-04-24T19:07:09.185177 #22115] INFO --: TFTP: entry for 78:2b:cb:05:2e:d2 created successfully I, [2016-04-24T19:07:09.185641 #22115] INFO --: 10.93.6.77 - - [24/Apr/2016:19:07:09 +0000] "POST /tftp/syslinux/78:2b:cb:05:2e:d2 HTTP/1.1" 200 - 0.0036
```

```
D, [2016-04-24T19:07:09.186824 <u>#22115</u>] DEBUG -- : close: 10.93.6.77:42283
D, [2016-04-24T19:07:09.193574 <u>#22115</u>] DEBUG -- : accept: 10.93.6.77:42284
D, [2016-04-24T19:07:09.196781 <u>#22115</u>] DEBUG -- : Rack::Handler::WEBrick is invoked.
```

D, [2016-04-24T19:07:09.197603 #22115] DEBUG -- : require\_ssl\_client\_verification: skipping, non-HTTPS request

 $D, [2016-04-24T19:07:09.198209~ \underline{\#22115}]~ DEBUG --: Starting~ task: /usr/bin/wget~--timeout=10~--tries=3~--no-check-certificate \\ \underline{nv-c~"http://mirrors.labs.marinsw.net/centos/6.7/os/x86\_64/images/pxeboot/vmlinuz"-O$ 

"/var/lib/tftpboot/boot/CentOS-6.7-x86\_64-vmlinuz"

I, [2016-04-24T19:07:09-201186-#22115] INFO-: 10.93.6.77 - - [24/Apr/2016:19:07:09+0000] "POST /tftp/fetch\_boot\_file HTTP/1.1" 200 - 0.0012

```
D, [2016-04-24T19:07:09.202448 #22115] DEBUG -- : close: 10.93.6.77:42284
D, [2016-04-24T19:07:09.205451 #22115] DEBUG -- : accept: 10.93.6.77:42285
D, [2016-04-24T19:07:09.208737 #22115] DEBUG -- : Rack::Handler::WEBrick is invoked.
D, [2016-04-24T19:07:09.209785 #22115] DEBUG -- : require_ssl_client_verification: skipping, non-HTTPS request
D, [2016-04-24T19:07:09.210368 #22115] DEBUG -- : Starting task: /usr/bin/wget --timeout=10 --tries=3 --no-check-certificate
nv -c "http://mirrors.labs.marinsw.net/centos/6.7/os/x86_64/images/pxeboot/initrd.img" — O
"/var/lib/tftpboot/boot/CentOS -6.7 x86_64 initrd.img"
I, [2016-04-24T19:07:09.210929 #22115] INFO - : 10.93.6.77 - - [24/Apr/2016:19:07:09 +0000] "POST /tftp/fetch_boot_file
```

HTTP/1.1" 200 - 0.0016

D, [2016-04-24T19:07:09.213899 #22115] DEBUG -- : close: 10.93.6.77:42285

I see the **GET** /dhcp/10.93.2.0/unused\_ip?mac=78:2b:cb:05:2e:d2&from=10.93.2.30&to=10.93.2.200, foreman gets an IP but the dhcpd.leases file is not updated

I don't know if this is a bug or a miss configuration on my part. This use to work in foreman 1.10.2

05/20/2024 1/2

I noticed the issue today, I upgraded form 1.11.0 to 1.11.1 today (just in case)

both theforeman and the foreman-proxy are at 1.11.1

any help with be appropriated

what should I look at?

### Related issues:

Related to Foreman - Bug #14113: DHCP orchestration ignored subnet bootmode Closed 03/09/2016

Related to Foreman - Bug #14905: DHCP reservation for PXE boot not added when... Closed 05/02/2016

### History

### #1 - 04/24/2016 03:58 PM - rui fernandes

it appears the setting the "Boot mode" to dhcp in the subnet definition it triers the "POST"

setting the "Boot mode" to static reverts back to where the post don't happen.

interesting new behavior.

## #2 - 04/24/2016 04:56 PM - Anonymous

- Category set to Orchestration
- Status changed from New to Resolved

DHCP boot mode is the default, iirc. Anyway, setting this to resolved.

### #3 - 04/25/2016 02:46 AM - Marek Hulán

If the interface is configured with static IP address, is there a reason to create the record in DHCP (doing POST request)? The change was introduced in 1.11.1 since we considered such behavior as a bug.

## #4 - 04/25/2016 02:46 AM - Marek Hulán

- Related to Bug #14113: DHCP orchestration ignored subnet bootmode added

## #5 - 04/26/2016 12:45 PM - Magnus Svensson

The reason to create the record in DHCP is that we install over that network and want to configure the servers with static network configuration. The DHCP boot is used by the Provisioning Templates to select dhcp or static configuration for each interface.

## #6 - 05/25/2016 08:43 AM - Frank Grötzner

This report seems to be related to Issue #14905 - unfortunately I don't know how to link it...:-)

### #7 - 05/25/2016 08:48 AM - Dominic Cleal

- Related to Bug #14905: DHCP reservation for PXE boot not added when using static boot mode added

05/20/2024 2/2