

Foreman - Bug #15497

"Title has already been taken" importing CentOS 6 OS from facts

06/22/2016 10:27 AM - Alexandre Barth

Status:	Rejected	
Priority:	Normal	
Assignee:		
Category:	Importers	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases: 1.12.0
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

I have rebuilt foreman 1.12 from scratch, i was previously using foreman 1.11.

I can't add my CentOS 6 nodes back in foreman : they're added to foreman host list but no os is affected, interfaces are not populated, even default organization is not affected.

I also have a lot of CentOS 7 nodes, even CentOS 5, and no problem for these nodes, they all came back to foreman as expected.

I join the foreman production log when running puppet agent from a CentOS 6 node.

```
2016-06-22 16:05:19 [app] [I] Started GET "/node/test1.mydomain.com?format=yml" for 192.168.0.1 at
2016-06-22 16:05:19 +0200
```

```
2016-06-22 16:05:19 [app] [I] Processing by HostsController#externalNodes as YAML
```

```
2016-06-22 16:05:19 [app] [I] Parameters: {"name"=>"test1.mydomain.com"}
```

```
2016-06-22 16:05:19 [app] [I] Completed 404 Not Found in 24ms (ActiveRecord: 3.4ms)
```

```
2016-06-22 16:05:23 [app] [I] Started POST "/api/hosts/facts" for 192.168.0.1 at 2016-06-22 16:05:
23 +0200
```

```
2016-06-22 16:05:23 [app] [I] Processing by Api::V2::HostsController#facts as JSON
```

```
2016-06-22 16:05:23 [app] [I] Parameters: {"facts"=>"[FILTERED]", "name"=>"test1.mydomain.com",
"certname"=>"test1.mydomain.com", "apiv"=>"v2", :host=>{"name"=>"test1.mydomain.com", "certname"=>
"test1.mydomain.com"}}
```

```
2016-06-22 16:05:23 [app] [I] Import facts for 'test1.mydomain.com' completed. Added: 126, Updated
: 0, Deleted 0 facts
```

```
2016-06-22 16:05:24 [app] [W] Action failed
```

```
| ActiveRecord::RecordInvalid: Validation failed: Title has already been taken
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/validations.
rb:79:in `raise_record_invalid'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/validations.
rb:43:in `save!'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/attribute_me
thods/dirty.rb:29:in `save!'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:291:in `block in save!'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:351:in `block in with_transaction_returning_status'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/database_statements.rb:213:in `block in transaction'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/transaction.rb:184:in `within_new_transaction'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/database_statements.rb:213:in `transaction'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:220:in `transaction'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:348:in `with_transaction_returning_status'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:291:in `save!'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/protected_attributes-1.1.3/lib/active_record/mass_assignment_security/validations.rb:17:in `create!'
```

```
| /usr/share/foreman/app/services/puppet_fact_parser.rb:34:in `operatingsystem'
```

```
| /usr/share/foreman/app/models/host/base.rb:196:in `block in set_non_empty_values'
```

```
| /usr/share/foreman/app/models/host/base.rb:195:in `each'
```

```
| /usr/share/foreman/app/models/host/base.rb:195:in `set_non_empty_values'
```

```
| /usr/share/foreman/app/models/host/base.rb:188:in `populate_fields_from_facts'
```

```
| /usr/share/foreman/app/models/host/managed.rb:464:in `populate_fields_from_facts'
```

```
| /usr/share/foreman/app/models/host/base.rb:163:in `import_facts'
```

```
| /usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:237:in `facts'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:198:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rendering.rb:10:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.rb:20:in `block in process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:555:in `block (2 levels) in compile'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:498:in `block (2 levels) in around'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:152:in `disable_json_root'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:432:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_c  
ontroller/caching/sweeping.rb:73:in `around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:455:in `public_send'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:455:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
```

```
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.
```

```
rb:313:in `call'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
 | /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_c
ontroller/caching/sweeping.rb:73:in `around'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `public_send'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `block in make_lambda'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:92:in `__run_callbacks__'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:778:in `_run_process_action_callbacks'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:81:in `run_callbacks'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callback
s.rb:19:in `process_action'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/resc
ue.rb:29:in `process_action'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst
rumentation.rb:32:in `block in process_action'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati
ons.rb:164:in `block in instrument'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati
ons/instrumenter.rb:20:in `instrument'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati
ons.rb:164:in `instrument'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst
rumentation.rb:30:in `process_action'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/para
ms_wrapper.rb:250:in `process_action'
 | /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/railties/con
troller_runtime.rb:18:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:137:in `process'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionview-4.2.5.1/lib/action_view/rendering.rb:30:in `process'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:196:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:237:in `block in action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/route_set.rb:74:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/route_set.rb:74:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/route_set.rb:43:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/mapper.rb:49:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:43:in `block in serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:30:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:30:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/route_set.rb:815:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/static_dispatcher.rb:65:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/extractor/recorder.rb:132:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/middleware/checksum_in_headers.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/etag.rb:24:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/conditionalget.rb:38:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/head.rb:13:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/params_parser.rb:27:in `call'
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/flash.rb:260:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:225:in `context'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:220:in `
```

```
call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/cookies.rb:560:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/query_cache.rb:36:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:653:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:88:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:778:in `_run_call_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:81:in `run_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/remote_ip.rb:78:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:38:in `call_app'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:22:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/request_id.rb:21:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/methodoverride.rb:22:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/runtime.rb:18:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/cache/strategy/local_cache_middleware.rb:28:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/static.rb:116:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/sendfile.rb:113:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/engine.rb:518:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/application.rb:165:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `public_send'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `method_missing'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:66:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `call'
| /usr/share/passenger/phusion_passenger/rack/thread_handler_extension.rb:74:in `process_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:141:in `accept_and_process_next_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:109:in `main_loop'
| /usr/share/passenger/phusion_passenger/request_handler.rb:455:in `block (3 levels) in start_threads'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `block in create_with_logging_context'
2016-06-22 16:05:24 [app] [I] Rendered api/v2/errors/standard_error.json.rabl within api/v2/layouts/error_layout (1.1ms)
2016-06-22 16:05:24 [app] [I] Completed 500 Internal Server Error in 729ms (Views: 8.0ms | ActiveRecord: 223.2ms)
2016-06-22 16:05:26 [app] [I] Started GET "/node/test1.mydomain.com?format=yml" for 192.168.0.1 at 2016-06-22 16:05:26 +0200
2016-06-22 16:05:26 [app] [I] Processing by HostsController#externalNodes as YAML
2016-06-22 16:05:26 [app] [I] Parameters: {"name"=>"test1.mydomain.com"}
2016-06-22 16:05:26 [app] [W] Failed to generate external nodes for test1.mydomain.com
| NoMethodError: undefined method `name' for nil:NilClass
| (erb):1:in `parse_string'
| /opt/rh/rh-ruby22/root/usr/share/ruby/erb.rb:863:in `eval'
| /opt/rh/rh-ruby22/root/usr/share/ruby/erb.rb:863:in `result'
| /usr/share/foreman/app/services/safe_render.rb:39:in `parse_string'
| /usr/share/foreman/app/services/safe_render.rb:18:in `parse'
| /usr/share/foreman/app/services/safe_render.rb:22:in `block in parse'
| /usr/share/foreman/app/services/safe_render.rb:22:in `merge'
| /usr/share/foreman/app/services/safe_render.rb:22:in `parse'
| /usr/share/foreman/app/models/host/managed.rb:411:in `info'
| /usr/share/foreman/app/controllers/hosts_controller.rb:182:in `block (2 levels) in externalNodes'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/mime_responds.rb:217:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/mime_responds.rb:217:in `respond_to'
| /usr/share/foreman/app/controllers/hosts_controller.rb:180:in `externalNodes'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/implicit_render.rb:4:in `send_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:198:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rendering.rb:10:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.rb:20:in `block in process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:555:in `block (2 levels) in compile'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `block (2 levels) in halting'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_controller/caching/sweeping.rb:73:in `around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:455:in `public_send'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:455:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:498:in `block (2 levels) in around'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:432:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:432:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:313:in `block (2 levels) in halting'
```

```
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_controller/caching/sweeping.rb:73:in `around'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:455:in `public_send'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:455:in `block in make_lambda'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:312:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:312:in `block in halting'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:497:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:497:in `block in around'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:505:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:505:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:92:in `__run_callbacks__'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:778:in `_run_process_action_callbacks'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.rb:81:in `run_callbacks'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.rb:19:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rescue.rb:29:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/instrumentation.rb:32:in `block in process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/notifications.rb:164:in `block in instrument'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/notifications/instrumenter.rb:20:in `instrument'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/notifications.rb:164:in `instrument'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/instrumentation.rb:30:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/params_wrapper.rb:250:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/railties/controller_runtime.rb:18:in `process_action'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:
```

```
137:in `process'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionview-4.2.5.1/lib/action_view/rendering.rb:30:
in `process'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:1
96:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rack
_delegation.rb:13:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:2
37:in `block in action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:74:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:74:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:43:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:43:in `block in serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:815:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/static_dispatcher.rb
:65:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/extractor/recorder.r
b:132:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/middleware/checksum_
in_headers.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/etag.rb:24:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/conditionalget.rb:25:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/head.rb:13:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/p
arams_parser.rb:27:in `call'
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/f
lash.rb:260:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:225:in `
context'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:220:in `
call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
ookies.rb:560:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/query_cache.  
rb:36:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a  
dapters/abstract/connection_pool.rb:653:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c  
allbacks.rb:29:in `block in call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:88:in `__run_callbacks__'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:778:in `_run_call_callbacks'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:81:in `run_callbacks'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c  
allbacks.rb:27:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r  
emote_ip.rb:78:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/d  
ebug_exceptions.rb:17:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s  
how_exceptions.rb:30:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:38:in `ca  
ll_app'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:22:in `ca  
ll'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r  
equest_id.rb:21:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/methodoverride.rb:22:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/runtime.rb:18:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/cache/stra  
tegy/local_cache_middleware.rb:28:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s  
tatic.rb:116:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/sendfile.rb:113:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/engine.rb:518:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/application.rb:165:in `c  
all'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `publi  
c_send'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `metho  
d_missing'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:66:in `block in call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `each'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `call'
```

```
| /usr/share/passenger/phusion_passenger/rack/thread_handler_extension.rb:74:in `process_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:141:in `accept_and_process_next_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:109:in `main_loop'
| /usr/share/passenger/phusion_passenger/request_handler.rb:455:in `block (3 levels) in start_threads'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:323:in `block in create_with_logging_context'
2016-06-22 16:05:26 [app] [I] Rendered text template (0.0ms)
2016-06-22 16:05:26 [app] [I] Completed 412 Precondition Failed in 52ms (Views: 0.8ms | ActiveRecord: 3.9ms)
2016-06-22 16:05:26 [app] [I] Started POST "/api/reports" for 192.168.0.1 at 2016-06-22 16:05:26 +0200
2016-06-22 16:05:26 [app] [I] Processing by Api::V2::ReportsController#create as JSON
2016-06-22 16:05:26 [app] [I] Parameters: {"report"=>"[FILTERED]", "apiv"=>"v2"}
2016-06-22 16:05:26 [app] [I] processing report for test1.mydomain.com
2016-06-22 16:05:26 [app] [I] Imported report for test1.mydomain.com in 0.12 seconds
2016-06-22 16:05:27 [app] [W] Action failed
| ActiveRecord::RecordInvalid: Validation failed: Environment can't be blank
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/validations.rb:79:in `raise_record_invalid'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/validations.rb:43:in `save!'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/attribute_methods/dirty.rb:29:in `save!'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:291:in `block in save!'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:351:in `block in with_transaction_returning_status'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/database_statements.rb:213:in `block in transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/transaction.rb:184:in `within_new_transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/database_statements.rb:213:in `transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:220:in `transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions.rb:348:in `with_transaction_returning_status'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:291:in `save!'

| /usr/share/foreman/app/models/host/managed.rb:850:in `refresh_global_status!'

| /usr/share/foreman/app/models/host/managed.rb:859:in `refresh_statuses'

| /usr/share/foreman/app/services/report_importer.rb:43:in `import'

| /usr/share/foreman/app/services/report_importer.rb:20:in `import'

| /usr/share/foreman/app/models/config_report.rb:27:in `import'

| /usr/share/foreman/app/controllers/api/v2/reports_controller.rb:40:in `create'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/impli
cิต_render.rb:4:in `send_action'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:
198:in `process_action'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rend
ering.rb:10:in `process_action'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callback
s.rb:20:in `block in process_action'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:555:in `block (2 levels) in compile'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'

| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:152:in `disable_json_root'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_c  
ontroller/caching/sweeping.rb:73:in `around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:455:in `public_send'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:455:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:498:in `block (2 levels) in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:313:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:313:in `block (2 levels) in halting'  
  
| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:432:in `block in make_lambda'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:312:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:312:in `block in halting'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.  
rb:497:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
```

```
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_c
ontroller/caching/sweeping.rb:73:in `around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `public_send'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:92:in `__run_callbacks__'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:778:in `_run_process_action_callbacks'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:81:in `run_callbacks'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.  
s.rb:19:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/resc  
ue.rb:29:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst  
rumentation.rb:32:in `block in process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons.rb:164:in `block in instrument'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons/instrumenter.rb:20:in `instrument'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons.rb:164:in `instrument'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst  
rumentation.rb:30:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/para  
ms_wrapper.rb:250:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/railties/con  
troller_runtime.rb:18:in `process_action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:  
137:in `process'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionview-4.2.5.1/lib/action_view/rendering.rb:30:  
in `process'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:1  
96:in `dispatch'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rack  
_delegation.rb:13:in `dispatch'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:2  
37:in `block in action'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout  
e_set.rb:74:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout  
e_set.rb:74:in `dispatch'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
```

```
e_set.rb:43:in `serve'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/mapper.rb:49:in `serve'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:43:in `block in serve'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:30:in `each'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/router.rb:30:in `serve'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/route_set.rb:815:in `call'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/static_dispatcher.rb:65:in `call'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/extractor/recorder.rb:132:in `call'  
  
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/middleware/checksum_in_headers.rb:27:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/etag.rb:24:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/conditionalget.rb:38:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/head.rb:13:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/params_parser.rb:27:in `call'  
  
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/flash.rb:260:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:225:in `context'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:220:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/cookies.rb:560:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/query_cache.rb:36:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:653:in `call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:88:in `__run_callbacks__'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:778:in `_run_call_callbacks'  
  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:81:in `run_callbacks'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
allbacks.rb:27:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r
emote_ip.rb:78:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/d
ebug_exceptions.rb:17:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
how_exceptions.rb:30:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:38:in `ca
ll_app'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:22:in `ca
ll'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r
equest_id.rb:21:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/methodoverride.rb:22:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/runtime.rb:18:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/cache/stra
tegy/local_cache_middleware.rb:28:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/sendfile.rb:113:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/engine.rb:518:in `call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/application.rb:165:in `c
all'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `publi
c_send'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `metho
d_missing'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:66:in `block in call'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `each'

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `call'

| /usr/share/passenger/phusion_passenger/rack/thread_handler_extension.rb:74:in `process_request'

| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:141:in `accept_and_pro
cess_next_request'

| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:109:in `main_loop'

| /usr/share/passenger/phusion_passenger/request_handler.rb:455:in `block (3 levels) in start_thr
eads'

| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `call'

| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `block in create_with_logging_context'

2016-06-22 16:05:27 [app] [I] Rendered api/v2/errors/standard_error.json.rabl within api/v2/layo
```

uts/error_layout (0.8ms)

2016-06-22 16:05:27 [app] [I] Completed 500 Internal Server Error in 169ms (Views: 5.6ms | ActiveRecord: 32.1ms)

History

#1 - 06/22/2016 10:38 AM - Dominic Cleal

- Subject changed from *Can't add CentOS 6 back to foreman 1.12 to "Title has already been taken" importing CentOS 6 OS from facts*
- Category set to *Importers*

The error suggests it can't create a new CentOS 6 operating system (under Hosts > Operating systems) as there's one with an identical description to what it's trying to create, but probably different major/minor versions. It might be worth double checking which OSes you have and tidying them up if the descriptions aren't correct.

#2 - 06/22/2016 10:56 AM - Alexandre Barth

OMG so sorry, you're right, i forgot to update my minor version from 7 to 8 for CentOS 6 in my script which generates my foreman server ...
TY Dominic :)

#3 - 06/22/2016 01:30 PM - Anonymous

- Status changed from *New to Rejected*