

Foreman - Bug #15599

Unattended controller can't access host parameters in kickstart templates

07/07/2016 04:09 AM - Ori Rabin

Status: Closed	
Priority: Normal	
Assignee: Ori Rabin	
Category: Users, Roles and Permissions	
Target version: 1.13.0	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases: Nightly
Bugzilla link: 1351766	Red Hat JIRA:
Pull request: https://github.com/theforeman/foreman/pull/3629	
Description	
Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1351766 Description of problem: The latest downstream Foreman release added some permissions checks to inherited parameter lookups for managed hosts. This breaks our (QCI) deployments, as the host is not be able to find an associated activation key (inherited from the hostgroup), will not register with subscription-manager (snippet is conditional on activation key in the kickstart), and will fail to install or configure puppet. The BZ that prompted the breaking change is https://bugzilla.redhat.com/show_bug.cgi?id=1296662 . The UI shows the Version-Release number of selected component (if applicable): 6.2.0 How reproducible: 100% Steps to Reproduce: 1. Create a hostgroup 2. Add parameters to that hostgroup 3. Convert a discovered host to a managed host. 4. From the rails console, load up the hostgroup and host 5. Set the host's hostgroup to the newly created one and save the host 6. Check host.params Actual results: An empty dictionary Expected results: Consistent with previous behavior and the web UI, you would see the parameters that the host inherited from the hostgroup. Additional comments: Even though the WebUI shows the inherited parameters correctly, and checking the generated kickstart looks correct, when we actually trigger a build on the host, the kickstart it gets does not have access to any of the host's inherited parameters, consistent with the behavior on the console.	
Related issues:	
Related to Foreman - Bug #13164: view_params is missing	Closed 01/12/2016
Related to Foreman Remote Execution - Bug #13689: The ssh keys bootstrap prov...	Closed 02/12/2016
Related to Foreman - Bug #17395: @host.params are not interpreted when was us...	Closed 11/18/2016

Associated revisions

Revision 4ee667ac - 07/11/2016 08:55 AM - Ori Rabin

Fixes #15599 - Unattended controller can access host params (#3629)

History

#1 - 07/07/2016 04:12 AM - Ori Rabin

- Subject changed from *Can't access inherited parameters from host* to *Unattended controller can't access host parameters in kickstart templates*
- Category changed from *Inventory* to *Parameters*
- Status changed from *New* to *Assigned*
- Assignee set to *Ori Rabin*

#2 - 07/07/2016 04:20 AM - Dominic Cleal

- Related to Bug #13164: *view_params* is missing added

#3 - 07/07/2016 04:20 AM - Dominic Cleal

- Category changed from *Parameters* to *Users, Roles and Permissions*
- translation missing: *en.field_release* set to 160

#4 - 07/08/2016 03:35 AM - The Foreman Bot

- Status changed from *Assigned* to *Ready For Testing*
- Pull request <https://github.com/theforeman/foreman/pull/3629> added

#5 - 07/08/2016 05:05 AM - Ivan Necas

- Related to Bug #13689: *The ssh keys bootstrap provisioning snippet doesn't work with global proxies* added

#6 - 07/11/2016 09:01 AM - Ori Rabin

- Status changed from *Ready For Testing* to *Closed*
- % Done changed from 0 to 100

Applied in changeset [4ee667ac30c6c3436ed70e2acf984c053601471f](#).

#7 - 12/05/2016 08:43 AM - Dominic Cleal

- Related to Bug #17395: *@host.params* are not interpreted when was used in *ptable kickstart* template. added