

Foreman - Feature #1576

Implement oauth authentication and authorization

04/18/2012 04:46 AM - Lukas Zapletal

Status: Closed	
Priority: Normal	
Assignee:	
Category: Plugin integration	
Target version: 1.1	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description To fully integrate Katello, Foreman API must be accessible with oauth. Once oauth is enabled in the Foreman configuration and secret and token is given, Foreman should authenticate all requests with valid oauth and automatically authorize those requests as "admin". Separate role can be used for this, but all permission must be given. Katello is expected to be able to do anything.	
Related issues: Related to Foreman - Feature #1301: Consider adding a per-user API key Closed	

Associated revisions

Revision fceb1f89 - 07/26/2012 08:10 AM - Petr Chalupa

fixes #1576 - api v1 - oauth support

- to use set and enable oauth in settings
- correcting typo

History

#1 - 04/18/2012 05:20 AM - Lukas Zapletal

We will be sending HTTP header called "foreman-user" set to the current logged Katello user. Once user is created in Katello, we will create it also in Foreman via API. So it is possible to work also "on behalf" of a user.

#2 - 07/24/2012 04:13 AM - Ohad Levy

- Target version set to 1.1

#3 - 07/26/2012 08:47 AM - Anonymous

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset [fceb1f895c20019ad71863d23316a446c216845e](#).

#4 - 02/13/2014 09:07 AM - Dominic Cleal

- Related to Feature #1301: Consider adding a per-user API key added

#5 - 03/16/2020 03:10 PM - Tomer Brisker

- Category changed from 47 to Plugin integration