

Packaging - Bug #15827

trusty/armhf Foreman builds failing without po_to_json

07/25/2016 05:25 AM - Dominic Cleal

Status:	Rejected	
Priority:	Normal	
Assignee:		
Category:	Debian/Ubuntu	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

po_to_json and fog-local gems are not being added to Debian packages built on Ubuntu 14.04 under armhf using Bundler 1.3.5, causing a build failure:

```
Selecting previously unselected package bundler.  
Preparing to unpack .../bundler_1.3.5-2ubuntu1_all.deb ...  
Unpacking bundler (1.3.5-2ubuntu1) ...  
[...]
```

```
/usr/bin/ruby2.0 /usr/bin/bundle pack --all  
Fetching gem metadata from https://rubygems.org/.....  
Fetching gem metadata from https://rubygems.org/..
```

```
Resolving dependencies.....  
.....  
.....  
.....
```

```
Installing rake (11.2.2)  
Installing CFPropertyList (2.3.2)  
Installing ace-rails-ap (4.0.2)  
Installing i18n (0.7.0)  
Installing json (1.8.3)  
Installing minitest (5.1.0)  
Installing thread_safe (0.3.5)  
Installing tzinfo (1.2.2)  
Installing activesupport (4.2.6)  
Installing builder (3.2.2)  
Installing erubis (2.7.0)  
Installing mini_portile2 (2.1.0)  
Installing pkg-config (1.1.7)  
Installing nokogiri (1.6.8)  
Installing rails-deprecated_sanitizer (1.0.3)  
Installing rails-dom-testing (1.0.7)  
Installing loofah (2.0.3)  
Installing rails-html-sanitizer (1.0.3)  
Installing actionview (4.2.6)  
Installing rack (1.6.4)  
Installing rack-test (0.6.3)  
Installing actionpack (4.2.6)  
Installing globalid (0.3.6)  
Installing activejob (4.2.6)  
Installing mime-types-data (3.2016.0521)  
Installing mime-types (3.1)  
Installing mail (2.6.4)  
Installing actionmailer (4.2.6)  
Installing activemodel (4.2.6)  
Installing arel (6.0.3)  
Installing activerecord (4.2.6)
```

Installing multi_json (1.12.1)
Installing thor (0.19.1)
Installing railties (4.2.6)
Installing activerecord-session_store (1.0.0)
Installing addressable (2.4.0)
Installing ancestry (2.1.0)
Installing apipie-rails (0.3.6)
Installing ast (2.3.0)
Installing rails-observers (0.1.2)
Installing audited (4.2.0)
Installing audited-activerecord (4.2.0)
Installing extlib (0.9.16)
Installing autoparse (0.3.3)
Installing execjs (2.7.0)
Installing autoprefixer-rails (5.2.1.3)
Installing awesome_print (1.7.0)
Installing sass (3.4.22)
Installing bootstrap-sass (3.3.6)
Installing uniform_notifier (1.10.0)
Installing bullet (5.1.1)
Using bundler (1.3.5)
Installing xpath (2.0.0)
Installing capybara (2.7.1)
Installing ci_reporter (2.0.0)
Installing ci_reporter_minitest (1.0.0)
Installing cliver (0.3.2)
Installing coderay (1.1.1)
Installing coffee-script-source (1.10.0)
Installing coffee-script (2.4.1)
Installing coffee-rails (4.2.1)
Installing concurrent-ruby (1.0.2)
Installing css_parser (1.3.7)
Installing database_cleaner (1.5.3)
Installing deep_cloneable (2.2.1)
Installing unf_ext (0.0.7.2)
Installing unf (0.1.4)
Installing domain_name (0.5.20160615)
Installing excon (0.51.0)
Installing factor (1.7.6)
Installing factory_girl (4.7.0)
Installing factory_girl_rails (4.7.0)
Installing multipart-post (2.0.0)
Installing faraday (0.9.2)
Installing fast_gettext (1.1.0)
Installing fission (0.5.0)
Installing jquery-rails (3.1.4)
Installing flot-rails (0.0.3)
Installing formatador (0.2.5)
Installing fog-core (1.42.0)
Installing fog-json (1.0.2)
Installing ipaddress (0.8.3)
Installing xml-simple (1.1.5)
Installing fog-aliyun (0.1.0)
Installing fog-xml (0.1.2)
Installing fog-atmos (0.1.0)
Installing fog-aws (0.10.0)
Installing inflecto (0.0.2)
Installing fog-brightbox (0.11.0)
Installing fog-cloudatcost (0.1.2)
Installing fog-dynect (0.0.3)
Installing fog-ecloud (0.3.0)
Installing fog-google (0.1.0)
Installing fog-openstack (0.1.8)
Installing fog-powerdns (0.1.1)
Installing fog-profitbricks (0.0.5)
Installing fog-rackspace (0.1.1)
Installing fog-radosgw (0.0.5)

Installing fog-riakcs (0.1.0)
Installing fog-sakuracloud (1.7.5)
Installing fog-serverlove (0.1.2)
Installing fog-softlayer (1.1.3)
Installing fog-storm_on_demand (0.1.1)
Installing fog-terremark (0.1.0)
Installing fog-vmfusion (0.1.0)
Installing fog-voxel (0.1.0)
Installing trollop (2.1.2)
Installing rbvmomi (1.8.2)
Installing fog-vsphere (0.8.0)
Installing fog-xenserver (0.2.3)
Installing fog (1.38.0)
Installing ruby-libvirt (0.6.0)
Installing fog-libvirt (0.2.0)
Installing font-awesome-sass (4.3.2.1)
Installing friendly_id (5.1.0)
Installing locale (2.1.2)
Installing text (1.3.1)
Installing gettext (3.2.2)
Installing gettext_i18n_rails (1.7.2)
Installing sprockets (3.7.0)
Installing sprockets-rails (2.3.3)
Installing rails (4.2.6)
Installing gettext_i18n_rails_js (1.1.0)
Installing jwt (1.5.4)
Installing little-plugger (1.1.4)
Installing logging (2.1.0)
Installing memoist (0.14.0)
Installing os (0.9.6)
Installing signet (0.7.3)
Installing googleauth (0.5.1)
Installing launchy (2.4.3)
Installing retrievable (1.4.1)
Installing google-api-client (0.8.6)
Installing gridster-rails (0.5.6)
Installing hirb (0.7.3)
Installing unicode-display_width (1.1.0)
Installing hirb-unicode-steakknife (0.0.7)
Installing http-cookie (1.0.2)
Installing immigrant (0.3.5)
Installing ipaddrjs-rails (1.1.1)
Installing turbolinks (2.5.3)
Installing jquery-turbolinks (2.1.0)
Installing jquery-ui-rails (4.2.1)
Installing jquery_pwstrength_bootstrap_4 (1.2.2)
Installing net-ldap (0.15.0)
Installing ldap_fluff (0.4.3)
Installing maruku (0.7.2)
Installing metaclass (0.0.4)
Installing method_source (0.8.2)
Installing minitest-spec-rails (5.4.0)
Installing mocha (1.1.0)
Installing multi-select-rails (0.9.12)
Installing mysql2 (0.4.4)
Installing net-ssh (3.2.0)
Installing net-scp (1.2.1)
Installing netrc (0.11.0)
Installing oauth (0.5.1)
Installing paint (1.0.1)
Installing parallel (1.9.0)
Installing parallel_tests (2.7.0)
Installing parser (2.3.1.2)
Installing patternfly-sass (2.10.1)
Installing pg (0.18.4)
Installing websocket-extensions (0.1.2)
Installing websocket-driver (0.6.4)

```
Installing poltergeist (1.10.0)
Installing powerpack (0.1.1)
Installing protected_attributes (1.1.3)
Installing slop (3.6.0)
Installing pry (0.10.4)
Installing quiet_assets (1.1.0)
Installing rabl (0.12.0)
Installing rack-jsonp (1.3.1)
Installing ruby-openid (2.7.0)
Installing rack-openid (1.4.2)
Installing rails-i18n (4.0.9)
Installing rainbow (2.1.0)
Installing rest-client (2.0.0)
Installing rbovirt (0.1.1)
Installing responders (2.2.0)
Installing roadie (3.1.1)
Installing roadie-rails (1.1.1)
Installing ruby-progressbar (1.8.1)
Installing rubocop (0.39.0)
Installing rubocop-checkstyle_formatter (0.2.0)
Installing sexp_processor (4.7.0)
Installing ruby_parser (3.8.2)
Installing ruby2ruby (2.3.0)
Installing safemode (1.2.4)
Installing tilt (2.0.5)
Installing sass-rails (5.0.5)
Installing scoped_search (3.2.2)
Installing secure_headers (1.4.1)
Installing select2-rails (3.5.10)
Installing shoulda-context (1.2.1)
Installing shoulda-matchers (2.8.0)
Installing show_me_the_cookies (3.1.0)
Installing single_test (0.6.0)
Installing spice-html5-rails (0.1.5)
Installing spring (1.7.2)
Installing sqlite3 (1.3.11)
Installing sshkey (1.8.0)
Installing test_after_commit (1.1.0)
Installing uglifier (3.0.0)
Installing underscore-rails (1.8.3)
Installing validates_lengths_from_database (0.5.0)
Installing will_paginate (3.1.0)
Installing wirb (2.0.0)
Installing x-editable-rails (1.5.5)
Your bundle is complete!
Use `bundle show [gemname]` to see where a bundled gem is installed.
Updating files in vendor/cache
* rake-11.2.2.gem
* CFPropertyList-2.3.2.gem
* ace-rails-ap-4.0.2.gem
* i18n-0.7.0.gem
* json-1.8.3.gem
* minitest-5.1.0.gem
* thread_safe-0.3.5.gem
* tzinfo-1.2.2.gem
* activesupport-4.2.6.gem
* builder-3.2.2.gem
* erubis-2.7.0.gem
* mini_portile2-2.1.0.gem
* pkg-config-1.1.7.gem
* nokogiri-1.6.8.gem
* rails-deprecated_sanitizer-1.0.3.gem
* rails-dom-testing-1.0.7.gem
* loofah-2.0.3.gem
* rails-html-sanitizer-1.0.3.gem
* actionview-4.2.6.gem
* rack-1.6.4.gem
```

- * rack-test-0.6.3.gem
- * actionpack-4.2.6.gem
- * globalid-0.3.6.gem
- * activejob-4.2.6.gem
- * mime-types-data-3.2016.0521.gem
- * mime-types-3.1.gem
- * mail-2.6.4.gem
- * actionmailer-4.2.6.gem
- * activemodel-4.2.6.gem
- * arel-6.0.3.gem
- * activerecord-4.2.6.gem
- * multi_json-1.12.1.gem
- * thor-0.19.1.gem
- * railties-4.2.6.gem
- * activerecord-session_store-1.0.0.gem
- * addressable-2.4.0.gem
- * ancestry-2.1.0.gem
- * apipie-rails-0.3.6.gem
- * ast-2.3.0.gem
- * rails-observers-0.1.2.gem
- * audited-4.2.0.gem
- * audited-activerecord-4.2.0.gem
- * extlib-0.9.16.gem
- * autoparse-0.3.3.gem
- * execjs-2.7.0.gem
- * autoprefixer-rails-5.2.1.3.gem
- * awesome_print-1.7.0.gem
- * sass-3.4.22.gem
- * bootstrap-sass-3.3.6.gem
- * uniform_notifier-1.10.0.gem
- * bullet-5.1.1.gem
- * xpath-2.0.0.gem
- * capybara-2.7.1.gem
- * ci_reporter-2.0.0.gem
- * ci_reporter_minitest-1.0.0.gem
- * cliver-0.3.2.gem
- * coderay-1.1.1.gem
- * coffee-script-source-1.10.0.gem
- * coffee-script-2.4.1.gem
- * coffee-rails-4.2.1.gem
- * concurrent-ruby-1.0.2.gem
- * css_parser-1.3.7.gem
- * database_cleaner-1.5.3.gem
- * deep_cloneable-2.2.1.gem
- * unf_ext-0.0.7.2.gem
- * unf-0.1.4.gem
- * domain_name-0.5.20160615.gem
- * excon-0.51.0.gem
- * factor-1.7.6.gem
- * factory_girl-4.7.0.gem
- * factory_girl_rails-4.7.0.gem
- * multipart-post-2.0.0.gem
- * faraday-0.9.2.gem
- * fast_gettext-1.1.0.gem
- * fission-0.5.0.gem
- * jquery-rails-3.1.4.gem
- * flot-rails-0.0.3.gem
- * formatador-0.2.5.gem
- * fog-core-1.42.0.gem
- * fog-json-1.0.2.gem
- * ipaddress-0.8.3.gem
- * xml-simple-1.1.5.gem
- * fog-aliyun-0.1.0.gem
- * fog-xml-0.1.2.gem
- * fog-atmos-0.1.0.gem
- * fog-aws-0.10.0.gem
- * inflecto-0.0.2.gem

* fog-brightbox-0.11.0.gem
* fog-cloudatcost-0.1.2.gem
* fog-dynect-0.0.3.gem
* fog-ecloud-0.3.0.gem
* fog-google-0.1.0.gem
* fog-openstack-0.1.8.gem
* fog-powerdns-0.1.1.gem
* fog-profitbricks-0.0.5.gem
* fog-rackspace-0.1.1.gem
* fog-radosgw-0.0.5.gem
* fog-riakcs-0.1.0.gem
* fog-sakuracloud-1.7.5.gem
* fog-serverlove-0.1.2.gem
* fog-softlayer-1.1.3.gem
* fog-storm_on_demand-0.1.1.gem
* fog-terremark-0.1.0.gem
* fog-vmfusion-0.1.0.gem
* fog-voxel-0.1.0.gem
* trollop-2.1.2.gem
* rbvmomi-1.8.2.gem
* fog-vsphere-0.8.0.gem
* fog-xenserver-0.2.3.gem
* fog-1.38.0.gem
* ruby-libvirt-0.6.0.gem
* fog-libvirt-0.2.0.gem
* font-awesome-sass-4.3.2.1.gem
* friendly_id-5.1.0.gem
* locale-2.1.2.gem
* text-1.3.1.gem
* gettext-3.2.2.gem
* gettext_i18n_rails-1.7.2.gem
* sprockets-3.7.0.gem
* sprockets-rails-2.3.3.gem
* rails-4.2.6.gem
* gettext_i18n_rails_js-1.1.0.gem
* jwt-1.5.4.gem
* little-plugger-1.1.4.gem
* logging-2.1.0.gem
* memoist-0.14.0.gem
* os-0.9.6.gem
* signet-0.7.3.gem
* googleauth-0.5.1.gem
* launchy-2.4.3.gem
* retrievable-1.4.1.gem
* google-api-client-0.8.6.gem
* gridster-rails-0.5.6.gem
* hirb-0.7.3.gem
* unicode-display_width-1.1.0.gem
* hirb-unicode-steakknife-0.0.7.gem
* http-cookie-1.0.2.gem
* immigrant-0.3.5.gem
* ipaddrjs-rails-1.1.1.gem
* turbolinks-2.5.3.gem
* jquery-turbolinks-2.1.0.gem
* jquery-ui-rails-4.2.1.gem
* jquery_pwstrength_bootstrap_4-1.2.2.gem
* net-ldap-0.15.0.gem
* ldap_fluff-0.4.3.gem
* maruku-0.7.2.gem
* metaclass-0.0.4.gem
* method_source-0.8.2.gem
* minitest-spec-rails-5.4.0.gem
* mocha-1.1.0.gem
* multi-select-rails-0.9.12.gem
* mysql2-0.4.4.gem
* net-ssh-3.2.0.gem
* net-scp-1.2.1.gem

```

* netrc-0.11.0.gem
* oauth-0.5.1.gem
* paint-1.0.1.gem
* parallel-1.9.0.gem
* parallel_tests-2.7.0.gem
* parser-2.3.1.2.gem
* patternfly-sass-2.10.1.gem
* pg-0.18.4.gem
* websocket-extensions-0.1.2.gem
* websocket-driver-0.6.4.gem
* poltergeist-1.10.0.gem
* powerpack-0.1.1.gem
* protected_attributes-1.1.3.gem
* slop-3.6.0.gem
* pry-0.10.4.gem
* quiet_assets-1.1.0.gem
* rabl-0.12.0.gem
* rack-jsonp-1.3.1.gem
* ruby-openid-2.7.0.gem
* rack-openid-1.4.2.gem
* rails-i18n-4.0.9.gem
* rainbow-2.1.0.gem
* rest-client-2.0.0.gem
* rbovirt-0.1.1.gem
* responders-2.2.0.gem
* roadie-3.1.1.gem
* roadie-rails-1.1.1.gem
* ruby-progressbar-1.8.1.gem
* rubocop-0.39.0.gem
* rubocop-checkstyle_formatter-0.2.0.gem
* sexp_processor-4.7.0.gem
* ruby_parser-3.8.2.gem
* ruby2ruby-2.3.0.gem
* safemode-1.2.4.gem
* tilt-2.0.5.gem
* sass-rails-5.0.5.gem
* scoped_search-3.2.2.gem
* secure_headers-1.4.1.gem
* select2-rails-3.5.10.gem
* shoulda-context-1.2.1.gem
* shoulda-matchers-2.8.0.gem
* show_me_the_cookies-3.1.0.gem
* single_test-0.6.0.gem
* spice-html5-rails-0.1.5.gem
* spring-1.7.2.gem
* sqlite3-1.3.11.gem
* sshkey-1.8.0.gem
* test_after_commit-1.1.0.gem
* uglifier-3.0.0.gem
* underscore-rails-1.8.3.gem
* validates_lengths_from_database-0.5.0.gem
* will_paginate-3.1.0.gem
* wirb-2.0.0.gem
* x-editable-rails-1.5.5.gem
/usr/bin/ruby2.0 /usr/bin/bundle exec rake locale:pack assets:precompile RAILS_ENV=production
rake aborted!
Gem::LoadError: po_to_json is not part of the bundle. Add it to Gemfile.
/var/lib/gems/2.0.0/gems/gettext_i18n_rails_js-1.1.0/lib/gettext_i18n_rails_js.rb:29:in `'
/var/lib/workspace/workspace/packaging_build_deb_coreproject/arch/armv7/label/debian/os/trusty/deb
ian/trusty/build-foreman/foreman-1.13.0/config/application.rb:36:in `'
/var/lib/workspace/workspace/packaging_build_deb_coreproject/arch/armv7/label/debian/os/trusty/deb
ian/trusty/build-foreman/foreman-1.13.0/Rakefile:1:in `require'
/var/lib/workspace/workspace/packaging_build_deb_coreproject/arch/armv7/label/debian/os/trusty/deb
ian/trusty/build-foreman/foreman-1.13.0/Rakefile:1:in `'
/var/lib/gems/2.0.0/gems/rake-11.2.2/exe/rake:27:in `'
(See full trace by running task with --trace)

```

This started happening since [#15681](#).

Updating Bundler to 1.7.4 in <https://github.com/theforeman/foreman-packaging/pull/1241> didn't help.

History

#1 - 07/25/2016 05:26 AM - Dominic Cleal

- File *issue15827_bundler_debug.log* added

Attaching verbose/debug log from bundler 1.3.5, shows the gems are being searched for but not installed.

#2 - 08/23/2016 06:40 AM - Dominic Cleal

- Status changed from *New* to *Rejected*

- translation missing: *en.field_release* deleted (160)

Seems to have resolved itself, builds are passing again.

#3 - 09/13/2016 03:03 AM - Dominic Cleal

- Status changed from *Rejected* to *New*

Seems to have resolved itself, builds are passing again.

Only intermittently.

#4 - 10/27/2016 08:46 AM - Anonymous

- Status changed from *New* to *Assigned*

- Assignee set to *Anonymous*

#5 - 10/27/2016 02:22 PM - Anonymous

- Status changed from *Assigned* to *Closed*

We dropped Ubuntu/trusty builds for armhf, as we couldn't solve this.

#6 - 11/01/2016 06:53 AM - Dominic Cleal

- Status changed from *Closed* to *Rejected*

Files

issue15827_bundler_debug.log

255 KB

07/25/2016

Dominic Cleal