

## Foreman - Refactor #15847

### URL helpers must be used in mailers

07/27/2016 03:23 AM - Dominic Cleal

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Dominic Cleal	
<b>Category:</b> E-Mail	
<b>Target version:</b> 1.13.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b> <a href="https://github.com/foreman/foreman/pull/3677">https://github.com/foreman/foreman/pull/3677</a>	
<b>Description</b>	
<p><a href="#">#8797</a> changed mailers from using <code>*_url</code> helpers to <code>*_path</code>, and relied on Roadie's URL rewriting to change them to full URLs. This works reliably and avoids needing to repeat URL options, but it throws deprecation warnings and will not work in Rails 5.</p> <p>Running <code>host_mailer_test</code> generates warnings such as:</p> <pre>DEPRECATION WARNING: The method `host_path` cannot be used here as a full URL is required. Use `host_url` instead. (called from app_views_host_mailer_link_to_host_html_erb__4138992061028702271_130918480 at /home/dcleal/code/foreman/foreman/app/views/host_mailer/_link_to_host.html.erb:2)</pre> <p>The change could probably be mostly reverted, and <code>default_url_options</code> used in the mailer to avoid the repetition of URL options.</p>	
<b>Related issues:</b>	
Related to Foreman - Refactor #8797: Separate style from the HTML in emails.	<b>Closed</b> <b>12/28/2014</b>
Related to Foreman - Refactor #14006: Mailers calling <code>*_path</code> with <code>:only_path =&gt; false</code> should use <code>_url</code> helpers	<b>Closed</b> <b>03/02/2016</b>

### Associated revisions

#### Revision a9fe14bf - 07/27/2016 05:41 AM - Dominic Cleal

fixes #15847 - change mailer helpers from paths to URLs

Use of path helpers in mailers (with Roadie to rewrite to URLs) is deprecated in Rails 4 and removed in Rails 5, so prefer URL helpers. To replace URL rewriting and reduce duplication, `default_url_options` is now configured. Roadie URL rewriting may still be used for assets.

### History

#### #1 - 07/27/2016 03:23 AM - Dominic Cleal

- Related to Refactor #8797: Separate style from the HTML in emails. added

#### #2 - 07/27/2016 03:23 AM - Dominic Cleal

- Related to Refactor #14006: Mailers calling `*_path` with `:only_path => false` should use `_url` helpers added

#### #3 - 07/27/2016 03:40 AM - The Foreman Bot

- Status changed from Assigned to Ready For Testing

- Pull request <https://github.com/foreman/foreman/pull/3677> added

#### #4 - 07/27/2016 06:02 AM - Dominic Cleal

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [a9fe14bf40e7f70862c91deb15327e818231e85c](#).

#5 - 07/27/2016 06:28 AM - Dominic Cleal

- translation missing: en.field\_release set to 160