

Docker - Feature #15888

Remove calls to attr_accessible

07/28/2016 12:51 PM - David Davis

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	David Davis	
Category:	Plugin (foreman_docker)	
Target version:		
Difficulty:	easy	
Triaged:		
Bugzilla link:		
Pull request:	https://github.com/foreman/foreman-docker/pull/171 , https://github.com/foreman/foreman-docker/pull/172	
Description		
Related issues:		
Related to Foreman - Feature #3917: Add strong_parameters to foreman		Closed 12/19/2013

Associated revisions

Revision cc6d0d73 - 08/01/2016 03:45 AM - David Davis

Fixes #15888 - Remove attr_accessible calls

Revision cc6d0d73 - 08/01/2016 07:45 AM - David Davis

Fixes #15888 - Remove attr_accessible calls

History

#1 - 07/28/2016 12:52 PM - David Davis

- Related to Feature #3917: Add strong_parameters to foreman added

#2 - 07/28/2016 02:20 PM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/foreman/foreman-docker/pull/171> added

#3 - 07/28/2016 02:22 PM - The Foreman Bot

- Pull request <https://github.com/foreman/foreman-docker/pull/172> added

#4 - 08/01/2016 04:01 AM - David Davis

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [foreman-docker|cc6d0d73e4893bcee000af9e2ba0258aaacdef36](#).