

## Foreman - Bug #1589

### Cannot create VMs on vSphere (4.0) cluster

04/27/2012 04:57 AM - Rytis Sileika

<b>Status:</b>	Resolved	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Ohad Levy	
<b>Category:</b>	VM management	
<b>Target version:</b>	1.1	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b>
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

#### Description

Steps that I followed:

- Updated lib/foreman/model/vmware.rb with the correct HASH (:vsphere\_expected\_pubkey\_hash)
- Added new compute resource, setting type to VMWare. Fetching Datacentres worked fine - I received a list of available DCs. Selected one of them.

#### PROBLEM 1

-----

When creating a new host, I changed type from 'bare metal' to 'VMWare'. Filled in all the details. When I clicked on "Submit", it failed with the following error:

```
Missing partial compute_resources/vms/form/vmware with {:locale=>[:en, :en], :formats=>[:html], :handlers=>[:builder, :rjs, :rhtml, :rxml, :erb]} in view paths "/opt/foreman/app/views"
```

Full stack trace:

```
ActionView::MissingTemplate
Missing partial compute_resources/vms/form/vmware with {:locale=>[:en, :en], :formats=>[:html], :handlers=>[:builder, :rjs, :rhtml, :rxml, :erb]} in view paths "/opt/foreman/app/views"
app/views/hosts/_compute.html.erb:2:in `__app_views_hosts__compute_html_erb__383971327_70176225426240_4706636'
app/views/hosts/_compute.html.erb:1:in `__app_views_hosts__compute_html_erb__383971327_70176225426240_4706636'
app/views/hosts/_unattended.html.erb:6:in
`__app_views_hosts__unattended_html_erb__317377005_70176226311880_6131276'
app/views/hosts/_form.html.erb:52:in `__app_views_hosts__form_html_erb__1710001210_70176226962920_1176350'
app/views/hosts/_form.html.erb:3:in `__app_views_hosts__form_html_erb__1710001210_70176226962920_1176350'
app/views/hosts/new.html.erb:3:in `__app_views_hosts_new_html_erb__2094403440_70176226972220_0'
app/controllers/application_controller.rb:258:in `process_error'
app/controllers/application_controller.rb:253:in `process_error'
app/controllers/hosts_controller.rb:100:in `create'
```

#### PROBLEM 2

-----

I don't know if this is related, or should be a separate bug report.

If I go to "Compute Resources" then select VMWare resource and click on "Virtual Machines" I get an error message:

```
Sorry but there was an error: 500 Internal Server Error
```

It seems that an AJAX call is being made to /compute\_resources/1-<name>/vms

If I go there directly, I get the following error message:

undefined method `[]=' for nil:NilClass

And the stack trace:

```
NoMethodError
undefined method `[]=' for nil:NilClass
app/controllers/compute_resources/vms_controller.rb:6:in `index'
```

#### Related issues:

Has duplicate Foreman - Bug #1812: 500 server error on vSphere compute\_resour...

[Duplicate](#)

08/07/2012

#### Associated revisions

##### Revision 75409a89 - 05/04/2012 12:36 PM - Greg Blomquist

refs #1589 - Remove hardcoded vmware vsphere\_expected\_pubkey\_hash

Now, users will create a ~/.fog file containing:

```
=begin
:default:
:vsphere_expected_pubkey_hash: HASH_VALUE
=end
```

Fog will use this file when contacting vsphere to validate the ssl cert.

This is a workaround, until we'll store it in the DB directly.

##### Revision 3da587a3 - 07/05/2012 09:59 AM - Ohad Levy

refs #1589, ensure that vmware public key is automatically imported when testing connection

##### Revision 1c9af75a - 11/15/2012 05:21 AM - Ohad Levy

fixes #1589 provisioning vmware support

#### History

##### #1 - 04/27/2012 11:06 AM - Florian Koch

Hi,

i have the same error with vsphere 5

regards Florian

##### #2 - 04/27/2012 03:29 PM - Tray Torrance

I'm seeing Problem 2 on vSphere 5, as well. Will update with a full trace next week.

##### #3 - 05/02/2012 03:17 AM - Cyril CORDOUI BARZI

I have same issue than the problem one with vCenter 4.0 and "Compute Resources" (fog)  
I can list VM, but if I try to create a new guest I have the following error:

```
Missing partial compute_resources/vms/form/vmware with {:locale=>[:en, :en], :formats=>[:html], :handlers=>[:r
js, :rhtml, :rxml, :builder, :erb]} in view paths "/home/puppet/foreman/app/views"
```

With this Full trace:

```
ActionView::MissingTemplate
Missing partial compute_resources/vms/form/vmware with {:locale=>[:en, :en], :formats=>[:html], :handlers=>[:r
js, :rhtml, :rxml, :builder, :erb]} in view paths "/home/puppet/foreman/app/views"
app/views/hosts/_compute.html.erb:2:in `__app_views_hosts__compute_html_erb___598015553_55079560_5515308'
app/views/hosts/_compute.html.erb:1:in `__app_views_hosts__compute_html_erb___598015553_55079560_5515308'
app/views/hosts/_unattended.html.erb:6:in `__app_views_hosts__unattended_html_erb___1022913327_57235040_389164'
app/views/hosts/_form.html.erb:52:in `__app_views_hosts__form_html_erb___957189508_58920400_528990'
app/helpers/layout_helper.rb:130:in `form_for'
app/views/hosts/_form.html.erb:3:in `__app_views_hosts__form_html_erb___957189508_58920400_528990'
app/views/hosts/new.html.erb:3:in `__app_views_hosts_new_html_erb___1939049200_58938700_0'
```

```
app/controllers/application_controller.rb:258:in `process_error'  
app/controllers/application_controller.rb:253:in `process_error'  
app/controllers/hosts_controller.rb:100:in `create'
```

#### #4 - 05/07/2012 02:26 PM - Tray Torrance

Upon switching my foreman install to development mode, this is the logged error when attempting to list VMs:

```
Completed 500 Internal Server Error in 38791ms
```

```
NoMethodError (You have a nil object when you didn't expect it!  
You might have expected an instance of Array.  
The error occurred while evaluating nil.[]=):  
  app/controllers/compute_resources/vms_controller.rb:6:in `index'
```

```
Rendered vendor/ruby/1.8/gems/actionpack-3.0.10/lib/action_dispatch/middleware/templates/rescues/_trace.erb (4.2ms)
```

```
  Notice Load (0.7ms)  SELECT * FROM `notices` INNER JOIN `user_notices` ON `notices`.id = `user_notices`.notice_id WHERE (`user_notices`.user_id = 1 )
```

```
Rendered vendor/ruby/1.8/gems/actionpack-3.0.10/lib/action_dispatch/middleware/templates/rescues/_request_and_response.erb (776.1ms)
```

```
Rendered vendor/ruby/1.8/gems/actionpack-3.0.10/lib/action_dispatch/middleware/templates/rescues/diagnostics.erb within rescues/layout (793.9ms)
```

#### #5 - 05/07/2012 02:56 PM - Ohad Levy

- Priority changed from High to Normal

sadly this seems like rbvmomi gem fault.

this is not the full trace, you should probably look for the full trace (vs the application trace).

can you get the vm listing using rbvmomi? sadly i cant reproduce it locally.

#### #6 - 05/09/2012 08:48 AM - Rytis Sileika

I've tried connection with `rmvmomi` (from the bundled gem), and was able to list the VMs and folders in it without any problems:

```
# bundle exec vendor/ruby/1.8/gems/rbvmomi-1.5.1/bin/rbvmomish -o vsphere-host -k -u <username> -p <password>  
RAILS_ENV=production  
vsphere-host> dc = si.content.rootFolder.childEntity.grep(VIM::Datacenter)[0]  
Datacenter("datacenter-2")  
vsphere-host> dc.vmFolder.childEntity  
[Folder("group-v1141"),  
 Folder("group-v763"),  
 Folder("group-v762"),  
 Folder("group-v1181"),  
 Folder("group-v1171"),  
 Folder("group-v85"),  
 Folder("group-v1090"),  
 VirtualMachine("vm-921"),  
 VirtualMachine("vm-1111"),  
 VirtualMachine("vm-1165"),  
 VirtualMachine("vm-1182"),  
 VirtualMachine("vm-809"),  
 VirtualMachine("vm-846"),  
 VirtualMachine("vm-848"),  
 VirtualMachine("vm-873")]  
vsphere-host>
```

#### #7 - 08/08/2012 02:20 AM - Ohad Levy

- Status changed from New to Pending

at the moment I'm lacking a proper test env, (or at least in my single vcenter / esx I cant reproduce the problem).

anyone got a setup that I could access / use for testing?

#### #8 - 09/13/2012 09:24 AM - Jason Ashby

Ohad Levy wrote:

at the moment I'm lacking a proper test env, (or at least in my single vcenter / esx I cant reproduce the problem).

anyone got a setup that I could access / use for testing?

Unfortunately, I can't offer mine up, but I'm happy to do some deeper troubleshooting if you can give me a list of things to try.

#### #9 - 09/24/2012 02:15 PM - Miles Monteleone

Same here. No chance my company would provide access to our ESX environment. Tell me what I can do and I'll do it.

Jason Ashby wrote:

Ohad Levy wrote:

at the moment I'm lacking a proper test env, (or at least in my single vcenter / esx I cant reproduce the problem).

anyone got a setup that I could access / use for testing?

Unfortunately, I can't offer mine up, but I'm happy to do some deeper troubleshooting if you can give me a list of things to try.

#### #10 - 10/02/2012 04:22 PM - Branden Timm

Having the exact same issues here with Foreman 1.0.1 and vSphere 5.1. I set the logging level to debug in my Rails environment file and got a more complete stack trace than what was posted above:

```
Operation FAILED: undefined method `[]=' for nil:NilClass
/usr/lib/ruby/gems/1.8/gems/rbvmomi-1.5.1/lib/rbvmomi/vim/Folder.rb:192:in `inventory'
/usr/lib/ruby/gems/1.8/gems/rbvmomi-1.5.1/lib/rbvmomi/vim/Folder.rb:189:in `each'
/usr/lib/ruby/gems/1.8/gems/rbvmomi-1.5.1/lib/rbvmomi/vim/Folder.rb:189:in `inventory'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/requests/compute/list_virtual_machines.rb:95:in `list_all_virtual_machine_mobs'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/requests/compute/list_virtual_machines.rb:94:in `each'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/requests/compute/list_virtual_machines.rb:94:in `list_all_virtual_machine_mobs'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/requests/compute/list_virtual_machines.rb:75:in `list_all_virtual_machines'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/requests/compute/list_virtual_machines.rb:14:in `list_virtual_machines'
/usr/lib/ruby/gems/1.8/gems/fog-1.4.0/lib/fog/vsphere/models/compute/servers.rb:19:in `all'
/usr/share/foreman/app/controllers/compute_resources_vms_controller.rb:6:in `index'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
,
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
,
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:150:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rendering.rb:11:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:18:in `process_action'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:485:in `_run__1194565028__process_action__1891903405__callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:221:in `_conditional_callback_around_3108'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:331:in `around'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `_callback_around_13'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:220:in `_conditional_callback_around_3108'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:436:in `_run__1194565028__process_action__1891903405__callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `_run_process_action_callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `run_callbacks'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:17:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rescue.rb:17:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:30:in `process_action'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instrument'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications/instrumenter.rb:21:in `instrument'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instrument'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:29:in `process_acion'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:119:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:41:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:138:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:178:in `action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:33:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:148:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:93:in `recognize'
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:82:in `optimized_each'
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:92:in `recognize'
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:139:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:499:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/head.rb:14:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/methodoverride.rb:24:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/params_parser.rb:21:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/flash.rb:182:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/session/abstract_store.rb:149:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/cookies.rb:302:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:32:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/query_cache.rb:28:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:12:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:31:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/connection_pool.rb:354:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:46:in `call'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:416:in `_run_call_callbacks'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:44:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/sendfile.rb:106:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/remote_ip.rb:48:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/show_exceptions.rb:47:in `call'
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/rack/logger.rb:13:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/runtime.rb:17:in `call'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/cache/strategy/local_cache.rb:72:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/static.rb:30:in `call'
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:168:in `call'
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `send'
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `method_missing'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:47:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `each'
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `call'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_next_request'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:206:in `start_request_handler'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:171:in `send'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:171:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/utils.rb:479:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:180:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:129:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:253:in `spawn_rack_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:132:in `looku
```

```
p_or_add'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:246:in `spawn_rack_applica  
tion'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:82:in `synchr  
onize'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:79:in `synchr  
onize'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_applica  
tion'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:137:in `spawn_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_appli  
cation'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `__send__'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop  
'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:206:in `start_synchronou  
sly'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/helper-scripts/passenger-spawn-server:99  
Rendered common/500.rhtml (3.2ms)  
Completed 500 Internal Server Error in 10639ms (Views: 4.9ms | ActiveRecord: 1.4ms)
```

I also cannot offer up my vSphere environment for testing but am willing to try whatever.

FWIW, I believe you can virtualize ESXi itself - meaning you could probably make a reasonable test environment with 1 vcenter vm and one ESXi vm.

#### #11 - 10/25/2012 11:15 AM - Ohad Levy

- Category changed from Host creation to VM management

- Status changed from Pending to New

I've just sent a quick fix for the vm listing error mentioned here <https://github.com/fog/fog/pull/1229/>

#### #12 - 10/28/2012 09:25 PM - Branden Timm

I can confirm that this seems to have fixed (or improved) the issue after switching bundler.d/fob.rb to use master instead of >= 1.4. At least a partial list of VMs are being returned now.

#### #13 - 10/28/2012 09:25 PM - Branden Timm

Sorry, typo there - obviously it's bundler.d/fog.rb, not fob.rb

#### #14 - 11/07/2012 03:07 PM - Miles Monteleone

Branden Timm wrote:

I can confirm that this seems to have fixed (or improved) the issue after switching bundler.d/fob.rb to use master instead of >= 1.4. At least a partial list of VMs are being returned now.

Same here, but only 3 VMs are returned, which are all in the root level of their respective datacenters. Seems that VCenter folders are not being traversed.

Thanks for the work on this Ohad! This is very cool to see in Foreman; I only wish I had better ruby dev skills so I could help out more :)

#### #15 - 11/07/2012 03:12 PM - Ohad Levy

I just finished a working POC for this :) so its perfect timing.

in order to test this, you would need to checkout <https://github.com/ohadlevy/foreman/tree/vmware>

(make sure you pull the vmware branch from my github).

Please let us know if it works

#### #16 - 11/07/2012 06:00 PM - Miles Monteleone

Thanks Ohad! I checked out the vmware branch but Foreman is still only displaying top-level VMs.

Ohad Levy wrote:

I just finished a working POC for this :) so its perfect timing.

in order to test this, you would need to checkout <https://github.com/ohadlevy/foreman/tree/vmware>

(make sure you pull the vmware branch from my github).

Please let us know if it works

**#17 - 11/08/2012 01:56 AM - Ohad Levy**

Miles Monteleone wrote:

Thanks Ohad! I checked out the vmware branch but Foreman is still only displaying top-level VMs.

actually what i fixed was vm creation, not so much of the listing.. I'll try to see if i can fix that, but I'm guessing that would be in another ticket :)

after you could create vm's from foreman directly, you dont really need to browse the VMS via the compute resource (as all of the info would be avail under the hosts tab).

If you already have it running, can you try creating a vm and see if it works correctly (network, datastore etc)

thanks!

**#18 - 11/12/2012 02:07 PM - Miles Monteleone**

Ohad Levy wrote:

Miles Monteleone wrote:

Thanks Ohad! I checked out the vmware branch but Foreman is still only displaying top-level VMs.

actually what i fixed was vm creation, not so much of the listing.. I'll try to see if i can fix that, but I'm guessing that would be in another ticket :)

after you could create vm's from foreman directly, you dont really need to browse the VMS via the compute resource (as all of the info would be avail under the hosts tab).

If you already have it running, can you try creating a vm and see if it works correctly (network, datastore etc)

thanks!

Understood! I'm going to give it a whirl.

**#19 - 11/14/2012 10:35 AM - Ohad Levy**

- *Status changed from New to Resolved*

- *Assignee set to Ohad Levy*

- *Target version set to 1.1*

Pull request at

<https://github.com/theforeman/foreman/pull/242>

This requests adds the ability to create VM's on VCenter (and hopefully ESX too) - please test!! :)