Foreman - Feature #1593

Make foreman location aware

05/01/2012 02:47 PM - Ohad Levy

Status: Closed

Priority: Normal

Assignee: Amos Benari

Category:

Target version: 1.1

Difficulty: medium Fixed in Releases:

Triaged: Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request:

Description

Foreman could tie in things like subnets, domains, media, proxies and compute resources into a location concept

Associated revisions

Revision 611f5bff - 11/28/2012 05:38 AM - Amos Benari

Add organization and location to foreman.

This feature allows foreman to provide multi location, multi tenant and multi organizations capabilities.

the idea is that resources within foreman (e.g. hosts, subnets, users, environments etc) can belong to one or more locations and organization, effectivily hidding resources from users.

Organization may contain multiple locations, and Locations can belong to multiple Organization, this is an extermily flexiable design, however, it is up to the user to allocate the resources across the organizations and locations.

When creating new hosts, the resources that can be consumed are only resources in which exists in both the currently used organization and location.

fixes #1578 fixes #1593

History

#1 - 05/21/2012 08:46 AM - Ohad Levy

- Difficulty set to medium

#2 - 06/03/2012 09:32 AM - Ohad Levy

- Target version deleted (1.0)

#3 - 07/18/2012 03:55 AM - Ohad Levy

- Assignee deleted (Ohad Levy)
- Target version set to 1.1

#4 - 07/18/2012 03:56 AM - Ohad Levy

- Assignee set to Greg Blomquist

#5 - 11/28/2012 05:35 AM - Ohad Levy

- Assignee changed from Greg Blomquist to Amos Benari

#6 - 11/28/2012 06:49 AM - Amos Benari

- Status changed from New to Closed

05/20/2024 1/2

- % Done changed from 0 to 100

 $Applied in changeset \underline{611f5bff49c1f06ae9ad0dd42b7566df9a02af2f}. \\$

05/20/2024 2/2