Foreman - Bug #1601

json install fails on Ubuntu 11.10

05/04/2012 03:39 PM - Neil M

Status:	Resolved	
Priority:	Normal	
Assignee:	Greg Sutcliffe	
Category:	Packaging	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
•	nightly "foreman" package. Se	ee output below.
Reading package list Building dependency Reading state inform Suggested packages libfcgi-ruby libvirt-bin The following NEW p foreman 0 upgraded, 1 newly Need to get 0 B/940 After this operation, 5 Selecting previously (Reading database Unpacking foreman (Processing triggers for Setting up foreman (Invalid gemspec in [/ specification: "2012-C Invalid gemspec in [/ specification: "2012-C Updating https://github. Fetching gem metad	tree ation Done :: ackages will be installed: installed, 0 to remove and 1 no kB of archives. 5652 kB of additional disk space deselected package foreman. . 61739 files and directories cur from/foreman_0.5-~nightlybu or ureadahead 0.5-~nightlybuild1336107916) usr/share/foreman/vendor/ruby/ 03-21 00:00:00.000000000Z" ub.com/jystewart/has_many_po com/fog/fog.git ata from http://rubygems.org/	e will be used. rrently installed.) uild1336107916_all.deb) /1.8/specifications/mime-types-1.18.gemspec]: invalid date format in /1.8/specifications/mime-types-1.18.gemspec]: invalid date format in hymorphs.git
Using abstract (1.0.0 Using activesupport (Using builder (2.1.2) Using i18n (0.5.0)	3.0.10)	
Using abstract (1.0.0 Using activesupport Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6)	3.0.10)	
Using abstract (1.0.0 Using activesupport Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0.	(3.0.10) .0.10) 6.14)	
Using abstract (1.0.0 Using activesupport Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33)	(3.0.10) .0.10) 6.14) 7)	
Using abstract (1.0.0 Using activesupport Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33) Using actionpack (3.4)	(3.0.10) .0.10) 6.14) 7) 0.10)	
Using abstract (1.0.0 Using activesupport (Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33) Using actionpack (3.4) Installing mime-types	(3.0.10) .0.10) 6.14) 7) 0.10) 5 (1.18)	
Using abstract (1.0.0 Using activesupport Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33) Using actionpack (3.4)	(3.0.10) .0.10) 6.14) 7) 0.10) 5 (1.18) 9	
Using abstract (1.0.0 Using activesupport (Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33) Using actionpack (3.4) Installing mime-types Using polyglot (0.3.3) Using treetop (1.4.10) Using mail (2.2.19)	(3.0.10) (0.10) (6.14) (7) (0.10) ((1.18) ()	
Using abstract (1.0.0 Using activesupport (Using builder (2.1.2) Using i18n (0.5.0) Using activemodel (3 Using erubis (2.6.6) Using rack (1.2.5) Using rack-mount (0. Using rack-test (0.5.7) Using tzinfo (0.3.33) Using actionpack (3.1) Installing mime-types Using polyglot (0.3.3) Using treetop (1.4.10)	(3.0.10) (0.10) (6.14) (7) (0.10) ((1.18) ()	

Using activeresource (3.0.10) Using bundler (1.1.3) Installing json (1.7.0) with native extensions Gem::Installer::ExtensionBuildError: ERROR: Failed to build gem native extension.

/usr/bin/ruby1.8 extconf.rb

Gem files will remain installed in /usr/share/foreman/vendor/ruby/1.8/gems/json-1.7.0 for inspection. Results logged to /usr/share/foreman/vendor/ruby/1.8/gems/json-1.7.0/ext/json/ext/parser/gem_make.out An error occured while installing json (1.7.0), and Bundler cannot continue. Make sure that `gem install json -v '1.7.0'` succeeds before bundling. dpkg: error processing foreman (--configure): subprocess installed post-installation script returned error exit status 5 E: Sub-process /usr/bin/dpkg returned an error code (1)

History

#1 - 05/06/2012 07:46 AM - Greg Sutcliffe

Hmm, looks like you're missing dependencies for the Json Gem. Can you try 'gem install json' which should fail just the same. If so, check the output of 'gem install json --debug --backtrace' to see if you're missing any dependencies.

#2 - 05/06/2012 11:38 AM - Neil M

Hmmm, oddly, the command you suggested works and seems to install json 1.7.0, but when the version is specified as it is in the package the command fails:

root@amargosa:~# gem install json Building native extensions. This could take a while... Successfully installed json-1.7.0 1 gem installed Installing ri documentation for json-1.7.0... Installing RDoc documentation for json-1.7.0...

root@amargosa:~# gem install json -v '1.7.0' Building native extensions. This could take a while... ERROR: Error installing json: ERROR: Failed to build gem native extension.

/usr/bin/ruby1.8 extconf.rb

Gem files will remain installed in /var/lib/gems/1.8/gems/json-1.7.0 for inspection. Results logged to /var/lib/gems/1.8/gems/json-1.7.0/ext/json/ext/parser/gem_make.out

#3 - 05/10/2012 12:37 PM - Greg Sutcliffe

Sorry, meant to reply sooner.

That's pretty strange, and I've not been able to replicate it yet. I assume the output of "bundle install" in /usr/share/foreman has the same results?

If so, I'm pretty stumped - something very strange is going on, and with being able to replicate it, I'm not sure what else to suggest :(

#4 - 05/10/2012 03:44 PM - Neil M

Right, same error with "bundle install." By not able to replicate it you mean you aren't running Ubuntu 11.10 or you have tried it on Ubuntu 11.10 with different results? I suppose I can upgrade to 12.04 and see if that works better, you probably want to see how it works on the latest LTS release anyway.

#5 - 05/11/2012 05:43 AM - Greg Sutcliffe

Sort of both :)

I was working with a friend on a pair of Ubuntu machines on Wednesday - the 10.10 machine only had foreman-proxy installed on it, unfortunately, so I can't confirm personally that foreman installs. However, in ticket <u>#1481</u> it seems some others were installing the nightly foreman on 12.04 and it worked fine for them, and that's the behaviour I saw on Wednesday too.

Sorry I can't be of more help, but I suspect this is a gem/bundle problem in 10.10, and I'm not much of a gem expert. If I get time I'll try and spin up a 10.10 VM and see, but it might be a while.

EDIT: Just realised that 10.10 != 11.10 so you can probably ignore a lot of that. 12.04 should work though.

#6 - 05/13/2012 10:00 PM - Neil M

I updated my server to the current Ubuntu release, 12.04 Precise and it works just fine.

#7 - 05/14/2012 02:42 AM - Ohad Levy

- Status changed from New to Resolved