

Foreman - Bug #16437

RuntimeError: resource have no errors on POST "/api/hosts/facts"

09/05/2016 10:30 AM - Jan-Otto Kröpke

Status:	New	
Priority:	Normal	
Assignee:		
Category:	API	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases: 1.12.2
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
Hi!		
I have noticed that new hosts does not have any facts.		
Here is the error from production.log		
<pre>2016-09-05 16:27:50 [app] [I] Started POST "/api/hosts/facts" for 10.20.20.23 at 2016-09-05 16:27:50 +0200 2016-09-05 16:27:50 [app] [I] Processing by Api::V2::HostsController#facts as JSON 2016-09-05 16:27:50 [app] [I] Parameters: {"facts"=>"[FILTERED]", "name"=>"hostname", "certname"=>"hostname", "apiv"=>"v2", :host=>{"name"=>"hostname", "certname"=>"hostname"}} 2016-09-05 16:27:50 [app] [W] Action failed RuntimeError: resource have no errors /usr/share/foreman/app/controllers/api/base_controller.rb:92:in `process_resource_error' /usr/share/foreman/app/controllers/api/base_controller.rb:112:in `process_response' /usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:238:in `facts' /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/implicit_render.rb:4:in `send_action' /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:198:in `process_action' /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rendering.rb:10:in `process_action' /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.rb:20:in `block in process_action' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:117:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:555:in `block (2 levels) in compile' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:498:in `block (2 levels) in around' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `block (2 levels) in halting' /usr/share/foreman/app/controllers/api/v2/base_controller.rb:152:in `disable_json_root' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:432:in `block in make_lambda' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:312:in `call' /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.</pre>		

```
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_c
ontroller/caching/sweeping.rb:73:in `around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `public_send'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:455:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/controllers/concerns/application_shared.rb:13:in `set_timezone'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_thread'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
```

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `block in around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:498:in `block (2 levels) in around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:313:in `block (2 levels) in halting'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/rails-observers-0.1.2/lib/rails/observers/action_controller/caching/sweeping.rb:73:in `around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:455:in `public_send'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:455:in `block in make_lambda'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:312:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:312:in `block in halting'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:497:in `block in around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:92:in `__run_callbacks__'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:778:in `__run_process_action_callbacks'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.rb:81:in `run_callbacks'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callbacks.rb:19:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rescue.rb:29:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/instrumentation.rb:32:in `block in process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notifications.rb:164:in `block in instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notifications/instrumenter.rb:20:in `instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notifications.rb:164:in `instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/instrumentation.rb:30:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/params_wrapper.rb:250:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/railties/controller_runtime.rb:18:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:137:in `process'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionview-4.2.5.1/lib/action_view/rendering.rb:30:in `process'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:196:in `dispatch'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rack_delegation.rb:13:in `dispatch'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:237:in `block in action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
```

```
e_set.rb:74:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:74:in `dispatch'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:43:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/mapp
er.rb:49:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:43:in `block in serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:815:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/static_dispatcher.rb
:65:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/extractor/recorder.r
b:132:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.3.6/lib/apipie/middleware/checksum_
in_headers.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/racketag.rb:24:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/conditionalget.rb:38:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/head.rb:13:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/p
arams_parser.rb:27:in `call'
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/f
lash.rb:260:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:225:in `
context'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:220:in `
call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
ookies.rb:560:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/query_cache.
rb:36:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a
dapters/abstract/connection_pool.rb:653:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
allbacks.rb:29:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:88:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:778:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:81:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
allbacks.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r
emote_ip.rb:78:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/d
ebug_exceptions.rb:17:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
how_exceptions.rb:30:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:38:in `ca
ll_app'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:22:in `ca
ll'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r
equest_id.rb:21:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/methodoverride.rb:22:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/runtime.rb:18:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/cache/stra
tegy/local_cache_middleware.rb:28:in `call'
```

```

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/static.rb:116:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/sendfile.rb:113:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/engine.rb:518:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/application.rb:165:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `public_send'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `method_missing'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:66:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `call'
| /usr/share/passenger/phusion_passenger/rack/thread_handler_extension.rb:74:in `process_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:141:in `accept_and_process_next_request'
| /usr/share/passenger/phusion_passenger/request_handler/thread_handler.rb:109:in `main_loop'
| /usr/share/passenger/phusion_passenger/request_handler.rb:455:in `block (3 levels) in start_threads'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `block in create_with_logging_context'
2016-09-05 16:27:50 [app] [I] Rendered api/v2/errors/standard_error.json.rabl within api/v2/layouts/error_layout (0.7ms)
2016-09-05 16:27:50 [app] [I] Completed 500 Internal Server Error in 15ms (Views: 1.6ms | ActiveRecord: 1.5ms)
2016-09-05 16:27:50 [app] [I] Started GET "/node/hostname?format=yml" for 10.20.20.23 at 2016-09-05 16:27:50 +0200
2016-09-05 16:27:50 [app] [I] Processing by HostsController#externalNodes as YML
2016-09-05 16:27:50 [app] [I] Parameters: {"name"=>"hostname"}
2016-09-05 16:27:50 [app] [I] Rendered text template (0.0ms)
2016-09-05 16:27:50 [app] [I] Completed 200 OK in 235ms (Views: 0.7ms | ActiveRecord: 9.1ms)

```

History

#1 - 09/06/2016 03:32 PM - C Kilby

Jan-Otto Kröpke wrote:

Hi!

I have noticed that new hosts does not have any facts.

Here is the error from production.log

[...]

I had this same bug in my environment after upgrading from 1.11 to 1.12. It came down to `create_new_host_when_facts_are_uploaded` being set to false in my environment, and that was added as a check

<https://github.com/theforeman/foreman/blob/1.11-stable/app/models/host/base.rb@L134> no check

<https://github.com/theforeman/foreman/blob/1.12-stable/app/models/host/base.rb@L140> checked.

I don't know why this was changed, but removing that check returned my facts import to functioning.

#2 - 09/06/2016 03:34 PM - C Kilby

I had this same bug in my environment after upgrading from 1.11 to 1.12. It came down to `create_new_host_when_facts_are_uploaded` being set to false in my environment, and that was added as a check

<https://github.com/theforeman/foreman/blob/1.11-stable/app/models/host/base.rb#L134> no check

<https://github.com/theforeman/foreman/blob/1.12-stable/app/models/host/base.rb#L140> checked.

I don't know why this was changed, but removing that check returned my facts import to functioning.

#3 - 09/07/2016 03:11 AM - Jan-Otto Kröpke

Set `create_new_host_when_facts_are_uploaded` to true resolve this issue, too.