## Foreman - Bug #1698

# "using\_storconfigs" varible not working as intended

06/21/2012 08:40 AM - Lard Farnwell

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:		
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

#### Description

My foreman is on the same host as my puppetmaster and I want to use storeconfigs. There are two problems:

- 1) Foreman doesn't detect that I am using storeconfigs
- 2) The "using storeconfigs" setting in settings.yaml doesn't fix this

My settings.yaml looks like:

:unattended: false

:puppetconfdir: /etc/puppet/puppet.conf

:login: false :require\_ssl: false :using\_storeconfigs: true

The puppetconfdir is correct here.

I've done a little bit of debugging. I think the problem is in "default\_settings/loader.rb". The line being:

set('using\_storeconfigs', "Foreman is sharing its database with Puppet Store configs",(!Puppet.settings.instance\_variable\_get(:@values)[:master][:dbadapter].empty? rescue false)),

If I replace the last expression simply with "true" everything works. I tried to dump the contents of @values via:

Puppet.settings.instance\_variable\_get(:@values).inspect

and got

{:user=>{}, :cli=>{}, :memory=>{:bindaddress=>"0.0.0.0"}, :main=>{}, :mutable\_defaults=>{}, :production=>{}}

I am on a recent commit in the dev branch.

Thanks.

## History

## #1 - 06/28/2012 04:11 AM - Ohad Levy

- Status changed from New to Resolved

changing the value in settings.yaml is wrong, you should simply update the settings via the UI, more ==> Settings

05/21/2024 1/1