

## Installer - Bug #17704

### Failed Feature: Puppet after fresh install

12/15/2016 10:28 PM - Jason Nance

<b>Status:</b>	Rejected	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>		
<b>Target version:</b>		
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b> 1.13.2
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

#### Description

A fresh install of Katello 3.2.1 / TFM 1.13.2 yields a broken Puppet installation.

In web UI, Infrastructure -> Smart Proxies -> my.smart.proxy.host, "Overview" tab says "Failed features" "Puppet".

The following message is on the "Logs" tab:

```
Disabling all modules in the group ['puppet']: following providers are not available ['puppet_proxy_puppet_proxy_ssh']
```

The following options were used to setup TFM/Katello:

```
foreman-installer \  
  --scenario katello \  
  --enable-foreman-plugin-bootdisk \  
  --enable-foreman-plugin-discovery \  
  --enable-foreman-plugin-hooks \  
  --enable-foreman-plugin-openscap \  
  --enable-foreman-plugin-remote-execution \  
  --enable-foreman-plugin-templates \  
  --enable-foreman-proxy-plugin-openscap \  
  --enable-foreman-proxy-plugin-remote-execution-ssh \  
  --certs-city 'My City' \  
  --certs-org 'My Org' \  
  --certs-org-unit Katello \  
  --certs-state Mystate \  
  --foreman-admin-email admin@email.com \  
  --foreman-admin-password foobar \  
  --foreman-configure-epel-repo false \  
  --foreman-configure-scl-repo false \  
  --foreman-email-delivery-method sendmail \  
  --foreman-initial-location Lab \  
  --foreman-initial-organization 'My Org' \  
  --foreman-ipa-authentication true \  
  --foreman-puppetrun true \  
  --foreman-plugin-discovery-install-images true \  
  --foreman-proxy-manage-puppet-group true \  
  --foreman-proxy-manage-sudoersd true \  
  --foreman-proxy-puppetrun-provider puppet_proxy_ssh \  
  --foreman-proxy-realm true \  
  --foreman-proxy-realm-principal realm-proxy@DOMAIN.ORG \  
  --foreman-proxy-templates true \  
  --foreman-proxy-tftp true \  
  --foreman-proxy-plugin-openscap-configure-openscap-repo \  
  --foreman-proxy-plugin-openscap-configure-openscap-repo
```

The Puppet 3 repo was used.

No warnings/errors were reported during installation.

Host is CentOS 7.3.

## History

---

### #1 - 12/15/2016 11:24 PM - Jason Nance

Eh, this is my misunderstanding and can be closed. I incorrectly provided this option:

```
--foreman-proxy-puppetrun-provider puppet_proxy_ssh
```

That should just be "ssh", which should have been obvious from the error message and note in the --help text. :(

Sorry about that.

### #2 - 12/16/2016 11:07 AM - Ewoud Kohl van Wijngaarden

- *Status changed from New to Rejected*

No problem, it happens