

Foreman - Bug #1782

puppetrun causes red box with HTTP 500 error

07/26/2012 11:48 AM - Lee Lowder

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:		
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
After installing foreman and foreman-proxy (1.0.0.rc5) on an Ubuntu 12.04 (Server, 32bit) VM, I get a red box with a 500 error when I click puppetrun. My puppet version on this setup is 2.7.17		
Initially, I did not have everything setup and configured correctly when I was getting the 500. While writing this I did add the additional configuration items. I did, however still get the error after setting the additional items.		
From my /etc/puppet/auth.conf: path /run method save allow *		
I did not have a "namespaceauth.conf" so I created one: [puppetrunner] allow *		
I do have puppetrun installed:		
1. which puppetrun /usr/sbin/puppetrun		
I've attached a screenshot of the error as well as a (slightly redacted) copy of my puppet.conf.		

History

- #1 - 05/07/2016 11:54 AM - Anonymous
- Description updated
 - Status changed from New to Closed
- closing as this is most certainly resolved by now
- #2 - 05/09/2016 04:21 AM - Dominic Cleal
- Status changed from Closed to Resolved

Files

foreman_puppetrun_500.PNG	101 KB	07/26/2012	Lee Lowder
puppet.conf	787 Bytes	07/26/2012	Lee Lowder