

## Foreman - Feature #17841

### expose key\_pair info via API

12/25/2016 04:27 AM - Shlomi Zadok

<b>Status:</b> New	
<b>Priority:</b> Normal	
<b>Assignee:</b> Shlomi Zadok	
<b>Category:</b> Compute resources	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> No	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b> Expose compute resource SSH keys via API, with option to recreate	
<b>Related issues:</b> Related to Foreman - Feature #17015: Add ability to get private keys or use e... <b>Closed</b> <b>10/19/2016</b>	

#### History

##### #1 - 12/25/2016 04:35 AM - Ohad Levy

- Related to Feature #17015: Add ability to get private keys or use existing key pairs when provisioning on EC2 added

##### #2 - 12/25/2016 08:05 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/4130> added

##### #3 - 06/27/2018 01:14 PM - Ohad Levy

- Status changed from Ready For Testing to New

- Triaged set to No

- Pull request deleted (<https://github.com/theforeman/foreman/pull/4130>)