

Foreman - Bug #1827

Template names to / (i.e. w/) cause issues with routes based on ID

08/16/2012 07:15 PM - Sam Kottler

Status: Closed	
Priority: Normal	
Assignee: Sam Kottler	
Category: Templates	
Target version: 1.1	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<pre>No route matches {:controller=>"config_templates", :action=>"edit", :id=>"PXELinux - ESXi w/ Kickstart"}</pre>	
<p>Here is the log entry for both the creation of the template then the error that follows after creation</p>	
<pre>Started POST "/config_templates" for 165.91.140.5 at Thu Aug 16 16:34:01 -0500 2012 Processing by ConfigTemplatesController#create as HTML Parameters: {"utf8"=>"", "keybinding"=>"Default", "commit"=>"Submit", "config_template"=>{"template"=>"LABEL esxi-ks\r\n MENU LABEL ESXi 4.1U2 w/ Kickstart\r\n KERNEL esxi/mboot.c32\r\n append esxi/vmkernel.gz ks=<%= foreman_url(\"provision\")%> --- esxi/vmkernel.gz --- esxi/sys.vgz --- esxi/cim.vgz --- esxi/ienvi ron.vgz --- esxi/install.vgz --- esxi/image.tgz\r\n ", "operatingsystem_ids"=>["", "", "", "", "", "", "", "", "", "", ""], "audit_comment"=>"", "name"=>"PXELinux - ESXi w/ Kickstart", "template_kind_id"=>"1", "snippet"=>"0"}, "authenticity_token"=>"Mplt551chynXGGa++MfeQK9EtytexKbBiw4Z/V/0V1E="}</pre>	
<pre>User Load (0.2ms) SELECT `users`.* FROM `users` WHERE `users`.`id` = 2 LIMIT 1 Setting current user thread-local variable to treydock SQL (0.1ms) BEGIN SQL (0.1ms) COMMIT SQL (0.0ms) BEGIN SQL (0.3ms) SELECT 1 FROM `config_templates` WHERE (`config_templates`.`name` = BINARY 'PXELinux - ESXi w/ Kickstart') LIMIT 1 SQL (0.5ms) describe `config_templates` AREL (0.3ms) INSERT INTO `config_templates` (`snippet`, `name`, `updated_at`, `template_kind_id`, `template`, `created_at`) VALUES (0, 'PXELinux - ESXi w/ Kickstart', '2012-08-16 21:34:01', 1, 'LABEL esxi-ks\r\n MENU LABEL ESXi 4.1U2 w/ Kickstart\r\n KERNEL esxi/mboot.c32\r\n append esxi/vmkernel.gz ks=<%= foreman_url(\"provision\")%> --- esxi/vmkernel.gz --- esxi/sys.vgz --- esxi/cim.vgz --- esxi/ienvi ron.vgz --- esxi/install.vgz --- esxi/image.tgz\r\n ', '2012-08-16 21:34:01') ConfigTemplate Load (0.4ms) SELECT `config_templates`.* FROM `config_templates` WHERE `config_templates`.`id` = 45 ORDER BY LOWER(config_templates.name) LIMIT 1 SQL (0.3ms) SELECT MAX(`audits`.`version`) AS max_id FROM `audits` WHERE `audits`.`auditable_id` = 45 AND `audits`.`auditable_type` = 'ConfigTemplate' SQL (0.7ms) describe `audits` AREL (0.2ms) INSERT INTO `audits` (`auditable_type`, `associated_name`, `action`, `associated_type`, `user_id`, `remote_address`, `version`, `created_at`, `comment`, `associated_id`, `auditable_name`, `username`, `audited_changes`, `auditable_id`, `user_type`) VALUES ('ConfigTemplate', NULL, 'create', NULL, NULL, '165.91.140.5', 1, '2012-08-16 21:34:01', '', NULL, 'PXELinux - ESXi w/ Kickstart', 'Trey Dockendorf', '--- \n template: \\\"LABEL esxi-ks\\n MENU LABEL ESXi 4.1U2 w/ Kickstart\\n KERNEL esxi/mboot.c32\\n append esxi/vmkernel.gz ks=<%= foreman_url(\\\"provision\\\")%> --- esxi/vmkernel.gz --- esxi/sys.vgz --- esxi/cim.vgz --- esxi/ienvi ron.vgz --- esxi/install.vgz --- esxi/image.tgz\\n \\\"\\n name: PXELinux - ESXi w/ Kickstart\\n template_kind_id: 1\\n snippet: false', 45, NULL) SQL (410.4ms) COMMIT Redirected to https://dc-foreman.tamu.edu/config_templates Completed 302 Found in 451ms</pre>	

```
Started GET "/config_templates" for 165.91.140.5 at Thu Aug 16 16:34:02 -0500 2012
Processing by ConfigTemplatesController#index as HTML
User Load (0.1ms) SELECT `users`.* FROM `users` WHERE `users`.`id` = 2 LIMIT 1
Setting current user thread-local variable to treydock
ConfigTemplate Load (0.6ms) SELECT `config_templates`.* FROM `config_templates` ORDER BY LOWER(
config_templates.name) LIMIT 1
ConfigTemplate Load (1.6ms) SELECT `config_templates`.* FROM `config_templates` ORDER BY LOWER(
config_templates.name), `config_templates`.`name` ASC LIMIT 50 OFFSET 0
TemplateKind Load (0.1ms) SELECT `template_kinds`.* FROM `template_kinds` WHERE (`template_kin
d`.`id` IN (1,2,4,6,5,3))
TemplateCombination Load (0.3ms) SELECT `template_combinations`.* FROM `template_combinations`
WHERE (`template_combinations`.config_template_id IN (20,21,32,39,19,29,37,40,38,11,13,31,14,16,15
,43,4,3,1,41,23,28,30,26,5,6,2,36,8,7,12,42,45,25,9,24,10,35,34,18,17))
Environment Load (0.1ms) SELECT `environments`.* FROM `environments` WHERE (`environments`.`id`
IN (5,2))
Hostgroup Load (0.1ms) SELECT `hostgroups`.* FROM `hostgroups` WHERE (`hostgroups`.`id` IN (3,1
1,20))
Rendered config_templates/index.html.erb within layouts/application (89.0ms)
Operation FAILED: No route matches {:controller=>"config_templates", :action=>"edit", :id=>"PXELin
ux - ESXi w/ Kickstart"}
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:431:in `rai
se_routing_error'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:404:in `gen
erate'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:460:in `gen
erate'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:488:in `url
_for'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/url_for.rb:131:in `url_f
or'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/helpers/url_helper.rb:99:in `url_for
'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/helpers/url_helper.rb:236:in `link_t
o'
/usr/share/foreman/app/helpers/application_helper.rb:95:in `link_to_if_authorized'
/usr/share/foreman/app/views/config_templates/index.html.erb:20:in `_app_views_config_templates_in
dex_html_erb___1741073052_70090509550740_0'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation.rb:13:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation.rb:13:in `__send__'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation.rb:13:in `each'
/usr/share/foreman/app/views/config_templates/index.html.erb:18:in `_app_views_config_templates_in
dex_html_erb___1741073052_70090509550740_0'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/template.rb:135:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/template.rb:135:in `render'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:54:in `instru
ment'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/template.rb:127:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/render/rendering.rb:59:in `_render_t
emplate'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instru
ment'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications/instrumenter.rb:
21:in `instrument'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instru
ment'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/render/rendering.rb:56:in `_render_t
emplate'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_view/render/rendering.rb:26:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:115:in `_render
_template'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:109:in `render_
to_body'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/renderers.rb:47:in `rend
er_to_body'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/compatibility.rb:55:in `
render_to_body'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:102:in `render_
```

```
to_string'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:93:in `render'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rendering.rb:17:in `render'  
er'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:40:in  
`render'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/core_ext/benchmark.rb:5:in `ms  
'  
/usr/lib/ruby/1.8/benchmark.rb:308:in `realtime'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/core_ext/benchmark.rb:5:in `ms  
'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:40:in  
`render'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:78:in  
`cleanup_view_runtime'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/railties/controller_runtime.rb:1  
5:in `cleanup_view_runtime'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:39:in  
`render'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:10:in  
`default_render'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:5:in  
`send_action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:150:in `process_acti  
on'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rendering.rb:11:in `proc  
ess_action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:18:in `process_  
action'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:474:in `_run__214  
1631504__process_action__1744553292__callbacks'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:221:in `_conditio  
nal_callback_around_3211'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:331:in `around'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `send'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `_callback  
_around_760'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:220:in `_conditio  
nal_callback_around_3211'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:473:in `_run__214  
1631504__process_action__1744553292__callbacks'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:221:in `_conditio  
nal_callback_around_3210'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:331:in `around'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `send'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `_callback  
_around_13'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:220:in `_conditio  
nal_callback_around_3210'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:436:in `_run__214  
1631504__process_action__1744553292__callbacks'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `send'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `_run_proc  
ess_action_callbacks'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `send'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `run_callba  
cks'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:17:in `process_  
action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rescue.rb:17:in `process_  
_action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:30:in  
`process_action'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instru  
ment'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications/instrumenter.rb:  
21:in `instrument'
```

```
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instrument'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:29:in  
`process_action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:119:in `process'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:41:in `process'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:138:in `dispatch'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rack_delegation.rb:14:in  
`dispatch'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:178:in `action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `call'  
,  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `disp  
atch'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:33:in `call'  
,  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:148:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:93:in `recognize'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:96:in `optimized_e  
ach'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:92:in `recognize'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:139:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:499:in `cal  
l'  
/usr/lib/ruby/gems/1.8/gems/apipie-rails-0.0.9/lib/apipie/static_dispatcher.rb:57:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/best_standards_support  
.rb:17:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/head.rb:14:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/methodoverride.rb:24:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/params_parser.rb:21:i  
n `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/flash.rb:182:in `call'  
,  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/session/abstract_stor  
e.rb:149:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/cookies.rb:302:in `ca  
ll'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:32:in `call'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/que  
ry_cache.rb:28:in `cache'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:12:in `cache'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:31:in `call'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/con  
nection_pool.rb:354:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:46:in `c  
all'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:416:in `_run_call  
_callbacks'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:44:in `c  
all'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/sendfile.rb:106:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/remote_ip.rb:48:in `c  
all'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/show_exceptions.rb:47  
:in `call'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/rack/logger.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/runtime.rb:17:in `call'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/cache/strategy/local_cache.rb:  
72:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `synchronize'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/static.rb:30:in `call'  
,  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:168:in `call'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `send'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `method_missing'
```

```
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:47:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `each'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `call'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_next_request'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:206:in `start_request_handler'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:171:in `send'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:171:in `handle_spawn_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/utils.rb:479:in `safe_fork'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `__send__'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:180:in `start'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/rack/application_spawner.rb:129:in `start'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:253:in `spawn_rack_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:246:in `spawn_rack_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:82:in `synchronize'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:137:in `spawn_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `__send__'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.12/helper-scripts/passenger-spawn-server:99  
Read fragment views/tabs_and_title_records-2 (0.3ms)  
Rendered home/_topbar.rhtml (1.0ms)  
  Bookmark Load (0.1ms)  SELECT `bookmarks`.* FROM `bookmarks` WHERE (((bookmarks.public = 1) OR (bookmarks.owner_id = 2 AND bookmarks.owner_type = 'User')) AND (controller = 'config_templates')) ORDER BY name  
Rendered common/_searchbar.erb (5.0ms)  
Rendered common/500.rhtml within layouts/application (20.0ms)  
Completed 500 Internal Server Error in 119ms (Views: 21.6ms | ActiveRecord: 2.3ms)
```

Associated revisions

Revision c4038d6f - 01/30/2013 07:22 AM - Ohad Levy

fixes #1827: use ids instead of names for templates routes

History

#1 - 09/05/2012 04:05 AM - Ohad Levy

- *Target version set to 1.1*

#2 - 01/07/2013 05:41 PM - Sam Kottler

- *Status changed from New to Feedback*

I've opened a pull request that just replaces slashes with dashes before save.

<https://github.com/theforeman/foreman/pull/355>

#3 - 01/30/2013 07:22 AM - Ohad Levy

- *Status changed from Feedback to Closed*

- *% Done changed from 0 to 100*

Applied in changeset [c4038d6feef61f823a9f10ba0855d1aeb9cc9249](#).