

Foreman - Bug #18365

foreman-answers.yaml from /usr/share stored instead of /etc/foreman-installer

02/02/2017 05:07 AM - Dominic Cleal

Status: New	
Priority: Normal	
Assignee: Anurag Patel	
Category: foreman-debug	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases: 1.14.0
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>Since Foreman 1.14, foreman-debug is storing an incorrect version of the file in the tarball at etc/foreman-installer/scenarios.d/foreman-answers.yaml.</p>	
Originals:	
<pre># ls -l /etc/foreman-installer/scenarios.d/foreman-answers* -rw-----. 1 root root 14016 Feb 2 04:18 /etc/foreman-installer/scenarios.d/foreman-answers.yaml -rw-----. 1 root root 2111 Jan 25 22:30 /etc/foreman-installer/scenarios.d/foreman-answers.yaml .rpmnew</pre>	
With nightly:	
<pre># ls -l /tmp/foreman-debug-Owysl/etc/foreman-installer/scenarios.d/foreman-answers* -rw-r--r--. 1 root root 2111 Feb 2 05:00 /tmp/foreman-debug-Owysl/etc/foreman-installer/scenarios .d/foreman-answers.yaml -rw-r--r--. 1 root root 2111 Feb 2 05:00 /tmp/foreman-debug-Owysl/etc/foreman-installer/scenarios .d/foreman-answers.yaml.rpmnew</pre>	
With 1.13.4:	
<pre># ls -l /tmp/foreman-debug-g68Ro/etc/foreman-installer/scenarios.d/foreman-answers* -rw-r--r--. 1 root root 13959 Feb 2 04:59 /tmp/foreman-debug-g68Ro/etc/foreman-installer/scenario s.d/foreman-answers.yaml -rw-r--r--. 1 root root 2111 Feb 2 04:59 /tmp/foreman-debug-g68Ro/etc/foreman-installer/scenario s.d/foreman-answers.yaml.rpmnew</pre>	
<p>Debugging shows that the add_files() find command is probably traversing through /etc/foreman-installer/scenarios.d/foreman.migrations/. as add_files is called with /etc/foreman-installer/scenarios.d/*/* and foreman.migrations is a symlink to /usr/share/foreman-installer/config/foreman.migrations.</p>	
<p>add_files then stores /usr/share/foreman-installer/config/foreman-answers.yaml, replacing the file of the same name.</p>	
Related issues:	
Related to Foreman - Bug #17044: foreman-debug to collect whole newest (log)f...	Closed 09/24/2016

History

#1 - 02/02/2017 05:07 AM - Dominic Cleal

- Related to Bug #17044: foreman-debug to collect whole newest (log)files instead of tailing all (log)files added

#2 - 03/02/2017 04:15 AM - Dominic Cleal

- translation missing: en.field_release changed from 221 to 227

#3 - 04/03/2017 08:44 AM - Dominic Cleal

- translation missing: en.field_release deleted (227)

#4 - 05/19/2017 08:58 AM - Anurag Patel

- Assignee set to Anurag Patel

I was unable to replicate this issue. By looking at their sizes, it seems like not much has changed within.

```
[root@bb8 ~]# ls -l /etc/foreman-installer/scenarios.d/foreman-answers*
-rw-----. 1 root root 12956 Dec  6 21:29 /etc/foreman-installer/scenarios.d/foreman-answers.yaml
-rw-----. 1 root root  1780 Nov 25 21:16 /etc/foreman-installer/scenarios.d/foreman-answers.yaml.rpmnew
[root@bb8 ~]# ls -l /tmp/fdl/etc/foreman-installer/scenarios.d/foreman-answers*
-rw-r--r--. 1 root root 12840 Dec  6 21:29 /tmp/fdl/etc/foreman-installer/scenarios.d/foreman-answers.yaml
-rw-r--r--. 1 root root  1780 Nov 25 21:16 /tmp/fdl/etc/foreman-installer/scenarios.d/foreman-answers.yaml.rpmnew
[root@bb8 ~]#
```

The sample foreman-answers file present in /usr/share/foreman-installer/config remains a smaller size example.

```
[root@bb8 ~]# ls -l /usr/share/foreman-installer/config/foreman-answers*
-rw-r--r--. 1 root root 1780 Jan 26 12:37 /usr/share/foreman-installer/config/foreman-answers.yaml
[root@bb8 ~]#
```

By doing a diff too, the only thing that changes between the two files is string filtering applied by foreman-debug.

```
[root@bb8 ~]# diff /etc/foreman-installer/scenarios.d/foreman-answers.yaml /tmp/fdl/etc/foreman-installer/scenarios.d/foreman-answers.yaml
40c40
< db_password: <removed-by-gnurag>
---
> db_password: +FILTERED+
70,71c70,71
< oauth_consumer_key: <removed-by-gnurag>
< oauth_consumer_secret: <removed-by-gnurag>
---
> oauth_consumer_key: +FILTERED+
> oauth_consumer_secret: +FILTERED+
76c76
< admin_password: <removed-by-gnurag>
---
> admin_password: +FILTERED+
235,236c235,236
< oauth_consumer_key: <removed-by-gnurag>
< oauth_consumer_secret: <removed-by-gnurag>
---
> oauth_consumer_key: +FILTERED+
> oauth_consumer_secret: +FILTERED+
[root@bb8 ~]#
```

I suspect something may have changed in foreman-debug's **add_files** function because of which it isn't traversing .. directory.

#5 - 05/19/2017 09:13 AM - Dominic Cleal

This remains reproducible on two separate nightly package installations (at fcb0e4b):

```
# ls -l /usr/share/foreman-installer/config/foreman-answers.yaml /etc/foreman-installer/scenarios.d/foreman-answers.yaml
-rw-----. 1 root root 14347 May 15 09:28 /etc/foreman-installer/scenarios.d/foreman-answers.yaml
-rw-r--r--. 1 root root  2158 May 14 23:52 /usr/share/foreman-installer/config/foreman-answers.yaml
# ll foreman-debug-Ey0R6/etc/foreman-installer/scenarios.d/foreman-answers.yaml
-rw-r--r--. 1 root root 2158 May 14 23:52 foreman-debug-Ey0R6/etc/foreman-installer/scenarios.d/foreman-answers.yaml
```

#6 - 05/19/2017 11:33 PM - Anurag Patel

Dominic Cleal wrote:

This remains reproducible on two separate nightly package installations (at fcb0e4b):

[...]

I was trying out from latest develop, also tested it out from fcb0e4bbe90d4c35fe1810d8e0cfd3bea3302324 - it worked as expected for me:

```
$ sudo ./script/foreman-debug -v -g -a -d /tmp/fd2
```

Would it be possible to gist the installed foreman-debug script?

#7 - 05/22/2017 04:59 AM - Dominic Cleal

- File *foreman-debug* added

- File *foreman-debug.out* added

Attached the unaltered script from the package and the output of the command you listed above, which shows the inclusion of `/etc/foreman-installer/scenarios.d/foreman.migrations/./foreman-answers.yaml` as per the description.

```
-rw-r--r-- 1 root root 2158 May 19 03:26 /tmp/fd2/etc/foreman-installer/scenarios.d/foreman-answers.yaml
```

#8 - 06/03/2017 10:33 PM - Anurag Patel

Dominic Cleal wrote:

Attached the unaltered script from the package and the output of the command you listed above, which shows the inclusion of `/etc/foreman-installer/scenarios.d/foreman.migrations/./foreman-answers.yaml` as per the description.

[...]

Thanks Dominic. I wasn't able to quickly verify this earlier because in my case `foreman-debug` was copying `symlink/..` file first, and the correct file afterward. But the debug mode confirms this as a bug.

Any suggestion on fixing this? Would skipping `..` in any of the directory listing loop help, or would it have side effects?

Files

foreman-debug	12.2 KB	05/22/2017	Dominic Cleal
foreman-debug.out	18.1 KB	05/22/2017	Dominic Cleal