

Foreman - Bug #1839

puppetclass listing on postgres isn't showing up

08/27/2012 06:09 AM - Hannes Schaller

Status: Closed	
Priority: Normal	
Assignee: Joseph Magen	
Category: Database	
Target version: 1.1	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Hello!	
I am using foreman-1.0.1-1.el6 on Postgres (the rpm package). If i try to go to http://foreman/puppetclasses it gives me the following error:	
<pre>ActiveRecord::StatementInvalid PG::Error: ERROR: column "lookup_keys.key" must appear in the GROUP BY clause or be used in an agg regate function LINE 1: ... 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_key... ^ : SEL ECT COUNT(*) AS count_all, puppetclass_id AS puppetclass_id FROM "lookup_keys" WHERE "lookup_keys" ."puppetclass_id" IN (184, 139, 158, 96, 95, 109, 178, 180, 252, 194, 189, 188, 190, 193, 253, 191 , 192, 97, 157, 108, 177, 179, 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_keys.key) app/controllers/puppetclasses_controller.rb:21:in `index' app/controllers/puppetclasses_controller.rb:17:in `index'</pre>	
Despite that http://foreman/puppetclasses?format=json is working.	
The debug output in production.log is:	
<pre>Started GET "/puppetclasses" for 172.25.49.62 at Mon Aug 27 11:48:45 +0200 2012 Processing by PuppetclassesController#index as HTML User Load (0.3ms) SELECT "users".* FROM "users" WHERE "users"."id" = 3 LIMIT 1 Setting current user thread-local variable to naglha Puppetclass Load (0.5ms) SELECT "puppetclasses".* FROM "puppetclasses" ORDER BY LOWER(puppetcla sses.name) LIMIT 1 SQL (0.6ms) SELECT a.attname, format_type(a.attypid, a.atttypmod), d.adsrc, a.attnotnull FROM pg_attribute a LEFT JOIN pg_attrdef d ON a.attrelid = d.adrelid AND a.attnum = d.adnum WHERE a.attrelid = '"puppetclasses"'::regclass AND a.attnum > 0 AND NOT a.attisdropped ORDER BY a.attnum Puppetclass Load (0.6ms) SELECT "puppetclasses".* FROM "puppetclasses" ORDER BY LOWER(puppetcla sses.name) LIMIT 25 OFFSET 0 Environment Load (0.6ms) SELECT "environments".*, t0.puppetclass_id as the_parent_record_id FRO M "environments" INNER JOIN "environments_puppetclasses" t0 ON "environments".id = t0.environment_ id WHERE (t0.puppetclass_id IN (184,139,158,96,95,109,178,180,252,194,189,188,190,193,253,191,192, 97,157,108,177,179,83,1,2)) Hostgroup Load (0.5ms) SELECT "hostgroups".*, t0.puppetclass_id as the_parent_record_id FROM "h ostgroups" INNER JOIN "hostgroups_puppetclasses" t0 ON "hostgroups".id = t0.hostgroup_id WHERE (t0 .puppetclass_id IN (184,139,158,96,95,109,178,180,252,194,189,188,190,193,253,191,192,97,157,108,1 77,179,83,1,2)) SQL (0.2ms) SELECT COUNT(*) FROM "puppetclasses" SQL (0.5ms) SELECT a.attname, format_type(a.attypid, a.atttypmod), d.adsrc, a.attnotnull FROM pg_attribute a LEFT JOIN pg_attrdef d ON a.attrelid = d.adrelid AND a.attnum = d.adnum</pre>	

```
WHERE a.attrelid = '"host_classes"'::regclass
AND a.attnum > 0 AND NOT a.attisdropped
ORDER BY a.attnum
```

```
SQL (0.5ms) SELECT a.attname, format_type(a.attypid, a.atttypmod), d.adsrc, a.attnotnull
FROM pg_attribute a LEFT JOIN pg_attrdef d
ON a.attrelid = d.adrelid AND a.attnum = d.adnum
WHERE a.attrelid = '"host_classes"'::regclass
AND a.attnum > 0 AND NOT a.attisdropped
ORDER BY a.attnum
```

```
SQL (0.7ms) SELECT COUNT(*) AS count_all, puppetclass_id AS puppetclass_id FROM "hosts" INNER J
JOIN "host_classes" ON "hosts"."id" = "host_classes"."host_id" INNER JOIN "puppetclasses" ON "puppe
tclasses"."id" = "host_classes"."puppetclass_id" WHERE "puppetclasses"."id" IN (184, 139, 158, 96,
95, 109, 178, 180, 252, 194, 189, 188, 190, 193, 253, 191, 192, 97, 157, 108, 177, 179, 83, 1, 2)
GROUP BY puppetclass_id
```

```
SQL (0.4ms) SELECT COUNT(*) AS count_all, puppetclass_id AS puppetclass_id FROM "lookup_keys" W
HERE "lookup_keys"."puppetclass_id" IN (184, 139, 158, 96, 95, 109, 178, 180, 252, 194, 189, 188,
190, 193, 253, 191, 192, 97, 157, 108, 177, 179, 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(
lookup_keys.key)
```

```
PG::Error: ERROR: column "lookup_keys.key" must appear in the GROUP BY clause or be used in an ag
gregate function
```

```
LINE 1: ... 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_key...
^
```

```
: SELECT COUNT(*) AS count_all, puppetclass_id AS puppetclass_id FROM "lookup_keys" WHERE "lookup_
keys"."puppetclass_id" IN (184, 139, 158, 96, 95, 109, 178, 180, 252, 194, 189, 188, 190, 193, 253
, 191, 192, 97, 157, 108, 177, 179, 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_keys.k
ey)
```

```
Operation FAILED: PG::Error: ERROR: column "lookup_keys.key" must appear in the GROUP BY clause o
r be used in an aggregate function
```

```
LINE 1: ... 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_key...
^
```

```
: SELECT COUNT(*) AS count_all, puppetclass_id AS puppetclass_id FROM "lookup_keys" WHERE "lookup_
keys"."puppetclass_id" IN (184, 139, 158, 96, 95, 109, 178, 180, 252, 194, 189, 188, 190, 193, 253
, 191, 192, 97, 157, 108, 177, 179, 83, 1, 2) GROUP BY puppetclass_id ORDER BY LOWER(lookup_keys.k
ey)
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/postgresql_a
dapter.rb:518:in `exec'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/postgresql_a
dapter.rb:518:in `execute'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract_ada
pter.rb:202:in `log'
```

```
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications/instrumenter.rb:
21:in `instrument'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract_ada
pter.rb:200:in `log'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/postgresql_a
dapter.rb:514:in `execute'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/postgresql_a
dapter.rb:1004:in `select_raw'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/postgresql_a
dapter.rb:997:in `select'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/dat
abase_statements.rb:7:in `select_all'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/que
ry_cache.rb:54:in `select_all'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/que
ry_cache.rb:68:in `cache_sql'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/que
ry_cache.rb:54:in `select_all'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation/calculations.rb:235:in
`execute_grouped_calculation'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation/calculations.rb:180:in
`perform_calculation'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation/calculations.rb:152:in
`calculate'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation/calculations.rb:147:in
`calculate'
```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/relation/calculations.rb:58:in `count'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/base.rb:448:in `__send__'
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/base.rb:448:in `count'
/usr/share/foreman/app/controllers/puppetclasses_controller.rb:21:in `index'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/mime_responds.rb:192:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/mime_responds.rb:192:in `respond_to'
/usr/share/foreman/app/controllers/puppetclasses_controller.rb:17:in `index'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:150:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rendering.rb:11:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:18:in `process_action'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:479:in `_run__2117744461__process_action__199225275__callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:221:in `_conditional_callback_around_3205'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:331:in `around'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `_callback_around_2668'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:220:in `_conditional_callback_around_3205'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:473:in `_run__2117744461__process_action__199225275__callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:221:in `_conditional_callback_around_3204'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:331:in `around'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:315:in `_callback_around_13'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:220:in `_conditional_callback_around_3204'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:436:in `_run__2117744461__process_action__199225275__callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:410:in `_run_process_action_callbacks'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `send'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:94:in `run_callbacks'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/callbacks.rb:17:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rescue.rb:17:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:30:in `process_action'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instrument'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications/instrumenter.rb:21:in `instrument'
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/notifications.rb:52:in `instrument'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/instrumentation.rb:29:in `process_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/base.rb:119:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/abstract_controller/rendering.rb:41:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:138:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_controller/metal.rb:178:in `action'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:68:in `dispatch'  
'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:33:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:148:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:93:in `recognize'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:131:in `optimized_each'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/code_generation.rb:92:in `recognize'  
/usr/lib/ruby/gems/1.8/gems/rack-mount-0.6.14/lib/rack/mount/route_set.rb:139:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/routing/route_set.rb:499:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/apipie-rails-0.0.9/lib/apipie/static_dispatcher.rb:57:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/head.rb:14:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/methodoverride.rb:24:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/params_parser.rb:21:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/flash.rb:182:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/session/abstract_store.rb:149:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/cookies.rb:302:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:32:in `call'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/query_cache.rb:28:in `cache'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:12:in `cache'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/query_cache.rb:31:in `call'  
/usr/lib/ruby/gems/1.8/gems/activerecord-3.0.15/lib/active_record/connection_adapters/abstract/connection_pool.rb:354:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:46:in `call'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/callbacks.rb:416:in `_run_call_callbacks'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/callbacks.rb:44:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/sendfile.rb:106:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/remote_ip.rb:48:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/show_exceptions.rb:47:in `call'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/rack/logger.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/runtime.rb:17:in `call'  
/usr/lib/ruby/gems/1.8/gems/activesupport-3.0.15/lib/active_support/cache/strategy/local_cache.rb:72:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `synchronize'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/lock.rb:13:in `call'  
/usr/lib/ruby/gems/1.8/gems/actionpack-3.0.15/lib/action_dispatch/middleware/static.rb:30:in `call'  
'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:168:in `call'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `send'  
/usr/lib/ruby/gems/1.8/gems/railties-3.0.15/lib/rails/application.rb:77:in `method_missing'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:47:in `call'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `each'  
/usr/lib/ruby/gems/1.8/gems/rack-1.2.5/lib/rack/urlmap.rb:41:in `call'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_next_request'  
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
```

```
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/application_spawner.rb:206
:in `start_request_handler'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/application_spawner.rb:171
:in `send'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/application_spawner.rb:171
:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/utils.rb:479:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/application_spawner.rb:166
:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:357:in `__se
nd__'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:357:in `serv
er_main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:206:in `star
t_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:180:in `star
t'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/rack/application_spawner.rb:129
:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/spawn_manager.rb:253:in `spawn_
rack_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server_collection.rb:1
32:in `lookup_or_add'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/spawn_manager.rb:246:in `spawn_
rack_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server_collection.rb:8
2:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server_collection.rb:7
9:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/spawn_manager.rb:244:in `spawn_
rack_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/spawn_manager.rb:137:in `spawn_
application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/spawn_manager.rb:275:in `handle
_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:357:in `__se
nd__'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:357:in `serv
er_main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/lib/phusion_passenger/abstract_server.rb:206:in `star
t_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-3.0.11/helper-scripts/passenger-spawn-server:99
Read fragment views/tabs_and_title_records-3 (0.3ms)
Rendered home/_topbar.rhtml (1.0ms)
Bookmark Load (0.4ms) SELECT "bookmarks".* FROM "bookmarks" WHERE (((bookmarks.public = 't') OR
(bookmarks.owner_id = 3 AND bookmarks.owner_type = 'User')) AND (controller = 'puppetclasses') O
RDER BY name
Rendered common/_searchbar.erb (4.1ms)
Rendered common/500.rhtml within layouts/application (13.7ms)
Completed 500 Internal Server Error in 52ms (Views: 14.0ms | ActiveRecord: 7.0ms)
```

Thanks
Hannes

Associated revisions

Revision 4e493ad7 - 10/17/2012 08:59 AM - Joseph Magen

removed lower() on default_scope to get tests to pass in postgresql

fixes #1887

fixes #1839

History

#1 - 10/17/2012 08:59 AM - Ohad Levy

- Category set to Database

- Assignee set to Joseph Magen

- Target version set to 1.1

#2 - 10/17/2012 09:01 AM - Anonymous

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset [4e493ad7e8b7adeea1a486169579971733eb7c8f](#).