

Foreman - Bug #18493

PXE loader is not inherited from parent hostgroup

02/14/2017 08:34 AM - Ondřej Pražák

<b>Status:</b>	Duplicate	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>		
<b>Target version:</b>		
<b>Difficulty:</b>		
<b>Triaged:</b>		
<b>Bugzilla link:</b>		
<b>Pull request:</b>		<b>Fixed in Releases:</b>
		<b>Found in Releases:</b>
		<b>Red Hat JIRA:</b>
<b>Description</b>		
UI does not populate PXE loader dropdown with value from parent hostgroup. I have not tested if API is affected as well.		
Steps to reproduce:		
1) Create hostgroup A with all fields filled in in 'Operating System' tab		
2) Go to new hostgroup page		
3) select A as a parent and move to 'Operating System' tab		
4) there is 'Inherit parent (no value)' in PXE loader dropdown even though parent has a non-empty value for this field		
<b>Related issues:</b>		
Is duplicate of Foreman - Bug #18381: PXE loader attribute does not work with...		<b>Closed</b>
		<b>02/02/2017</b>

History

- #1 - 02/14/2017 08:43 AM - Dominic Cleal
- Is duplicate of Bug #18381: PXE loader attribute does not work with host group inheritance added
- #2 - 02/14/2017 08:43 AM - Dominic Cleal
- Status changed from New to Duplicate

This appears identical to [#18381](#).