

Foreman - Bug #18777

Can not delete host if VM is removed

03/02/2017 09:21 AM - Torben Hørup

Status: New	
Priority: Normal	
Assignee:	
Category: Compute resources	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Using foreman 1.14.1 foreman_xen 0.5.1-2	
Steps to reproduce. Create host via foreman. Delete vm on compute resource directly (via XenCenter) Try to remove host in foreman - this fails with exception:	
2017-03-02T15:18:34 bbb97604 [app] [W] Failed to fetch power status NoMethodError: undefined method `ready?' for nil:NilClass /usr/share/foreman/app/services/power_manager/virt.rb:33:in `default_action' /usr/share/foreman/app/services/power_manager/base.rb:25:in `block (2 levels) in <class:Base>' /usr/share/foreman/app/models/concerns/hostext/power_interface.rb:22:in `supports_power_and_running?' /usr/share/foreman/app/controllers/hosts_controller.rb:973:in `block in host_power_ping' /usr/lib/ruby/2.1.0/timeout.rb:91:in `block in timeout' /usr/lib/ruby/2.1.0/timeout.rb:35:in `block in catch' /usr/lib/ruby/2.1.0/timeout.rb:35:in `catch' /usr/lib/ruby/2.1.0/timeout.rb:106:in `timeout' /usr/share/foreman/app/controllers/hosts_controller.rb:972:in `host_power_ping' /usr/share/foreman/app/controllers/hosts_controller.rb:279:in `get_power_state' /usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_controller/metal/implicit_render.rb:4:in `send_action' /usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/abstract_controller/base.rb:198:in `process_action' /usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_controller/metal/rendering.rb:10:in `process_action' /usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/abstract_controller/callbacks.rb:20:in `block in process_action' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:117:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:117:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:555:in `block (2 levels) in compile' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:498:in `block (2 levels) in around' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:313:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:313:in `block (2 levels) in halting' /usr/share/foreman/vendor/ruby/2.1.0/gems/rails-observers-0.1.2/lib/rails/observers/action_controller/caching/sweeping.rb:73:in `around' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:455:in `public_send' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:455:in `block in make_lambda' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:312:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:312:in `block in halting' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:497:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:497:in `block in around' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:505:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:313:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:313:in `block (2 levels) in halting' /usr/share/foreman/app/controllers/concerns/application_shared.rb:14:in `set_timezone' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:432:in `block in make_lambda' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:312:in `call' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:312:in `block in halting' /usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/callbacks.rb:497:in `call'	


```
/usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/connection_adapters/abstract_adapter.rb:778:in `_run_call_callbacks' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/connection_adapters/abstract_adapter.rb:81:in `run_callbacks' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/callbacks.rb:27:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/remote_ip.rb:78:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/show_exceptions.rb:30:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/rack/logger.rb:38:in `call_app' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/rack/logger.rb:22:in `call' |
/usr/share/foreman/lib/middleware/tagged_logging.rb:18:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/request_id.rb:21:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/methodoverride.rb:22:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/runtime.rb:18:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/activerecord-4.2.7.1/lib/active_record/connection_adapters/abstract_adapter.rb:28:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/actionpack-4.2.7.1/lib/action_dispatch/middleware/static.rb:120:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/sendfile.rb:113:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/secure_headers-3.6.1/lib/secure_headers/middleware.rb:12:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/engine.rb:518:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/application.rb:165:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/railtie.rb:194:in `public_send' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/railties-4.2.7.1/lib/rails/railtie.rb:194:in `method_missing' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/urlmap.rb:66:in `block in call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/urlmap.rb:50:in `each' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/rack-1.6.5/lib/rack/urlmap.rb:50:in `call' |
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/thread_handler_extension.rb:74:in `process_request' |
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:141:in `accept_and_process_next_request' |
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:109:in `main_loop' |
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler.rb:455:in `block (3 levels) in start_threads' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/logging-2.1.0/lib/logging/diagnostic_context.rb:450:in `call' |
/usr/share/foreman/vendor/ruby/2.1.0/gems/logging-2.1.0/lib/logging/diagnostic_context.rb:450:in `block in create_with_logging_context'
```

Related issues:

Related to Foreman - Bug #22143: WebUI doesn't allow to delete a host provisi...

Closed

History

#1 - 03/02/2017 09:40 AM - Anonymous

This is more less expected. Try to de-associate the VM from the host first (Host -> Edit -> Disassociate Host)

#2 - 03/02/2017 10:18 AM - Torben Hørup

Update. It works if you de-associate the hosts first.

But maybe it could provide a better error message than

"Error: Failed to destroy a compute xen (Xenserver) instance benny-schulle: undefined method `destroy' for nil:NilClass"

#3 - 03/02/2017 10:49 AM - Anonymous

- Project changed from Xen to Foreman

- Subject changed from Can not delete host if vm is removed to Can not delete host if VM is removed

- Category set to Compute resources

But maybe it could provide a better error message

That's a more than valid point. As this issue is a general problem in Foreman and not related to a specific compute resource, moving the issue.

#4 - 01/04/2018 09:46 AM - Ivan Necas

- Related to Bug #22143: WebUI doesn't allow to delete a host provisioned via bootdisk from satellite, when same host has already been deleted from rhev added

#5 - 01/07/2018 06:22 AM - Ido Kanner

- Assignee set to Ido Kanner

#6 - 05/27/2018 11:49 AM - Anonymous

Ido, was there any progress? If no, please unassign the ticket.

#7 - 05/28/2018 04:07 AM - Ido Kanner

- Assignee deleted (Ido Kanner)

removing myself following Mike's request